

Amy Dismukes

From: Jonathan Frank <jfrank@bartlett.com>
Sent: Tuesday, September 3, 2024 12:23 PM
To: Amy Dismukes; James Dossett
Cc: Katie P. Halloran
Subject: [EXTERNAL] RE: request for estimate for cabling and heavy maintenance pruning on historic mahogany in Key West, FL

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Ms. Dismukes,

Good afternoon. Thank you for contacting us. We definitely install cables and excel at all things “tree preservation”. But I am not sure that this tree is a good candidate for cabling due to the overhead utilities running through the crown. That creates a unique set of challenges. Are the powerlines still there?

Would it be okay if one of us visits the subject tree to see what our options are for supplemental support or risk mitigation? I am copying Jim Dossett as he would most likely be the one to inspect the tree. Please let me know if that works and we can then provide some timelines. Talk soon, stay well.

Thanks,
Jonathan

JONATHAN FRANK ARBORIST REPRESENTATIVE
ASCA Registered Consulting Arborist #618 • ISA Board Certified Master Arborist #FL-5250BT

BARTLETT TREE EXPERTS

516 South Dixie Highway, Suite 348, West Palm Beach, FL 33401

p (561) 467-7709 (Office)

e jfrank@Bartlett.com

<https://www.facebook.com/BartlettTreeOaklandParkFL/>

bartlett.com

From: Amy Dismukes <amy.dismukes@cityofkeywest-fl.gov>
Sent: Tuesday, September 3, 2024 10:43 AM
To: Jonathan Frank <jfrank@bartlett.com>
Cc: Amy Dismukes <amy.dismukes@cityofkeywest-fl.gov>; Katie P. Halloran <katie.halloran@cityofkeywest-fl.gov>
Subject: request for estimate for cabling and heavy maintenance pruning on historic mahogany in Key West, FL

Caution: This is an External E-mail From Outside Bartlett. Do Not Click On Links And Attachments Unless You Know The Content Is Safe.

Hi Jonathan,

Kevin Hunt highly recommended you for this work. The City of Key West is looking for an estimate to cable and lift the load on a 100 year old historic mahogany in Key West. I am attaching a document that details the tree. Please let me know what you think. This is a city right of way tree 😊 . We would very much appreciate your experience and knowledge with this beloved tree. H

From: AmyLDismukes <aldismukes@gmail.com>

Sent: Monday, July 8, 2024 8:48 AM

To: Amy Dismukes <amy.dismukes@cityofkeywest-fl.gov>

Subject: [EXTERNAL] Mahogany

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Amy Dismukes

From: Richard Bailey <richardbaileypf@yahoo.com>
Sent: Wednesday, September 4, 2024 7:06 AM
To: Amy Dismukes
Subject: [EXTERNAL] RE: request for estimate for cabling and heavy maintenance pruning on historic mahogany in Key West, FL

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Amy, thanks for the note.

I am semiretired now and do not do cable and bracing. I am doing palm diagnosis and treatments with the Sherwood Group. Let me think of who might be the best one to help in Key West.

Sincerely,

Richard Bailey

[Yahoo Mail: Search, Organize, Conquer](#)

On Tue, Sep 3, 2024 at 12:39 PM, Amy Dismukes
<amy.dismukes@cityofkeywest-fl.gov> wrote:

I apologize! I meant Richard!! I'm working off of a template 😊

From: Amy Dismukes <amy.dismukes@cityofkeywest-fl.gov>
Sent: Tuesday, September 3, 2024 10:53 AM
To: richardbaileypf@yahoo.com
Cc: Amy Dismukes <amy.dismukes@cityofkeywest-fl.gov>
Subject: FW: request for estimate for cabling and heavy maintenance pruning on historic mahogany in Key West, FL

Hi Jonathan,

Kevin Hunt highly recommended you for this work. The City of Key West is looking for an estimate to cable and lift the load on a 100 year old historic mahogany in Key West. I am attaching a document that details the tree. Please let me know what you think. This is a city right of way tree 😊 . We would very much appreciate your experience and knowledge with this beloved tree. We would like an estimate within the next 2 weeks, if possible and appreciate your time.

Thank you,

Amy Dismukes

Urban Forestry Manager

ISA Certified Arborist, SO-11264A

Amy.dismukes@cityofkeywest-fl.gov

City of Key West

305-809-3768



From: AmyLDismukes <aldismukes@gmail.com>

Sent: Monday, July 8, 2024 8:48 AM

To: Amy Dismukes <amy.dismukes@cityofkeywest-fl.gov>

Subject: [EXTERNAL] Mahogany

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Amy Dismukes

From: James Dossett <jdossett@Bartlett.com>
Sent: Monday, September 9, 2024 6:24 PM
To: Jonathan Frank
Cc: Amy Dismukes; Katie P. Halloran
Subject: [EXTERNAL] Re: [EXTERNAL] RE: request for estimate for cabling and heavy maintenance pruning on historic mahogany in Key West, FL

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi Guys,

Looking at the pictures, I'm afraid it's a poor candidate for cabling because of the co doctors and the angles involved. Not to say nothing can be done, I just don't think cabling is the answer.

I'd be happy to come and take a look and see if we can come up with a solution for it, but it would probably make more sense in a broader context. If you have other tree health and safety issues around town, I could look at those as well while I'm there. Maybe if we get a list of plants together, I'd be happy to come down and spend a day or two seeing how we can help!

Jim

James Dossett VP, Dvision Manager, Florida ISA CA, TRAQ, CTSP, SMS

BARTLETT TREE EXPERTS
2220 Gamble Road, Savannah, GA 31405
p
e jdossett@Bartlett.com

<https://linkprotect.cudasvc.com/url?a=https%3a%2f%2fbartlett.com&c=E,1,JEIyrCoGUaiUVUOqOqTbgsrsm78QrIBvBQ97Em19NuFgGUQFFejHTauu90m60gwwKDgJuchks8zWlj5PQA74zrLA6gtoVLfT0rbdFkJqSQ,,&typo=1>

> On Sep 3, 2024, at 13:14, Jonathan Frank <jfrank@bartlett.com> wrote:

>
> You will hear from us soon.
>
> Thanks,
> Jonathan

>
>
>
> Jonathan Frank Arborist Representative
>
> ASCA Registered Consulting Arborist #618 • ISA Board Certified Master
> Arborist #FL-5250BT _____
>
> BARTLETT TREE EXPERTS
> 516 South Dixie Highway, Suite 348, West Palm Beach, FL 33401 p (561)
> 467-7709 (Office) e jfrank@Bartlett.com
>
> <https://www.facebook.com/BartlettTreeOaklandParkFL/>
> https://linkprotect.cudasvc.com/url?a=https%3a%2f%2fbartlett.com&c=E,1,YYAuxCfYLXTbXUMutuvliIs8tNrzc19uIJce0vY1x0uINccOg4gB_dTsxjP7dhswPBCOslSiK1rlmI6dXTDF61SVPF99yeekq4mv4aAO2Zq0g,,&typo=1<https://linkprotect.cudasvc.com/url?a=https%3a%2f%2fwww.bartlett.com%2f&c=E,1,IcmFfiZgzWhqkIRML_aUUIMu-jC4Yzv5w6e70JOWE3XjT11v9pHFT6gr-ZzhPkQhpQCrzQr0yPfKy3MAc0gfUBnLEGaHYz7Sj6fPckXi38I,&typo=1>
>
>
> From: Amy Dismukes <amy.dismukes@cityofkeywest-fl.gov>
> Sent: Tuesday, September 3, 2024 12:42 PM
> To: Jonathan Frank <jfrank@bartlett.com>; James Dossett
> <jdossett@Bartlett.com>
> Cc: Katie P. Halloran <katie.halloran@cityofkeywest-fl.gov>
> Subject: RE: [EXTERNAL] RE: request for estimate for cabling and heavy
> maintenance pruning on historic mahogany in Key West, FL
>
> Caution: This is an External E-mail From Outside Bartlett. Do Not Click On Links And
Attachments Unless You Know The Content Is Safe.
>
> Hi Johnathan
>
> Sadly, the reason the tree was pruned into two large legs is due to
> the electric cables. I would LOVE for you to come and take a peek. You
> tell me when and I will make it happen. Thank you as well for replying
> so quickly. Amy
>
> From: Jonathan Frank <jfrank@bartlett.com<mailto:jfrank@bartlett.com>>
> Sent: Tuesday, September 3, 2024 12:23 PM
> To: Amy Dismukes
> <amy.dismukes@cityofkeywest-fl.gov<mailto:amy.dismukes@cityofkeywest-f
> l.gov>>; James Dossett
> <jdossett@Bartlett.com<mailto:jdossett@Bartlett.com>>
> Cc: Katie P. Halloran
> <katie.halloran@cityofkeywest-fl.gov<mailto:katie.halloran@cityofkeywe
> st-fl.gov>>

> Subject: [EXTERNAL] RE: request for estimate for cabling and heavy
> maintenance pruning on historic mahogany in Key West, FL
>
>
> CAUTION: This email originated from outside of the organization. Do not click links or
open attachments unless you recognize the sender and know the content is safe.
> Ms. Dismukes,
>
> Good afternoon. Thank you for contacting us. We definitely install cables and excel at
all things "tree preservation". But I am not sure that this tree is a good candidate for
cabling due to the overhead utilities running through the crown. That creates a unique
set of challenges. Are the powerlines still there?
>
> Would it be okay if one of us visits the subject tree to see what our options are for
supplemental support or risk mitigation? I am copying Jim Dossett as he would most
likely be the one to inspect the tree. Please let me know if that works and we can then
provide some timelines. Talk soon, stay well.
>
> Thanks,
> Jonathan
>
>
>
>
> Jonathan Frank Arborist Representative ASCA Registered Consulting
> Arborist #618 • ISA Board Certified Master Arborist #FL-5250BT
> _____
>
> BARTLETT TREE EXPERTS
> 516 South Dixie Highway, Suite 348, West Palm Beach, FL 33401 p (561)
> 467-7709 (Office) e jfrank@Bartlett.com<mailto:jfrank@Bartlett.com>
>
> <https://www.facebook.com/BartlettTreeOaklandParkFL/><[https://www.facebo](https://www.facebook.com/BartlettTreeOaklandParkFL/)
> [ok.com/BartlettTreeOaklandParkFL/](https://www.facebook.com/BartlettTreeOaklandParkFL/)>
> <https://linkprotect.cudasvc.com/url?a=https%3a%2f%2fbartlett.com&c=E,1>
>
> ,otymHsFJ5_DtuNsaAzpwtNZiNnuzPk1URTeumj5pEcAeaG_PMKCC3dxJpbP2hIQbXUOMA
> rSDydVT0fd9K01XzqFARKFmV3pamgSe8IZ88fIsekM,&typo=1<<https://linkprotect>
> [.cudasvc.com/url?a=https%3a%2f%2fbartlett.com&c=E,1,cPkYsl5oX_-rv6H89S](https://linkprotect.cudasvc.com/url?a=https%3a%2f%2fbartlett.com&c=E,1,cPkYsl5oX_-rv6H89S)
> eYmM4zP-1MyfSyodFQ1pLq2uUFciqvXriHArCozAgtmlv-4W7BHuTcwOFguHvhS_hZhi8k
> c1xbhLfIFtoVBaaHP4opBgxkJgTA6HA5XbDB&typo=1&ancr_add=1>
>
>
> From: Amy Dismukes
> <amy.dismukes@cityofkeywest-fl.gov<<mailto:amy.dismukes@cityofkeywest-f>
> [l.gov](mailto:amy.dismukes@cityofkeywest-fl.gov)>>
> Sent: Tuesday, September 3, 2024 10:43 AM
> To: Jonathan Frank <jfrank@bartlett.com<<mailto:jfrank@bartlett.com>>>

> Cc: Amy Dismukes
> <amy.dismukes@cityofkeywest-fl.gov<mailto:amy.dismukes@cityofkeywest-f
> l.gov>>; Katie P. Halloran
> <katie.halloran@cityofkeywest-fl.gov<mailto:katie.halloran@cityofkeywe
> st-fl.gov>>
> Subject: request for estimate for cabling and heavy maintenance
> pruning on historic mahogany in Key West, FL
>
> Caution: This is an External E-mail From Outside Bartlett. Do Not Click On Links And
Attachments Unless You Know The Content Is Safe.
>
> Hi Jonathan,
>
> Kevin Hunt highly recommended you for this work. The City of Key West
> is looking for an estimate to cable and lift the load on a 100 year
> old historic mahogany in Key West. I am attaching a document that
> details the tree. Please let me know what you think. This is a city
> right of way tree 😊. We would very much appreciate your experience and
> knowledge with this beloved tree. H
>
>
> From: AmyLDismukes <aldismukes@gmail.com<mailto:aldismukes@gmail.com>>
> Sent: Monday, July 8, 2024 8:48 AM
> To: Amy Dismukes
> <amy.dismukes@cityofkeywest-fl.gov<mailto:amy.dismukes@cityofkeywest-f
> l.gov>>
> Subject: [EXTERNAL] Mahogany
>
>
> CAUTION: This email originated from outside of the organization. Do not click links or
open attachments unless you recognize the sender and know the content is safe.
>
>
> [IMG_1761.jpg]
>
>
> [IMG_1770.jpg]
>
>
> [IMG_1771.jpg]
>
>
> [IMG_1778.jpg]
>
> Health and good wishes, Amy L. Dismukes
>
> There are more life forms in a handful of forest soil than there are
> people on the planet." - Peter Wohlleben