

**TREE COMMISSION TREE REMOVAL REPORT
CITY of KEY WEST**

PROPERTY: 2510 Fogarty Ave


APPLICATION NUMBER: T2025-0214

REQUEST: The applicant is requesting removal of (1) Tropical Almond Tree & (1) Autograph Tree

TREE ASSESSMENT and PHOTOS



The stem splits near the root flare with multiple hanging roots.



Close up of the branching.



The tree's canopy is beneath a much larger dominant tree and several large Silver Bismarkia Palms.





The tree has few appreciable views due to its crowding in this landscape.



This Tropical Almond Tree is a volunteer that is several years old. It is growing in a unsuitable position and its growth habit does not look healthy.



Two stems sharing one root-ball. Mitigation is recommended.



A small canopy that can be replaced and improved for long term health.

- Autograph Tree

Diameter: 10"

Location: 40%

Species: 100%

Condition: 80%

Value: 73%

Recommended Mitigation: 7.3 Caliper Inches

- Tropical Almond Tree

Diameter: 13" Total

Location: 60%

Species: 100%

Condition: 40%

Value: 67%

Recommended Mitigation: 8.7 Caliper Inches

NOTES: Both trees are recommended for mitigation due to lack of canopy contribution and lack of long-term health outlook.

PREPARED BY:

Brett Mayle Urban Forestry Manager

&

Zach Bentley Asst. Urban Forestry Manager

City of Key West

305-809-3957

