



Historic Architectural Review Commission Staff Report for Item 12

To: Chairman Haven Burkee and Historic Architectural Review
Commission Members

From: Daniela Salume, MFA
Historic Preservation Manager

Meeting Date: May 27, 2025

Applicant: Sandbar Design Studio, Inc

Application Number: C2025-0040

Address: 309 William Street

Description of Work:

Elevation of existing historic two-story wood-frame residence about 3'9", new addition on north and east sides, vertical extension of roofline for increased ceiling height, new foundation, new porch stairs, and site improvements.

Site Facts:

The building under review is a historic and contributing structure within the historic district, constructed circa 1885. This two-story house is located at the corner of William Street and Sawyers Lane. The site includes the primary wood-frame structure along with one-story rear additions.

Currently the house sits on piers and is located within an AE-7 flood zone.



Photo of property under review circa 1965. Monroe County Library.



Photo of property under review June 2008. Monroe County Library.




Photo of property under review.



Photo of property under review.



Photo of property under review.




1962 Sanborn Map and current survey.

Guidelines Cited on Review:


- Guidelines for Building Exteriors-Wood (page 24), specifically guidelines 1 and 2.
- Guidelines for Roofing (page 26), specifically guidelines 1, 2, 3, 4, 5, and 6.
- Guidelines for Dormers (page 27), specifically guidelines 1, 2, 3, 4, and 5.
- Guidelines for Scuttles and Skylights (page 28), specifically guideline 2.
- Guidelines for Windows (pages 29a-29I), specifically guidelines A (3, 5, 8, and 9), B (1 and 3).
- Guidelines for Shutters (pages 30a-30e), specifically guidelines 3, 4, and 5.
- Guidelines for Entrances, Porches, Doors, and Exterior Staircases (pages 32-33), specifically guidelines 3, 4, 5, 7, 9, 12, 15, and 16.
- Guidelines for Foundations & Lattice Infill (page 34), specifically guidelines 1, 2, and 4.
- Guidelines for Additions (pages 37a-37k), specifically guidelines 1, 2, 3, 4, 5, 6, 8, 9, 11, 12, 13, 14, 17, 19, 20, 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, and 33.
- Guidelines for New Construction (pages 38a-38q), specifically guidelines 1, 2, 3, 5, 6, 7, 8, 9, 11, 12, 13 (first sentence), 14, 15, 16, 17, 18, 21, 22, 23, 24, and 25.
- Guidelines for Decks, Patios, Hot Tubs, Spas, Pools, and Related Equipment (page 39a), specifically first paragraph, guidelines 1, 2 (last two sentences), 3 and 4.
- Guidelines for Fences and Walls (pages 41-42), specifically guidelines 1, 2, 3, 4 (first sentence), 5, 6, 8, 9, and 10.
- Guidelines for parking areas, landscaping & open space environment (page 43), specifically guidelines 2, 3, and 6.

Staff Analysis:


A Certificate of Appropriateness is currently under review for substantial alterations to a contributing historic structure. The plans propose the demolition of two one-story rear shed additions and the elevation of the main two-story historic house by approximately 3 feet 9 inches to meet FEMA's design flood elevation (DFE) of 8 feet NGVD. New foundations will be constructed to support the raised structure, and a louvered lattice will be installed between the piers to screen the crawlspace. A new front stair will be added, centered on the front porch, to provide access at the new elevated height. The porch will have new posts and railings. Much of the wood siding on the main structure will also need to be replaced. The project also includes a new two-story addition extending from the north and east sides of the building. To accommodate a full second story, the roofline of the existing two-story main structure will be raised vertically. The proposed two-story addition will use materials such as Hardie board siding, standing seam metal roofing in a mill finish, and 1x4 Hardie trim. Impact-rated windows with appropriate muntin patterns and wood shutters are also proposed. Site improvements include the installation of a pool with a small, elevated deck for access. The pool will be located adjacent to William Street and screened by a louvered privacy wall. The plans also propose a gravel driveway and 4-foot picket fencing along the street-facing sides of the property, with a 10-foot-wide sliding picket gate to allow vehicle access.



Existing Site Plan/Demo.




Proposed Site Plan.



1 EXISTING/DEMO 1ST FLOOR
1/4" = 1'-0"



1
A.5


Existing Floor Plan/Demo.



2 PROPOSED 1ST FLOOR
1/4" = 1'-0"

Proposed First Floor Plan.






Existing Front Elevation.




Proposed Front Elevation.



Existing Rear Elevation.



Proposed Rear Elevation.



Existing Side Elevation.




Proposed Side Elevation.



1
A 1

3DA

3D render from William Street.



3
A 1

3DC

3D render from Sawyers Lane.

Consistency with Cited Guidelines:

The proposed alterations present several concerns regarding consistency with the *Historic Architectural Guidelines*. The most significant issue is the proposed alteration of the roofline on the original two-story structure. Guideline 4 of Roofs states that *the form and configuration of a roof must not be altered in pitch, design, materials or shape unless the resulting changes would return the roof to a verifiable and appropriate historical form*. The plans propose increasing the height of the existing roof to create more interior space on the second floor, which changes the building's historic form. Additionally, Guidelines 17 of Additions states that *roof forms of contributing buildings cannot be altered if that portion of the roof is visible from any street* and Guideline 20 of additions states that *expanding the existing building form and massing on a contributing building in order to add height to exterior walls and raising the roof is not an appropriate design solution*.

The two-story addition is very predominant and visible from the street. Guideline 1 of Additions emphasizes the previous point and states that *additions shall require no or minimal changes to the character defining features of a building and its site* and Guideline 6 states that *any proposed addition shall be attached to less public elevations. Whenever possible, additions shall be attached to the rear or least conspicuous side of an existing building. On a corner lot, an addition shall be located to be unobtrusive when viewed from either adjoining streets*.

The two-story addition is only 1 inch lower than the elevated historic structure, which Guideline 11 of Additions states that *additions to contributing and historic buildings shall limit its size and scale in relationship to the historic building. The addition shall be lower than the original building height*. The minimal height difference and overall volume of the addition visually competes with the historic structure.

The design also includes full-length shed dormers on both the historic building and the addition. Guideline 5 of Roofs states that *the public view of the roofline should not be altered by the addition of new features such as dormers, scuttles, vents or skylights. Such features may be allowed on roof surfaces not visible from a public right-of-way*. The dormers while not visible from the front elevation (William Street), they are visible from the side elevation (Sawyers Lane). Additionally, Guideline 3 of Dormers states that *dormer size must be in proportion to the building and its roof. Oversized or undersized dormers are inappropriate* and Guideline 4 also of Dormers states that *generally, dormers on 19th century buildings were designed with a gable roof. Dormer additions to bungalow-style structures generally had a shed roof*. Guideline 9 of Additions further emphasizes this by stating that *new dormers proposed for contributing or historic buildings must not be visible from any street or lane. Dormer proportion, scale, and mass shall be similar to historic dormers found on similar buildings*. Lastly Guideline 21 of new construction discourages full length dormers stating that *any proposed dormers must be compatible and proportionate to the building and its roof. Dormers with a large width that creates a full story are discouraged*.

The use of standing seam metal roofing in a mill finish is not an approved material for residential properties. A more appropriate material, such as 5V crimp metal roofing, should be used to maintain compatibility with the district's architectural character. Guideline 2 of Roofing states that *conventional modern roofing materials such as asphalt shingles, V-crimp, or composition roofing may be used on non-contributing structures, provided that they do not detract from the characteristics of nearby historic properties* and Guidelines 3 emphasizes it by stating that *roofing materials and forms used in new construction must be visually compatible with the existing historical and architectural context of the streetscape and neighborhood*. Additionally, all replacement materials on the main structure such as siding, street facing windows, trim, shutters etc. need to be wood.

The proposed lattice is horizontal louvers, however Guideline 1 of Foundations & Lattice Infill states that *infill between piers shall be of standard diagonal or box lattice or of vertical strip design*.

Even though not addressed in the plans, existing scuttles in the front elevation of the main structure should be preserved per Guideline 2 of Scuttles and Skylights which states that *original wood roof windows, scuttles and skylights should be retained and repaired wherever possible* and Guideline 4 of Roofing states that *original features such as scuttles, chimneys and roof porches should not be removed or altered*.

The pool location is another point of concern. First paragraph of Guidelines for Pools states that *the installation of pools, hot tubs, spas and related equipment that are located in the front or to the side of a property adjacent to the public right-of-way—excluding rear yards—are not permitted in the historic district, as these modern features detract from the sense of time and place that sets the district apart from modern developments*. The proposed pool is situated adjacent to William Street, a public right-of-way, making it highly visible despite the louvered wall.

While materials such as Hardie board siding and wood shutters are generally compatible with historic structures when used on additions, the overall design does not comply with the Guidelines. The proposed massing, roofline alterations, use of prohibited roofing material, and placement of the pool all conflict with the Guidelines. To bring the project into compliance, the design should be revised to reduce the visual impact of the two-story addition, preserve the original roof form, limit the size and visibility of dormers, select a historically appropriate roofing material, and relocate the pool away from the street-facing side of the property.

APPLICATION

HARC MAJOR PROJECTS CERTIFICATE OF APPROPRIATENESS



City of Key West

1300 White Street
Key West, Florida 33040

HARC COA #	REVISION #	INITIAL & DATE
FLOOD ZONE	ZONING DISTRICT	BLDG PERMIT #
AE7	HMDR	

A PRE-APPLICATION MEETING WITH HARC STAFF IS REQUIRED PRIOR TO SUBMITTAL

ADDRESS OF PROPOSED PROJECT:

309 William Street

NAME ON DEED:

Craig A Schmitz Trust

PHONE NUMBER
314-565-4148

OWNER'S MAILING ADDRESS:

23 Windcastle Drive

EMAIL
craig@craigschmitz.com

St. Charles, MO 63304

APPLICANT NAME:

Sandbar Design Studio, Inc

PHONE NUMBER
847-903-5854

APPLICANT'S ADDRESS:

29183 Camellia Lane

EMAIL
INFO@SANDBARDESIGNSTUDIO.COM

Big Pine Key, FL 33043

APPLICANT'S SIGNATURE:

Erica Poole

DATE
4/18/2025

ANY PERSON THAT MAKES CHANGES TO AN APPROVED CERTIFICATE OF APPROPRIATENESS MUST SUBMIT A NEW APPLICATION.

FLORIDA STATUTE 837.06: WHOEVER KNOWINGLY MAKES A FALSE STATEMENT IN WRITING AND WITH THE INTENT TO MISLEAD A PUBLIC SERVANT IN THE PERFORMANCE OF HIS OR HER OFFICIAL DUTY SHALL BE GUILTY OF A MISDEMEANOR OF THE SECOND-DEGREE PUNISHABLE PER SECTION 775.082 OR 775.083. THE APPLICANT FURTHER HEREBY ACKNOWLEDGES THAT THE SCOPE OF WORK AS DESCRIBED IN THE APPLICATION SHALL BE THE SCOPE OF WORK THAT IS CONTEMPLATED BY THE APPLICANT AND THE CITY. THE APPLICANT FURTHER STIPULATES THAT SHOULD FURTHER ACTION BE TAKEN BY THE CITY FOR EXCEEDING THE SCOPE OF THE DESCRIPTION OF WORK, AS DESCRIBED HEREIN, AND IF THERE IS CONFLICTING INFORMATION BETWEEN THE DESCRIPTION OF WORK AND THE SUBMITTED PLANS, THE AFOREMENTIONED DESCRIPTION OF WORK SHALL BE CONTROLLING.

PROJECT INCLUDES: REPLACEMENT OF WINDOWS X RELOCATION OF A STRUCTURE ELEVATION OF A STRUCTURE X

PROJECT INVOLVES A CONTRIBUTING STRUCTURE: YES X NO INVOLVES A HISTORIC STRUCTURE: YES X NO

PROJECT INVOLVES A STRUCTURE THAT IS INDIVIDUALLY LISTED ON THE NATIONAL REGISTER: YES NO

DETAILED PROJECT DESCRIPTION INCLUDING MATERIALS, HEIGHT, DIMENSIONS, SQUARE FOOTAGE, LOCATION, ETC.

GENERAL:

RAISING OF EXISTING RESIDENCE TO 1" ABOVE DESIGN FLOOD ELEVATION. NEW ADDITION ON SIDE OF HOUSE. FUTURE POOL PER PLAN, WITH LOUVER WALL FOR SCREENING FROM SAWYER LANE.

MAIN BUILDING:

DEMOLITION (PLEASE FILL OUT AND ATTACH DEMOLITION APPENDIX):

DEMO OF EXISTING REAR SHED STRUCTURES (NON-HISTORIC). SEE DEMO APPENDIX

APPLICATIONS MUST BE SUBMITTED IN PERSON WITH HARD COPIES BY 3PM ON THE SCHEDULED DEADLINE
PLEASE SEND AN ELECTRONIC COPY OF ALL DOCUMENTS CITY_HARC@CITYOFKEYWEST-FL.GOV

ACCESSORY STRUCTURE(S):	
FUTURE POOL PER PLAN	
PAVERS:	FENCES:
	4' PICKET FENCE & 10' WIDE GATE PER PLAN
DECKS:	PAINTING:
WOOD FRAME DECKS PER PLAN, FRONT & REAR	PAINT COLOR TBD, WITH HARC APPROVAL, DURING CONSTRUCTION
SITE (INCLUDING GRADING, FILL, TREES, ETC):	POOLS (INCLUDING EQUIPMENT):
	FUTURE POOL PER PLAN, CONCEALED FROM SAWYER LANE W/ LOUVER WALL
ACCESSORY EQUIPMENT (GAS, A/C, VENTS, ETC):	OTHER:

OFFICIAL USE ONLY:	HARC COMMISSION REVIEW	EXPIRES ON:
MEETING DATE:	<input type="checkbox"/> APPROVED <input type="checkbox"/> NOT APPROVED <input type="checkbox"/> DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
MEETING DATE:	<input type="checkbox"/> APPROVED <input type="checkbox"/> NOT APPROVED <input type="checkbox"/> DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
MEETING DATE:	<input type="checkbox"/> APPROVED <input type="checkbox"/> NOT APPROVED <input type="checkbox"/> DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
REASONS OR CONDITIONS:		
STAFF REVIEW COMMENTS:		
FIRST READING FOR DEMO:	SECOND READING FOR DEMO:	
HARC STAFF SIGNATURE AND DATE:	HARC CHAIRPERSON SIGNATURE AND DATE:	

THIS APPLICATION MAY BE REVIEWED BY PLANNING DEPARTMENT STAFF.

HARC CERTIFICATE OF APPROPRIATENESS: DEMOLITION APPENDIX



City of Key West

1300 White Street
Key West, Florida 33040

HARC COA #	INITIAL & DATE
ZONING DISTRICT	BLDG PERMIT #

ADDRESS OF PROPOSED PROJECT:	309 William Street
PROPERTY OWNER'S NAME:	FC Real Estate Investments LLC
APPLICANT NAME:	Sandbar Design Studio, Inc

*I hereby certify I am the owner of record and that the work shall conform to all applicable laws of this jurisdiction. By receiving a Certificate of Appropriateness, I realize that this project will require a Building Permit approval **PRIOR** to proceeding with the work outlined above and that a final inspection is required under this application. I also understand that any changes to an approved Certificate of Appropriateness must be submitted for review.*

PROPERTY OWNER'S SIGNATURE

CRAIG SCHMITZ 04-18-2025

DATE AND PRINT NAME

DETAILED PROJECT DESCRIPTION OF DEMOLITION

RAISING OF EXISTING SFR. NEW FOUNDATION TO REPLACE DETERIORATED FOUNDATION.
DEMO OF EXISTING NON-HISTORIC REAR SHED STRUCTURES.

CRITERIA FOR DEMOLITION OF CONTRIBUTING OR HISTORIC STRUCTURES:

Before any Certificate of Appropriateness may be issued for a demolition request, the Historic Architectural Review Commission must find that the following requirements are met (please review and comment on each criterion that applies):

(1) If the subject of the application is a contributing or historic building or structure, then it should not be demolished unless its condition is irrevocably compromised by extreme deterioration or it does not meet any of the following criteria:

(a) The existing condition of the building or structure is irrevocably compromised by extreme deterioration.

THE EXISTING FOUNDATION IS EITHER NON-EXISTENT OR DETERIORATED. THE REAR SHED STRUCTURES ARE DETERIORATED AND NON-HISTORIC. THE HOUSE WILL BE RAISED 1" ABOVE DESIGN FLOOD ELEVATION.

(2) Or explain how the building or structure meets the criteria below:

(a) Embodies no distinctive characteristics of a type, period, or method of construction of aesthetic or historic significance in the city and is not a significant and distinguishable building entity whose components may lack individual distinction.

Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.

(b) Is not specifically associated with events that have made a significant contribution to local, state, or national history.

(c) Has no significant character, interest, or value as part of the development, heritage, or cultural characteristics of the city, state or nation, and is not associated with the life of a person significant in the past.

(d) Is not the site of a historic event with significant effect upon society.

(e) Does not exemplify the cultural, political, economic, social, or historic heritage of the city.

(f) Does not portray the environment in an era of history characterized by a distinctive architectural style.

(g) If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif.

(h) Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhood.

Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.

(i) Has not yielded, and is not likely to yield, information important in history,

CRITERIA FOR DEMOLITION OF NON-CONTRIBUTING OR NON-HISTORIC STRUCTURES:

The following criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The Commission shall not issue a Certificate of Appropriateness that would result in the following conditions (please review and comment on each criterion that applies):

(1) Removing buildings or structure that are important in defining the overall historic character of a district or neighborhood so that the character is diminished.

THE REAR SHED STRUCTURES ARE NON-HISTORIC AND DO NOT DEFINE THE OVERALL HISTORIC CHARACTER OF THE DISTRICT/NEIGHBORHOOD

(2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space.

THE REMOVAL OF THESE STRUCTURES DOES NOT DESTROY THE HISTORIC RELATIONSHIP BETWEEN BUILDINGS AND OPEN SPACE. PER THE SANBORN MAP, THE REAR OF THE LOT DID NOT HAVE A RESIDENCE ON IT. THE SIDE YARD HAD STRUCTURES ALONG THE RED DOORS.

(3) Removing an historic building or structure in a complex; or removing a building façade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood.

THE REAR SHED ADDITIONS ARE NOT HISTORIC TO THE SITE.

(4) Removing buildings or structures that would otherwise qualify as contributing.

THE REAR STRUCTURES ARE NOT CONTRIBUTING.

U.S. DEPARTMENT OF HOMELAND SECURITY
Federal Emergency Management Agency
National Flood Insurance Program

OMB Control No. 1660-0008
Expiration Date: 06/30/2026

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building

SECTION A – PROPERTY INFORMATION		FOR INSURANCE COMPANY USE
A1. Building Owner's Name: <u>CRAIG SCHMITZ</u>		Policy Number: _____
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: <u>309 WILLIAM STREET</u>		Company NAIC Number: _____
City: <u>KEY WEST</u> State: <u>FL</u> ZIP Code: <u>33040</u>		
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Number: <u>MONROE COUNTY PROPERTY APPRAISER PARCEL ID 00003170-000000</u>		
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): <u>RESIDENTAL</u>		
A5. Latitude/Longitude: Lat. <u>24°33'36.30"</u> Long. <u>-081°48'02.00"</u> Horiz. Datum: <input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 <input checked="" type="checkbox"/> WGS 84		
A6. Attach at least two and when possible four clear color photographs (one for each side) of the building (see Form pages 7 and 8).		
A7. Building Diagram Number: <u>5</u>		
A8. For a building with a crawlspace or enclosure(s):		
a) Square footage of crawlspace or enclosure(s): <u>N/A</u> sq. ft.		
b) Is there at least one permanent flood opening on two different sides of each enclosed area? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade: Non-engineered flood openings: <u>N/A</u> Engineered flood openings: <u>N/A</u>		
d) Total net open area of non-engineered flood openings in A8.c: <u>N/A</u> sq. in.		
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instructions): <u>N/A</u> sq. ft.		
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): <u>N/A</u> sq. ft.		
A9. For a building with an attached garage:		
a) Square footage of attached garage: <u>N/A</u> sq. ft.		
b) Is there at least one permanent flood opening on two different sides of the attached garage? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade: Non-engineered flood openings: <u>N/A</u> Engineered flood openings: <u>N/A</u>		
d) Total net open area of non-engineered flood openings in A9.c: <u>N/A</u> sq. in.		
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instructions): <u>N/A</u> sq. ft.		
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): <u>N/A</u> sq. ft.		
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION		
B1.a. NFIP Community Name: <u>CITY OF KEY WEST</u>		B1.b. NFIP Community Identification Number: <u>120168</u>
B2. County Name: <u>MONROE</u>	B3. State: <u>FL</u>	B4. Map/Panel No.: <u>12087C1516</u> B5. Suffix: <u>K</u>
B6. FIRM Index Date: <u>02/18/2005</u>		B7. FIRM Panel Effective/Revised Date: <u>02/18/2005</u>
B8. Flood Zone(s): <u>AE</u>		B9. Base Flood Elevation(s) (BFE) (Zone AO, use Base Flood Depth): <u>7</u>
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9: <input type="checkbox"/> FIS <input checked="" type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other: _____		
B11. Indicate elevation datum used for BFE in Item B9: <input checked="" type="checkbox"/> NGVD 1929 <input type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other/Source: _____		
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Designation Date: _____ <input type="checkbox"/> CBRS <input type="checkbox"/> OPA		
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:

309 WILLIAM STREET

City: KEY WEST

State: FL

ZIP Code: 33040

FOR INSURANCE COMPANY USE

Policy Number: _____

Company NAIC Number: _____

SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☒ Finished Construction

*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, A99. Complete Items C2.a–h below according to the Building Diagram specified in Item A7. In Puerto Rico only, enter meters.

Benchmark Utilized: AA0002

Vertical Datum: NGVD29

Indicate elevation datum used for the elevations in items a) through h) below.

☒ NGVD 1929 ☐ NAVD 1988 ☐ Other: _____

Datum used for building elevations must be the same as that used for the BFE. Conversion factor used?

☒ Yes ☐ No

If Yes, describe the source of the conversion factor in the Section D Comments area.

Check the measurement used:

a) Top of bottom floor (including basement, crawlspace, or enclosure floor):

3.6

☒ feet ☐ meters

b) Top of the next higher floor (see Instructions):

4.3

☒ feet ☐ meters

c) Bottom of the lowest horizontal structural member (see Instructions):

N/A

☐ feet ☐ meters

d) Attached garage (top of slab):

N/A

☐ feet ☐ meters

e) Lowest elevation of Machinery and Equipment (M&E) servicing the building (describe type of M&E and location in Section D Comments area):

9.2

☒ feet ☐ meters

f) Lowest Adjacent Grade (LAG) next to building: ☒ Natural ☐ Finished

2.7

☒ feet ☐ meters

g) Highest Adjacent Grade (HAG) next to building: ☒ Natural ☐ Finished

3.4

☒ feet ☐ meters

h) Finished LAG at lowest elevation of attached deck or stairs, including structural support:

2.7

☒ feet ☐ meters

SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by state law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Were latitude and longitude in Section A provided by a licensed land surveyor? ☒ Yes ☐ No

☐ Check here if attachments and describe in the Comments area.

Certifier's Name: ERIC ISAACS

License Number: PSM 6783

Title: SURVEYOR AND MAPPER

Company Name: FLORIDA KEYS LAND SURVEYING

Address: 21460 OVERSEAS HWY, SUITE 4

City: CUDJOE KEY

State: FL

ZIP Code: 33042


Telephone: (305) 394-3690

Ext.: _____

Email: FKLSEMAIL@GMAIL.COM

Signature: _____

Date: 02/07/2025



Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building

Comments (including source of conversion factor in C2; type of equipment and location per C2.e; and description of any attachments):
THE BUILDING=A 1 STORY HOUSE W/ MULTIPLE FLOOR LEVELS, ON COLUMNS. C2e=THE ELEVATION OF THE BOTTOM OF THE ELECTRIC METER / PANEL DISCONNECT BOX. THE LATITUDE AND LONGITUDE WERE DETERMINED BY USING GOOGLE EARTH.

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:

309 WILLIAM STREET

City: KEY WEST

State: FL

ZIP Code: 33040

FOR INSURANCE COMPANY USE

Policy Number: _____

Company NAIC Number: _____

SECTION E – BUILDING MEASUREMENT INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT BFE)

For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural grade, if available. If the Certificate is intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the measurement used. In Puerto Rico only, enter meters.

Building measurements are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☐ Finished Construction

*A new Elevation Certificate will be required when construction of the building is complete.

E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the appropriate boxes to show whether the measurement is above or below the natural HAG and the LAG.

a) Top of bottom floor (including basement, crawlspace, or enclosure) is: _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG.

b) Top of bottom floor (including basement, crawlspace, or enclosure) is: _____ ☐ feet ☐ meters ☐ above or ☐ below the LAG.

E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1–2 of Instructions), the next higher floor (C2.b in applicable Building Diagram) of the building is: _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG.

E3. Attached garage (top of slab) is: _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG.

E4. Top of platform of machinery and/or equipment servicing the building is: _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG.

E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? ☐ Yes ☐ No ☐ Unknown The local official must certify this information in Section G.

SECTION F – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without BFE) or Zone AO must sign here. *The statements in Sections A, B, and E are correct to the best of my knowledge*

☐ Check here if attachments and describe in the Comments area.

Property Owner or Owner's Authorized Representative Name: _____

Address: _____

City: _____ State: _____ ZIP Code: _____

Telephone: _____ Ext.: _____ Email: _____

Signature: _____ Date: _____

Comments:

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:

309 WILLIAM STREET

City: KEY WEST

State: FL

ZIP Code: 33040

FOR INSURANCE COMPANY USE

Policy Number: _____

Company NAIC Number: _____

SECTION G – COMMUNITY INFORMATION (RECOMMENDED FOR COMMUNITY OFFICIAL COMPLETION)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Section A, B, C, E, G, or H of this Elevation Certificate. Complete the applicable item(s) and sign below when:

- G1. ☐ The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by state law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.a. ☐ A local official completed Section E for a building located in Zone A (without a BFE), Zone AO, or Zone AR/AO, or when item E5 is completed for a building located in Zone AO.
- G2.b. ☐ A local official completed Section H for insurance purposes.
- G3. ☐ In the Comments area of Section G, the local official describes specific corrections to the information in Sections A, B, E and H.
- G4. ☐ The following information (Items G5–G11) is provided for community floodplain management purposes.
- G5. Permit Number: _____ G6. Date Permit Issued: _____
- G7. Date Certificate of Compliance/Occupancy Issued: _____
- G8. This permit has been issued for: ☐ New Construction ☐ Substantial Improvement
- G9.a. Elevation of as-built lowest floor (including basement) of the building: _____ ☐ feet ☐ meters Datum: _____
- G9.b. Elevation of bottom of as-built lowest horizontal structural member: _____ ☐ feet ☐ meters Datum: _____
- G10.a. BFE (or depth in Zone AO) of flooding at the building site: _____ ☐ feet ☐ meters Datum: _____
- G10.b. Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural member: _____ ☐ feet ☐ meters Datum: _____
- G11. Variance issued? ☐ Yes ☐ No If yes, attach documentation and describe in the Comments area.

The local official who provides information in Section G must sign here. *I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section.*

Local Official's Name: _____ Title: _____

NFIP Community Name: _____

Telephone: _____ Ext.: _____ Email: _____

Address: _____

City: _____ State: _____ ZIP Code: _____

Signature: _____ Date: _____

Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in Sections A, B, D, E, or H):

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:

309 WILLIAM STREET

City: KEY WEST

State: FL

ZIP Code: 33040

FOR INSURANCE COMPANY USE

Policy Number: _____

Company NAIC Number: _____

SECTION H – BUILDING'S FIRST FLOOR HEIGHT INFORMATION FOR ALL ZONES (SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY)

The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). **Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section.**

H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the Lowest Adjacent Grade (LAG):

a) **For Building Diagrams 1A, 1B, 3, and 5–8.** Top of bottom _____ ☐ feet ☐ meters ☐ above the LAG floor (include above-grade floors only for buildings with crawlspaces or enclosure floors) is:

b) **For Building Diagrams 2A, 2B, 4, and 6–9.** Top of next _____ ☐ feet ☐ meters ☐ above the LAG higher floor (i.e., the floor above basement, crawlspace, or enclosure floor) is:

H2. Is **all** Machinery and Equipment servicing the building (as listed in Item H2 instructions) elevated to or above the floor indicated by the H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram?

☐ Yes ☐ No

SECTION I – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. *The statements in Sections A, B, and H are correct to the best of my knowledge.* **Note:** If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G.

☐ Check here if attachments are provided (including required photos) and describe each attachment in the Comments area.

Property Owner or Owner's Authorized Representative Name: _____

Address: _____

City: _____ State: _____ ZIP Code: _____

Telephone: _____ Ext.: _____ Email: _____

Signature: _____ Date: _____

Comments:

ELEVATION CERTIFICATE
IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11
BUILDING PHOTOGRAPHS

See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:
309 WILLIAM STREET

City: KEY WEST State: FL ZIP Code: 33040

FOR INSURANCE COMPANY USE

Policy Number: _____

Company NAIC Number: _____

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: FRONT VIEW - 01/29/2025

Clear Photo One



Photo Two

Photo Two Caption: SIDE VIEW - 01/29/2025

Clear Photo Two

ELEVATION CERTIFICATE
IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11
BUILDING PHOTOGRAPHS

Continuation Page

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:
309 WILLIAM STREET

City: KEY WEST State: FL ZIP Code: 33040

FOR INSURANCE COMPANY USE

Policy Number: _____

Company NAIC Number: _____

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo Three

Photo Three Caption: REAR VIEW - 01/29/2025

Clear Photo Three




Photo Four

Photo Four Caption: SIDE VIEW - 01/29/2025

Clear Photo Four

SANBORN MAPS




1962 Sanborn Map


1/2



WILLIAM




1948 Sanborn Map




1926 Sanborn Map

CAROLINE



1899 Sanborn Map


CAROLINE



1892 Sanborn Map

PROJECT PHOTOS

SANBORN MAP APRIL 1899



PHOTOS OF RESIDENCE

































































SURVEY

BEARING BASE:
ALL BEARINGS ARE BASED
ON S34°06'128"E ASSUMED
ALONG THE CENTERLINE OF
WILLIAM STREET .


ALL ANGLES DEPICTED
ARE 90 DEGREES UNLESS
OTHERWISE INDICATED

ALL UNITS ARE SHOWN IN
U.S. SURVEY FEET



ADDRESS:
309 WILLIAM STREET,
KEY WEST, FL 33040

COMMUNITY NO.: 120168
MAP NO.: 12087C-1516K
MAP DATE: 02-18-2005
FLOOD ZONE: AE
BASE ELEVATION: 7

MAP OF BOUNDARY SURVEY




LOCATION MAP - NTS
SEC. 06-T685-R25E



LEGEND

- - WATER METER
- - SANITARY SEWER CLEAN OUT
- - MAILBOX
- - WOOD POWER POLE
- ⊗ - CONCRETE POWER POLE



TOTAL AREA = 2,654.97 SQFT ±

SURVEYOR NOTES:

- ELEVATIONS SHOWN HEREON ARE IN FEET AND BASED ON THE NATIONAL GEODETIC VERTICAL DATUM OF 1929 (NGVD 1929), AND ARE CERTIFIED TO AN ACCURACY OF +/- 0.10'.
- BENCHMARK DESCRIPTION: NATIONAL GEODETIC SURVEY BENCHMARK "D 121" (P.I.D. AA0020), ELEVATION= 3.91' (NGVD 1929).
- THE FINISH FLOOR ELEVATION (FF) WAS TAKEN AT AN EXTERIOR DOOR THRESHOLD, NO INTERIOR FLOOR ELEVATIONS WERE VERIFIED. (FF-1)=4.3' (NGVD 1929) (FF-2)=3.6' (NGVD 1929)
- THIS SURVEY WAS PERFORMED FOR THE SOLE AND EXCLUSIVE BENEFIT OF THE PARTIES LISTED HEREIN AND SHALL NOT BE RELIED UPON BY ANY OTHER ENTITY OR INDIVIDUAL WHOMSOEVER. LIKEWISE, ANY REUSE OF THIS SURVEY FOR ANY PURPOSE OTHER THAN WHICH WAS ORIGINALLY INTENDED, WITHOUT THE WRITTEN PERMISSION OF THE UNDERSIGNED SURVEYOR & MAPPER WILL BE DONE SO AT THE RISK OF THE REUSING PARTY AND WITHOUT ANY LIABILITY TO THE UNDERSIGNED SURVEYOR & MAPPER.
- THIS SURVEY DOES NOT PURPORT TO SHOW OWNERSHIP OF WALLS OR FENCES ALONG PROPERTY LINES.

CERTIFIED TO -

CRAIG SCHMITZ;

NOTE: FOUNDATIONS BENEATH THE SURFACE ARE NOT SHOWN. MEASURED DIMENSIONS EQUAL PLATTED OR DESCRIBED DIMENSIONS UNLESS INDICATED OTHERWISE.
THE FOLLOWING IS A LIST OF ABBREVIATIONS THAT MAY BE FOUND ON THIS SHEET.

BFP = BACK-FLOW PREVENTER	GYW = GUY WIRE	POC = POINT OF COMMENCEMENT
BO = BLOW-OUT	HB = HOSE BIB	PRC = POINT OF REVERSE CURVE
C 4 G = 2" CONCRETE CURB & GUTTER	IP = IRON PIPE	PRM = PERMANENT REFERENCE MONUMENT
CB = CONCRETE BLOCK	LS = LANDSCAPING	
CBW = CONCRETE BLOCK WALL	MB = MAILBOX	FT = POINT OF TANGENT
CL = CENTERLINE	MEAS = MEASURED	R = RADIUS
CLP = CHAINLINK FENCE	MF = METAL FENCE	R/W = RIGHT OF WAY LINE
CM = CONCRETE MONUMENT	MHWL = MEAN HIGH WATER LINE	SSCO = SANITARY SEWER CLEAN-OUT
CONC = CONCRETE	NGVD = NATIONAL GEODETIC VERTICAL DATUM (1929)	SW = SIDE WALK
CPP = CONCRETE POWER POLE	NTS = NOT TO SCALE	TBM = TEMPORARY BENCHMARK
CVRD = COVERED	OH = ROOF OVERHANG	TOB = TOP OF BANK
DEASE = DRAINAGE EASEMENT	PC = POINT OF CURVE	TOS = TOP OF SLOPE
EL = ELEVATION	DHW = OVERHEAD WIRES	TS = TRAFFIC SIGN
ENCL = ENCLOSURE	EP = EDGE OF PAVEMENT	TYP = TYPICAL
EP = EDGE OF PAVEMENT	PM = PARKING METER	UR = UNREADABLE
FF = FINISHED FLOOR ELEVATION	PCC = POINT OF COMPOUND CURVE	UE = UTILITY EASEMENT
FR = FIRE HYDRANT	PCF = PERMANENT CONTROL POINT	WD = WOOD DECK
FI = FENCE INSIDE	POB = POINT OF BEGINNING	WF = WOOD FENCE
FND = FOUND	PI = POINT OF INTERSECTION	WL = WOOD LANDING
FO = FENCE OUTSIDE		WM = WATER METER
FOL = FENCE ON LINE		WPP = WOOD POWER POLE
		WRACK LINE = LINE OF DEBRIS ON SHORE
		WV = WATER VALVE

LEGAL DESCRIPTION -

On the Island of Key West, Monroe County, Florida, and known on William A. Whitehead's map delineated in February 1829, as Part Lot Three (3), Square, Twenty-one (21), more particularly described by metes and bounds as follows:

Situate on the Northeasterly side of William Street beginning at a point on William Street Sixty-Five (65) feet from the point where the Southeasterly line of Caroline Street intersects said William Street; thence running Southeasterly along William Street Fifty (50) feet; thence Northeasterly at right angles with said William Street Fifty-Three (53) feet; thence Northwesterly and parallel with William Street Fifty (50) feet; thence Southwesterly and parallel with Caroline Street Fifty-Three (53) feet to the point of beginning on William Street.

NOTE: LEGAL DESCRIPTIONS HAVE BEEN FURNISHED BY THE CLIENT OR HIS/HER REPRESENTATIVE. PUBLIC RECORDS HAVE NOT BEEN RESEARCHED BY THE SURVEYOR TO DETERMINE THE ACCURACY OF THESE DESCRIPTIONS NOR HAVE ADJOINING PROPERTIES BEEN RESEARCHED TO DETERMINE OVERLAPS OR HIATUS. ADDITIONS OR DELETIONS TO SURVEY MAP OR REPORT BY OTHER THAN THE SIGNING PARTY IS PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY. THE BOLD LINE SHOWN HEREON REPRESENTS THE SURVEYORS OPINION OF THE DEED LINES. THE MEAN HIGH WATER LINE WAS NOT DETERMINED FOR THIS SURVEY, THE APPARENT MEAN HIGH WATER LINE IS SHOWN FOR REFERENCE ONLY.

SCALE: 1"=10'
FIELD WORK DATE: 01/29/2025
MAP DATE: 02/07/2025
REVISION DATE: XXXXXXXX
SHEET: 1 OF 1
DRAWN BY: IDG
JOB NO.: 25-013

I HEREBY CERTIFY THAT THIS SURVEY WAS MADE UNDER MY RESPONSIBLE CHARGE AND MEETS THE STANDARDS OF PRACTICE AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 5J-17, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES AND COMPLIES WITH CHAPTER 177, FLORIDA STATUTES.


NOT VALID WITHOUT THE SIGNATURE AND THE RAISED SEAL OF A FLORIDA SURVEYOR AND MAPPER

SIGNED: ERIC A. ISAACS, FLSM #6783, PROFESSIONAL SURVEYOR AND MAPPER, LB# 7847



FLORIDA KEYS
LAND SURVEYING
21460 OVERSEAS HWY, SUITE 4
CUDJOE KEY, FL 33042
PHONE: (305) 394-3690
FAX: (305) 509-7373
EMAIL: FKL5email@Gmail.com


PROPOSED DESIGN





1
A 1
3DA

HARC NOTES:

- EXTERIOR SIDING TO BE HARDI BOARD.
- ROOFING TO BE STANDING SEAM METAL, MILL FINISH.
- EXTERIOR SOFFITS TO BE HARDI BOARD.
- EXTERIOR WINDOW/DOOR TRIM TO BE 1X4 HARDI.
- EXTERIOR FASCIA TO BE HARDI.
- ROOFING DRIP EDGE TO MATCH FINISH OF METAL ROOF.
- GUTTERS, IF PROVIDED, TO MATCH FINISH OF DRIP EDGE & ROOFING.
- EXTERIOR WINDOWS TO HAVE MUNTIN PATTERN APPROVED BY CITY OF KEY WEST HARC STAFF.
- CONTRACTOR TO RECEIVE APPROVAL FOR FINAL PAINT COLOR SELECTIONS.
- EXTERIOR SHUTTERS TO BE WOOD, PTD. AS APPROVED BY CITY OF KEY WEST HARC STAFF.



3
A 1
3DC



2
A 1
3DB

CAROLINE STREET

800 CAROLINE STREET



309 WILLIAM STREET



SAWYERS LANE

311 WILLIAM STREET



313 WILLIAM STREET



315 WILLIAM STREET



317 WILLIAM STREET




5
A 1
STREET ELEVATION - PROPOSED
3/32" = 1'-0"

CAROLINE STREET

800 CAROLINE STREET



309 WILLIAM STREET



SAWYERS LANE

311 WILLIAM STREET



313 WILLIAM STREET



315 WILLIAM STREET



317 WILLIAM STREET



4
A 1
STREET ELEVATION - EXISTING/DEMO
3/32" = 1'-0"

DATE: REV. SET DESCRIPTION
2025.04.18 HARC SUBMITTAL SET

Single Family Residence
309 William Street
Key West, FL 33040

SEAL:

NOT FOR CONSTRUCTION

NOT VALID FOR CONSTRUCTION UNLESS
SIGNED/SEALED IN THIS BLOCK
THIS ITEM HAS BEEN DIGITALLY SIGNED AND
SEALED BY ERICA HELEN POOLE USING A DIGITAL
SIGNATURE.
PRINTED COPIES OF THIS DOCUMENT ARE NOT
CONSIDERED SIGNED AND SEALED AND THE SHA
AUTHENTICATION CODE MUST BE VERIFIED ON
ANY ELECTRONIC COPIES.

ERICA HELEN POOLE - ARCHITECT
#AR98525

SANDBAR
DESIGN STUDIO
SANDBAR DESIGN STUDIO
20185 CAMELIA LANE
BIG PINE KEY, FL 33043
WWW.SANDBARDESIGNSTUDIO.COM
84779035854



STREET ELEVATIONS

SHEET TITLE

A 1

PROJECT NO.
SCH2025

DRAWN BY: Author
APPROVED BY: Checker



SITE DATA TABLE				
	CODE REQUIREMENT	EXISTING SITE	PROPOSED	VARIANCE REQUEST
Zoning	HMDR	HMDR	HMDR	N/A
Flood Zone	X-ZONE/AE-6	X-ZONE/AE-6	X-ZONE/AE-6	N/A
Size of Site	2,655	2,650	2,650	N/A
Minimum Lot Size	4,000	2,650	2,650	N/A
Height	30'-0"	16'-3.25"	24'-10"	N/A
Front Setback	10'-0"	12'-10.25"	NO CHANGE	N/A
Side Setback A	5'-0"	6.8'	5'-0"	N/A
Street Side Setback	7'-6"	2'-2.75"	NO CHANGE	N/A
Rear Setback	15'-0"	NEG. 1.6'	15'-0"	N/A
Density	1 DU/ACRE	N/A	N/A	N/A
Building Coverage	40%	38%	40%	N/A
Impervious Surface	60%	40%	17%	N/A
Open Space	35%	60%	43%	N/A
Breakdowns (SF)				
Lot Area	2,655			
Existing Coverages			EXISTING	
Impervious Surface	1,069.06		Front Walkway	60.06
Impervious Surface (%)	40%		Existing House	1009.00
Building Coverage	1009.00			
Building Coverage (%)	38%			
Open Space	1,585.94			
Open Space (%)	60%			
Proposed Developments			PROPOSED	
Impervious Surface	449.50		House + Addition + Porch	1062.00
Impervious Surface (%)	17%			
Building Coverage	1,062.00		Pool	70.00
Building Coverage (%)	40%		Pool Deck	85.50
Open Space	1,143.50		Driveway	294.00
Open Space (%)	43%			

NOTE: FRONT STAIR LOCATION TO BE REVIEWED WITH PLANNING

1 SITE PLAN - EXISTING/DEMO
1/8" = 1'-0"

2 SITE PLAN - PROPOSED
1/8" = 1'-0"

Single Family Residence
309 William Street
Key West, FL 33040

SEAL:

NOT FOR CONSTRUCTION

NOT VALID FOR CONSTRUCTION UNLESS
SIGNED/SEALED IN THIS BLOCK

THIS ITEM HAS BEEN DIGITALLY SIGNED AND
SEALED BY ERICA HELEN POOLE USING A DIGITAL
SIGNATURE.

PRINTED COPIES OF THIS DOCUMENT ARE NOT
CONSIDERED SIGNED AND SEALED AND THE SHA
AUTHENTICATION CODE MUST BE VERIFIED ON
ANY ELECTRONIC COPIES.

ERICA HELEN POOLE - ARCHITECT
#AR98525



SANDBAR DESIGN STUDIO
29185 CAMEL JAIL LANE
BIG PINE KEY, FL 33043
WWW.SANDBARDESIGNSTUDIO.COM
8473935854

SITE PLAN

SHEET TITLE

A 2

PROJECT NO. SCH2025
DRAWN BY: EHP
APPROVED BY: EHP

[illegible]

NOT FOR CONSTRUCTION

NOT VALID FOR CONSTRUCTION UNLESS
SIGNED/SEALED IN THIS BLOCK

THIS ITEM HAS BEEN DIGITALLY SIGNED AND
SEALED BY ERICA HELEN POOLE USING A DIGITAL
SIGNATURE.

PRINTED COPIES OF THIS DOCUMENT ARE NOT
CONSIDERED SIGNED AND SEALED AND THE SHA
AUTHENTICATION CODE MUST BE VERIFIED ON
ANY ELECTRONIC COPIES.

ERICA HELEN POOLE - ARCHITECT
#AR98525




SHEET TITLE


A 3

PROJECT NO. SCH2025	DRAWN BY: EHP
	APPROVED BY: EHP

DRAWN BY: EHP
APPROVED BY: EHP



1
A 4
EXISTING/DEMO 2ND FLOOR
1/4" = 1'-0"



2
A 4
PROPOSED 2ND FLOOR
1/4" = 1'-0"

DATE: 2025.04.18
REV. SET DESCRIPTION: HARC SUBMITTAL SET

Single Family Residence
309 William Street
Key West, FL 33040

SEAL:

NOT FOR CONSTRUCTION

NOT VALID FOR CONSTRUCTION UNLESS
SIGNED/SEALED IN THIS BLOCK
THIS ITEM HAS BEEN DIGITALLY SIGNED AND
SEALED BY ERICA HELEN POOLE USING A DIGITAL
SIGNATURE.
PRINTED COPIES OF THIS DOCUMENT ARE NOT
CONSIDERED SIGNED AND SEALED AND THE SHA
AUTHENTICATION CODE MUST BE VERIFIED ON
ANY ELECTRONIC COPIES.

ERICA HELEN POOLE - ARCHITECT
#AR98525





SECOND FLOOR PLAN

SHEET TITLE

A 4

PROJECT NO:
SCH2025

DRAWN BY: Author
APPROVED BY: Checker



N

[illegible]




1 FRONT ELEVATION
A 6 1/4" = 1'-0"




2 REAR ELEVATION
A 6 1/4" = 1'-0"

HARC NOTES:

- EXTERIOR SIDING TO BE HARDI BOARD.
- ROOFING TO BE STANDING SEAM METAL, MILL FINISH.
- EXTERIOR SOFFITS TO BE HARDI BOARD.
- EXTERIOR WINDOW/DOOR TRIM TO BE 1X4 HARDI.
- EXTERIOR FASCIA TO BE HARDI.
- ROOFING DRIP EDGE TO MATCH FINISH OF METAL ROOF.
- GUTTERS, IF PROVIDED, TO MATCH FINISH OF DRIP EDGE & ROOFING.
- EXTERIOR WINDOWS TO HAVE MUNTIN PATTERN APPROVED BY CITY OF KEY WEST HARC STAFF.
- CONTRACTOR TO RECEIVE APPROVAL FOR FINAL PAINT COLOR SELECTIONS.
- EXTERIOR SHUTTERS TO BE WOOD, PTD. AS APPROVED BY CITY OF KEY WEST HARC STAFF.



4 FRONT ELEVATION - EXISTING/DEMO
A 6 1/4" = 1'-0"



3 REAR ELEVATION - EXISTING/DEMO
A 6 1/4" = 1'-0"

DATE: REV. SET DESCRIPTION
2025 04.18 HARC SUBMITTAL SET

Single Family Residence
309 William Street
Key West, FL 33040

SEAL:

NOT FOR CONSTRUCTION

NOT VALID FOR CONSTRUCTION UNLESS
SIGNED/SEALED IN THIS BLOCK

THIS ITEM HAS BEEN DIGITALLY SIGNED AND
SEALED BY ERICA HELEN POOLE USING A DIGITAL
SIGNATURE.

PRINTED COPIES OF THIS DOCUMENT ARE NOT
CONSIDERED SIGNED AND SEALED AND THE SHA
AUTHENTICATION CODE MUST BE VERIFIED ON
ANY ELECTRONIC COPIES.

ERICA HELEN POOLE - ARCHITECT
#AR98525

SANDBAR
DESIGN STUDIO

SANDBAR DESIGN STUDIO
20185 CAMEL JAIL LANE
BIG PINE KEY, FL 33043
WWW.SANDBARDESIGNSTUDIO.COM
84719035854

ELEVATIONS

SHEET TITLE

A 6

PROJECT NO.
SCH2025


DRAWN BY: EHP
APPROVED BY: EHP




1
A 7
SIDE ELEVATION A
1/4" = 1'-0"



2
A 7
SIDE ELEVATION B
1/4" = 1'-0"



4
A 7
SIDE ELEVATION A - EXISTING/DEMO
1/4" = 1'-0"



3
A 7
SIDE ELEVATION B - EXISTING/DEMO
1/4" = 1'-0"

- HARC NOTES:
- EXTERIOR SIDING TO BE HARDI BOARD.
 - ROOFING TO BE STANDING SEAM METAL, MILL FINISH.
 - EXTERIOR SOFFITS TO BE HARDI BOARD.
 - EXTERIOR WINDOW/DOOR TRIM TO BE 1X4 HARDI.
 - EXTERIOR FASCIA TO BE HARDI.
 - ROOFING DRIP EDGE TO MATCH FINISH OF METAL ROOF.
 - GUTTERS, IF PROVIDED, TO MATCH FINISH OF DRIP EDGE & ROOFING.
 - EXTERIOR WINDOWS TO HAVE MUNTIN PATTERN APPROVED BY CITY OF KEY WEST HARC STAFF.
 - CONTRACTOR TO RECEIVE APPROVAL FOR FINAL PAINT COLOR SELECTIONS.
 - EXTERIOR SHUTTERS TO BE WOOD, PTD. AS APPROVED BY CITY OF KEY WEST HARC STAFF.

DATE:	REV.	SET DESCRIPTION	HARC SUBMITTAL SET				
2025 04 18							

Single Family Residence
309 William Street
Key West, FL 33040

SEAL:

NOT FOR CONSTRUCTION

NOT VALID FOR CONSTRUCTION UNLESS
SIGNED/SEALED IN THIS BLOCK

THIS ITEM HAS BEEN DIGITALLY SIGNED AND
SEALED BY ERICA HELEN POOLE USING A DIGITAL
SIGNATURE.

PRINTED COPIES OF THIS DOCUMENT ARE NOT
CONSIDERED SIGNED AND SEALED AND THE SHA
AUTHENTICATION CODE MUST BE VERIFIED ON
ANY ELECTRONIC COPIES.

ERICA HELEN POOLE - ARCHITECT
#AR98525



ELEVATIONS

SHEET TITLE

A 7

PROJECT NO.
SCH2025

DRAWN BY: Author
APPROVED BY: Checker

NOTICING

Public Meeting Notice

The Historic Architectural Review Commission will hold a public meeting at **5:00 p.m., May 27, 2025, at City Hall, 1300 White Street**, Key West, Florida. The purpose of the hearing will be to consider a request for:

ELEVATION OF EXISTING HISTORIC TWO-STORY WOOD-FRAME RESIDENCE ABOUT 3'9", NEW ADDITION ON NORTH AND EAST SIDES, VERTICAL EXTENSION OF ROOFLINE FOR INCREASED CEILING HEIGHT, NEW FOUNDATION, NEW PORCH STAIRS, AND SITE IMPROVEMENTS. DEMOLITION OF EXISTING NON-HISTORIC REAR SHED STRUCTURES AND PARTIAL DEMOLITION OF HISTORIC STRUCTURE TO ACCOMMODATE NEW ADDITION.

#309 WILLIAM STREET

Applicant – Sandbar Design Studio, Inc Application #C2025-0040

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3975 or visit our website at www.cityofkeywest-fl.gov.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

HARC POSTING AFFIDAVIT

STATE OF FLORIDA:
COUNTY OF MONROE:

BEFORE ME, the undersigned authority, personally appeared TERRY GARCIA, who, first being duly sworn, on oath, depose and says that the following statements are true and correct to the best of his/her knowledge and belief:

1. That a legal notice for Public Notice of Hearing of the Historic Architectural Review Commission (HARC) was placed on the following address:

309 WILLIAM STREET, KEY WEST, FL. 33040 on the 20TH day of MAY, 2025.

This legal notice(s) contained an area of at least 8.5"x11".

The property was posted to notice a public hearing before the Key West Historic Architectural Review Commission to be held on MAY 27, 2025.

The legal notice(s) is/are clearly visible from the public street adjacent to the property.

The Certificate of Appropriateness number for this legal notice is #C2025-0040.

2. A photograph of that legal notice posted in the property is attached hereto.

Signed Name of Affiant:

[Signature]
Date: 5/20/2025
Address: 1321 ASHBY STREET
City: KEY WEST
State, Zip: FL., 33040

The forgoing instrument was acknowledged before me on this 20TH day of MAY, 2025.

By (Print name of Affiant) TERRY GARCIA who is personally known to me or has produced _____ as identification and who did take an oath.


NOTARY PUBLIC

Sign Name: [Signature]

Print Name: Emily Varela

Notary Public - State of Florida (seal)

My Commission Expires: 9-9-25





PROPERTY APPRAISER INFORMATION

Monroe County, FL

PROPERTY RECORD CARD

Disclaimer

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the data is intended for ad valorem tax purposes only and should not be relied on for any other purpose.

By continuing into this site you assert that you have read and agree to the above statement.

Summary

Parcel ID 00003170-000000
 Account# 1003298
 Property ID 1003298
 Millage Group 12KW
 Location Address 309 WILLIAM St, KEY WEST
 Legal Description KW PT LOT 3 SQR 21 OR147-87 OR844-1796 OR3279-1749 OR3279-1750 OR3297-2101 OR3303-158 OR3311-1655
 (Note: Not to be used on legal documents.)
 Neighborhood 6108
 Property Class SINGLE FAMILY RESID (0100)
 Subdivision
 Sec/Twp/Rng 06/68/25
 Affordable No
 Housing



Owner

SCHMITZ CRAIG A TRUST 02/04/2016
 23 Windcastle Dr
 Saint Charles MO 63304

Valuation

	2024 Certified Values	2023 Certified Values	2022 Certified Values	2021 Certified Values
+ Market Improvement Value	\$101,085	\$95,285	\$95,285	\$83,628
+ Market Misc Value	\$394	\$394	\$394	\$394
+ Market Land Value	\$1,113,636	\$933,489	\$723,318	\$534,982
= Just Market Value	\$1,215,115	\$1,029,168	\$818,997	\$619,004
= Total Assessed Value	\$686,755	\$153,784	\$149,305	\$144,957
- School Exempt Value	(\$25,000)	(\$25,000)	(\$25,000)	(\$25,000)
= School Taxable Value	\$661,755	\$128,784	\$124,305	\$119,957

Historical Assessments

Year	Land Value	Building Value	Yard Item Value	Just (Market) Value	Assessed Value	Exempt Value	Taxable Value	Maximum Portability
2024	\$1,113,636	\$101,085	\$394	\$1,215,115	\$686,755	\$25,000	\$661,755	\$500,000
2023	\$933,489	\$95,285	\$394	\$1,029,168	\$153,784	\$25,000	\$128,784	\$500,000
2022	\$723,318	\$95,285	\$394	\$818,997	\$149,305	\$25,000	\$124,305	\$500,000
2021	\$534,982	\$83,628	\$394	\$619,004	\$144,957	\$25,000	\$119,957	\$474,047
2020	\$530,888	\$85,121	\$394	\$616,403	\$142,956	\$25,000	\$117,956	\$473,447
2019	\$559,548	\$86,614	\$394	\$646,556	\$139,742	\$25,000	\$114,742	\$500,000
2018	\$492,675	\$86,614	\$394	\$579,683	\$137,137	\$25,000	\$112,137	\$442,546

The Maximum Portability is an estimate only and should not be relied upon as the actual portability amount. Contact our office to verify the actual portability amount.

Land

Land Use	Number of Units	Unit Type	Frontage	Depth
RESIDENTIAL DRY (010D)	2,650.00	Square Foot	53	50

Buildings

Building ID	167	Exterior Walls	WD FRAME
Style	2 STORY ELEV FOUNDATION	Year Built	1924
Building Type	S.F.R. - R1 / R1	EffectiveYearBuilt	1975
Building Name		Foundation	WD CONC PADS
Gross Sq Ft	1562	Roof Type	GABLE/HIP
Finished Sq Ft	860	Roof Coverage	METAL
Stories	1 Floor	Flooring Type	SFT/HD WD
Condition	GOOD	Heating Type	NONE with 0% NONE
Perimeter	128	Bedrooms	2
Functional Obs	0	Full Bathrooms	1
Economic Obs	0	Half Bathrooms	0
Depreciation %	49	Grade	450
Interior Walls	WALL BD/WD WAL	Number of Fire Pl	0

Code	Description	Sketch Area	Finished Area	Perimeter
FHS	FINISH HALF ST	572	0	0
FLA	FLOOR LIV AREA	860	860	0
OPF	OP PRCH FIN LL	130	0	0
TOTAL		1,562	860	0

Yard Items

Description	Year Built	Roll Year	Size	Quantity	Units	Grade
CH LINK FENCE	1949	1950	0 x 0	1	306 SF	1
CONC PATIO	1949	1950	0 x 0	1	40 SF	1

Sales

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page	Sale Qualification	Vacant or Improved	Grantor	Grantee
2/10/2025	\$1,125,000	Warranty Deed	2489539	3311	1655	19 - Unqualified	Improved		
12/9/2024	\$0	Order (to be used for Order Det. Heirs, Probate in	2482978	3303	158	19 - Unqualified	Improved		
10/25/2024	\$0	Order (to be used for Order Det. Heirs, Probate in	2478859	3297	2101	30 - Unqualified	Improved		


Permits

Number	Date Issued	Status	Amount	Permit Type	Notes
16-1868	05/12/2016	Completed	\$5,860		INSTALL 400SF OF VCRIMP ON FRONT ROOF
10-2412	07/26/2010	Completed	\$2,470		INSTALL 300sf 3 SQRS OF VCRIMP ON REAR AREA OF MAIN ROOF

View Tax Info

[View Taxes for this Parcel](#)

Sketches (click to enlarge)



Photos



Map



TRIM Notice



[User Privacy Policy](#) [GDPR Privacy Notice](#)
Last Data Upload: 4/16/2025, 1:47:17 AM