



Permit Details

City of Key West

PERMIT NUMBER
BLD2021-0910

Description: ATF CC2020-01335 On hold: 21-0583 pending variance			
Type: ELECTRICAL	Subtype: RESIDENTIAL	Status: INFORMATION REQUIRED	Applied: 4/4/2021 ECON
Parcel No: 00059580-000200	Site Address: 1617 WHITE ST KEY WEST, FL 33040		Approved:
Subdivision:	Block:	Lot:	Issued:
Lot Sq Ft: 0	Building Sq Ft: 0	Zoning:	Finald:
Valuation: \$10,000.00	Occupancy Type:	Construction Type:	Expired:
No. Buildings: 0	No. Stories: 0	No. Unites: 0	
Details: After-The-Fact - install outlet lights and switches per plans. Building permit#21-0583. **NOC required**			

Process Summary

ADDITIONAL SITES

CHRONOLOGY

CONDITIONS

CONTACTS

NAME TYPE	NAME	ADDRESS1	CITY	STATE	ZIP	PHONE	FAX	EMAIL
APPLICANT	LIGHTHOUSE ELECTRIC	PISCOPIK, DENNIS MICHAEL (QUALIFIER)	KEY WEST	FL	33040	(305)395-9999		dennispiscopink@gmail.com
CONTRACTOR	LIGHTHOUSE ELECTRIC	PISCOPIK, DENNIS MICHAEL (QUALIFIER)	KEY WEST	FL	33040	(305)395-9999		dennispiscopink@gmail.com
OWNER	STEEL CITY MOTOTRS LLC	9925 Jourdan Way	Dallas	TX	75230	(305)797-4266		lindlegb@gmail.com
QUALIFIER	LIGHTHOUSE ELECTRIC	PISCOPIK, DENNIS MICHAEL (QUALIFIER)	KEY WEST	FL	33040	(305)395-9999		dennispiscopink@gmail.com

FINANCIAL INFORMATION





Permit Details

City of Key West

PERMIT NUMBER
BLD2021-0910

DESCRIPTION	ACCOUNT	QTY	AMOUNT	PAID	PAID DATE	RECEIPT #	CHECK #	METHOD	PAID BY	CLTD BY
AFTER THE FACT	00100003220000	0	\$250.00	\$0.00						
BUILDING PLAN REVIEW	00100003220000	0	\$10.00	\$0.00						
DBPR-BCAIB-468	00100002080200	0	\$3.75	\$0.00						
DEO-FBC-553	00100002080200	0	\$2.50	\$0.00						
EDUCATION FEE	00100003220000	0	\$2.00	\$0.00						
Total Paid for ADMINISTRATION:			\$268.25	\$0.00						
ELECTRICAL PERMIT FEE	00100003220000	0	\$240.00	\$0.00						
Total Paid for ELECTRICAL PERMITS:			\$240.00	\$0.00						
TOTALS:			\$508.25	\$0.00						

INSPECTIONS

PARENT PROJECTS

REVIEWS

REVIEW TYPE	REVIEWER	SENT DATE	DUE DATE	RETURNED DATE	STATUS	REMARKS	NOTES
01-PERMIT TECH	Veronica Cleare	4/6/2021	4/6/2021	4/6/2021	APPROVED		
ELECTRICAL	Terrence Justice	4/6/2021	4/15/2021	4/7/2021	CORRECTIONS NEEDED		No indication on plans how accessory unit feeds from existing service. Load calc and simple one-line diagram indicating conduit, wire size and breaker needed. "Connect 100A subpanel to main house electrical" is not sufficient. Proposed conduit location and location of existing main panel should be indicated on site plan.

BOND INFORMATION





Permit Details

City of Key West

PERMIT NUMBER
BLD2021-0910

ATTACHMENTS

Attachment Type	CREATED	OWNER	DESCRIPTION	PATHNAME	SUBDIR	ETRAKIT ENABLED
DOC	4/4/2021	Etrakit Contractor		1617 White St Property Card.pdf		1
DOC	4/4/2021	Etrakit Contractor		1617 White St Drawings.pdf		1

