

QUOTATION

Emergency Vehicles, Inc.

Key West Police Department
 Captain Jason Castillo
 1604 N Roosevelt Blvd
 Key West, FL 33040
 (305) 809-1084
 jcastillo@cityofkeywest-fl.gov

Quote No: KEYWESTPD-0002
 10/30/2025

Page 1

PART NO	QTY	DESCRIPTION
AG-02-0188	1	== FREIGHTLINER M2 106 2 DOOR CHASSIS == 2027 FREIGHTLINER M2 106 PLUS 2 DOOR, SINGLE AXLE CHASSIS CAB: -- 2-Door Conventional -- 106" BBC (Bumper to Back of Cab) GVWR: -- 40,600 Pounds WHEELBASE: -- 312" CAB-TO-AXLE: -- 246" FRAME: -- 130" Frame Overhang (AF) -- Steel Channel 11/32" x 3-1/2" x 10-15/16", 120KSI -- Rated for GVWR -- 1/4" Inner C-Channel Frame Reinforcement FRONT BUMPER: -- Three-Piece 14" Chromed Steel with Collapsible Ends -- (2) Frame-Mounted Front Tow Hooks FRONT AXLE: -- 14,600 Pound Rating Front Oil Seals -- Bonded Rubber Spring Pin Bushings -- 16.5x5 Q+ Cast Spider Cam Front Brakes, Double Anchor, Fabricated Shoes -- Fire and Emergency Severe Service, Non-Asbestos Front Lining -- Cast Iron Front Brake Drums -- Automatic Front Slack Adjusters -- Synthetic 75W-90 Front Axle Lube REAR AXLE: -- 26,000 Pound Rating, T-Series Single Axle -- Rear Axle Gear Ratio For 75 MPH Top Speed -- 16.5X7 Q+ Cast Spider Cam Rear Brakes, Double Anchor, Fabricated Shoes -- Fire and Emergency Severe Service Non-Asbestos Rear Brake Lining -- Rear Oil Seals -- Automatic Rear Slack Adjusters -- Synthetic 75W-90 Rear Axle Lube REAR SUSPENSION: -- Hendrickson Primaax 26,000 Pound Rear Air Ride Suspension -- High Position Ride Height -- Dual Air Rear Suspension Leveling Valves -- Rear Shock Absorbers - One Axle (Air Ride Suspension) SHOCKS: -- Heavy Duty Front and Rear STEERING: -- Power Hydraulic Assist -- Four Spoke 18" Steering Wheel -- Adjustable Tilt/Telescoping Steering Column

PART NO	QTY	DESCRIPTION
		BRAKES: -- Anti-Lock Braking System with Traction Control -- Electronic Stability Control -- Full Air Cam Type Dual System -- Cummins 18.7 CFM Air Compressor -- (2) Steel Air Brake Reservoirs -- BW DV-2 Drain Valves -- Automatic Slack Adjusters -- Wabco 1200 Heated Air Dryer -- Petcock Drain Valves on all Air Tanks PARKING BRAKE: -- MGM TR Parking Chambers (Axle Cam) ENGINE: -- Cummins L9 Turbo Diesel-EV -- 360 Horsepower @ 2000 RPM -- 1150 Lb/Ft @ 1300 RPM -- Cummins Exhaust Brake Integral w/Variable Geometry Turbo w/Taillight Activation -- Cummins Full Flow / Bypass Oil Filter -- Engine Speed Control (Set @ 1400 RPM) -- Heavy Duty Engine Cooling -- Coolant Recovery System -- Air Powered On/Off Fan Clutch -- Automatic Fan Control without Dash Switch -- Air Intake EXHAUST: -- RH Inboard Frame Mounted Horizontal Muffler/Engine After Treatment Device/DPF - Tailpipe Exiting Forward of Rear Tires LH Side -- Automatic Over the Road Regeneration -- Dash Mounted Regeneration Request Switch -- 6-Gallon Diesel Exhaust Fluid Tank, Mounted Next to Fuel Tank on Drivers Side TRANSMISSION: -- Allison 3000EVS 6-Speed Automatic w/Auto Neutral -- Push Button Electric Shift Control - Dash Mounted -- Vehicle Interface Wiring and PDM -- Body Builder Connector - Back of Cab -- PTO Provisions -- Transmission Oil Check and Fill with Electronic Oil Level Check -- Synthetic Transmission Fluid (TES-295 Compliant) DRIVE SHAFT: -- Spicer Heavy Duty Tubular FUEL TANK: -- 50-Gallon Capacity Short Rectangular (Aluminum) - LH Side -- 50-Gallon Capacity Rectangular (Aluminum) - RH Side -- Fuel Tank(s) Forward -- Plain Step Finish -- High Temperature Reinforced Nylon Fuel Lines -- Aux. Fuel Pick Up and Return - LH Tank -- Heated Fuel/Water Separator with Primer Pump ELECTRICAL SYSTEM: -- Delco 12V Starter with Integrated Magnetic Switch -- Engine Warning System Buzzer and Light -- Warning Alarms: Low Oil Low Water High Water Temperature -- Tail Light Connector - Back of Cab -- 87 dB to 112 dB Automatic Self-Adjusting Backup Alarm ALTERNATOR: -- Leece Neville 325 Amp Brushless Pad Alternator w/Remote Battery Voltage Sensor BATTERIES: -- (2) Group 31, 12-Volt Maintenance-Free 2000 CCA (Total) -- Single Battery Box LH - Frame Mounted Under Cab HORNS: -- Dual Electric

PART NO	QTY	DESCRIPTION
		HOOD: -- 1-Piece Moulded Fiberglass -- Tilting Hood and Fenders -- Chrome Front Grille -- Non-Removable Bug Screen Mounted Behind Grille CAB GLASS: -- Tinted Safety Glass - All Windows -- Omit Rear Cab Windows MIRRORS: -- 7" X 16" Stainless Steel/Heated -- LH/RH Remote Control -- 102" Wide Mirror Spacing -- 8" LH/RH Bright Finish Convex -- RH Down View Mirror GAUGES: -- Driver and Center Instrument Panel -- Tachometer with Hourmeter -- Speedometer -- Odometer -- Fuel Level -- Voltmeter -- Transmission Temperature Gauge -- Engine Coolant Temperature -- Engine ECM Customer Access -- Dual Air Pressure -- Air Restriction Indicator WIPERS: -- Electric Wipers and Washers -- Intermittent Wiper Switch PAINT COLOR: -- White - Premium #L0006EY -- Base Coat/Clear Coat ENVIRONMENTAL: -- Cab Air Conditioning -- Heavy Duty Heater -- Windshield Defroster CAB SEATING: -- Premium High Back Air Suspension Driver Seat With 3 Chamber Air Lumbar, Integrated Cushion Extension, Forward and Rear Cushion Tilt, Adjustable Shock Absorber -- Premium High Back Air Suspension Passenger Seat With 3 Chamber Air Lumbar, Integrated Cushion Extension, Forward and Rear Cushion Tilt, Adjustable Shock Absorber -- Black Vinyl Seat Covering -- Dual Driver and Passenger Seat Armrests -- 3-Point High Visibility Orange Retractor Type Seat Belts CAB TRIM/COLOR: -- Custom Interior Opal Gray Vinyl -- Black Floor Mats with Insulation TIRES: -- Michelin; 12R22.5; 16-Ply -- (2) Front Highway Tread XZE2 -- (4) Rear Traction Tread XDN2 WHEELS: -- (6) 22.5 x 8.25 Alcoa Polished Aluminum 10- Hole Pattern MISCELLANEOUS: -- LH/RH NFPA Exterior Grab Handles -- Air Ride Rear Cab Suspension -- AM/FM/WB Radio with Bluetooth and Front Auxiliary Input -- (2) Radio Speakers in Cab -- Self-Canceling Turn Signal Switch with Dimmer -- Integral Headlight Beam 4-way Flasher -- Day Time Running Lights

PART NO	QTY	DESCRIPTION
		-- Cigarette Lighter + USB-C Charge Ports -- Dual Interior Sun Visors -- LED Head Light Assembly -- Wiring with Separate Stop/Turn Wires to 4-Feet Beyond End of Frame -- 12-Volt Power Source - Dash -- Forward Roof Mounted Console with Upper Storage Compartment -- (2) Cup Holders - LH/RH Dash -- Power Windows and Door Locks -- (1) Owner's Manual Booklet ==32-FT MOBILE COMMAND CENTER SINGLE AXLE ==
BA-00-0000	1	CHASSIS PREPARATION - GENERAL
BA-00-0030	1	TRANSMISSION INTERLOCK SYSTEM -- To prevent the vehicle from going into gear with the following deployed: -- Leveling system -- Slide-out rooms -- Rear mast -- To include a hidden override switch in the engine compartment
BB-00-0000	1	CHASSIS FRAME RAIL PREPARATION
BB-02-0110	32	FRAME RAIL TORQUE BOX - 8" RISE (LIN FT)
BB-20-0000	1	QUADRA MFG. BIG FOOT #QE-2 VEHICLE LEVELING SYSTEM Includes: -- Warning light in cab Foot Pad: -- 14" O.D. x 3/8"
IC-00-2000	1	-- LEVELING SYSTEM VISUAL & AUDIBLE ALARM
BC-50-0000	1	DIAMOND PLATE FUEL TANK COVER - LH -- The diamond plate utilized shall be "slip resistant", meeting NFPA requirements
BC-50-0500	1	DIAMOND PLATE FUEL TANK COVER - RH -- The diamond plate utilized shall be "slip resistant", meeting NFPA requirements
BE-00-1705	2	ENGRAVED LABEL - ULTRA LOW SULFUR DIESEL FUEL ONLY
BE-00-1715	1	ENGRAVED LABEL - DEF FLUID ONLY
BF-05-0500	1	REAR STEP AND BUMPER ASSEMBLY -- The diamond plate utilized shall be "slip resistant", meeting NFPA requirements Note: -- To be 21" deep
BG-00-1000	1	PAIR REAR BLACK RUBBER WHEEL MUD FLAPS
BH-06-0500	1	SET CHROME HUBS & NUTS W/ AIR INFLATION & WRENCH KIT - 19.5" MED/ 22.5" HVY DUTY
C0-01-0000	1	ALL ALUMINUM MODULAR BODY
CA-BC-3200	1	MODULE BODY PACKAGE 32-FT WALK-IN
CA-BD-0020	1	-- MODULE BODY LENGTH - 384" O.D.
CA-BD-0040	1	-- MODULE BODY WIDTH - 100" O.D.
CA-BD-0060	1	-- MODULE BODY COMPARTMENT HEIGHT - VARIES
CA-BD-0080	1	-- MODULE BODY HEADROOM (WALK-IN) - 86"
CA-CC-3200	1	-- DIAMOND PLATE MODULE ROOF - NON SKID / NFPA -- The diamond plate utilized shall be "slip resistant", meeting NFPA requirements
CA-CE-0040	1	-- MODULE FRONT WALL - SMOOTH PAINTED

PART NO	QTY	DESCRIPTION
CA-CF-0020	1	-- EXTERIOR SHEETING - 1/8" THICKNESS
CA-CG-0020	1	-- SET ROUNDED BODY VERTICAL CORNERS
CA-CG-1020	1	-- DRIP RAIL PACKAGE
CA-CG-2040	1	-- PAIR PAINTED EXTERIOR WHEELWELL PANELS
CA-CG-3020	1	-- REAR DIAMOND PLATE KICK PANEL
CC-BC-3200	1	-- LOWER BODY RUB RAILS - "C" CHANNEL
		Scotchlite Stripe Color: -- To be determined
CJ-BB-3200	1	-- BODY INSTALLATION
CC-00-3501	1	SIDE ENTRY DOOR(S) WITH #400 LATCH
CC-00-5600	1	-- ENTRY DOOR PADDLE HANDLE STAINLESS STEEL (S)
CC-05-0006	1	-- MODULE ENTRY DOOR GRAB RAIL(S) KNURLED ONE-PIECE - STAINLESS STEEL
		Location: -- Interior of side entry door -- To be V-shaped
CE-01-022A	1	-- 18"W X 22"H ENTRY DOOR SLIDING WINDOW(S)
CC-00-5699	1	PADDLE LATCH HANDLE EXTENSION -- For entry door
CC-20-1510	1	STEPWELL(S) WITH DOUBLE INTERMEDIATE STEPS -- The diamond plate utilized shall be "slip resistant", meeting NFPA requirements
CC-60-0200	1	LICENSE PLATE HOUSING W/ LED LIGHT
CC-90-2000	1	PAIR RUBBER REAR WHEEL FENDERETTES
CD-40-K01M	2	KNURLED GRAB RAIL(S) - MEDIUM
		Location: -- One (1) on exterior of body by side entry door -- One (1) on interior of body by side entry door
CD-60-0103	1	MANUAL PULL-OUT/DROP-DOWN STEP - SIDE ENTRY -- Includes warning light within the cab ** Step material to be type with small holes since ladies with heels will be coming in and out of vehicle **
CE-00-1122	6	12"W X 22"H SOLID WINDOW(S)
CE-01-022D	1	18"W X 22"H ENTRY DOOR SOLID LOWER WINDOW(S)
CE-05-1838	1	36"W X 22"H SLIDING WINDOW(S) - EMERGENCY ESCAPE
CF-30-0500	1	ZICO #RL-2-6 QUIC-LADDER ROOF ACCESS LADDER -- Since access is provided to the roof, the diamond plate covering the roof shall be "slip resistant", meeting NFPA requirements
CF-90-0270	1	GIRARD G2000 ELECTRIC ACRYLIC AWNING 120V UP TO 23-FT Canvas Color: -- To be determined Case Color: -- White Location: -- Upper curbside of module body
CF-90-0300	1	-- GIRARD #98003528-23 G-LITE LED LIGHT OPTION FOR AWNING
CF-90-0325	1	-- G-LINK 1 AWNING - 120V MTR - ASSEMBLY W/ 12V MOTION SENSOR, REMOTE & WALL SW

PART NO	QTY	DESCRIPTION
CF-98-0093	3	CAREFREE #SOKIII SLIDE-OUT ROOM VINYL AWNING(S) Case Color: -- White Canvas Color: -- To be determined
CG-10-0000	19	LN. FT. OF ALUMINUM ANTENNA RACEWAY -- To be 3" x 3" -- Antenna raceways to be Raptor coated to match exterior color of body
CJ-02-0002	3	SLIDE-OUT/DROP-DOWN ROOM(S) - FLAT FLOOR Locations: -- One (1) streetside front of body -- One (1) streetside rear of body -- One (1) curbside front of body Extension: -- All 30"
DA-40-000A	6	1/8" EXTERIOR COMPARTMENTS - DIAMOND PLATE Compartment Floors: -- 3/16" (.188") thick brushed aluminum
DA-40-0010	6	-- 1/8" EXTERIOR COMPARTMENTS (REG) - DIAMOND PLATE Location: -- All exterior compartments
DA-55-0425	30	LN. FT. OF ROOF MOUNTED PAINTED ALUMINUM FRAMED LIMB GUARD
DA-71-0000	5	COMPARTMENT DOOR CONSTRUCTION CONVENTIONAL
DA-71-020L	1	DOUBLE COMPARTMENT DOOR(S) - LOCKING Location: -- Compartments #2 (generator compartment)
DA-73-0500	2	-- COMPARTMENT DOOR PADDLE HANDLE STAINLESS STEEL(S) Key Code: -- 1250
DA-71-032L	3	DROP-DOWN COMPARTMENT DOOR(S) - LOCKING Location: -- Compartments #1, #3 and #6 -- To include red labels on the inside of each door: Not A Step + Do Not Sit
DA-73-0500	3	-- COMPARTMENT DOOR PADDLE HANDLE STAINLESS STEEL(S) Key Code: -- 1250
DA-71-036L	1	LIFT-UP/DROP-DOWN COMPARTMENT DOOR(S) - LOCKING Location: -- Compartment #5 (exterior TV/workstation compartment) -- To include a lift-up upper section + fold-down lower section w/a smooth writing surface + a 1/2" lip on outer front edge for retention

PART NO	QTY	DESCRIPTION
DA-73-0500	2	-- COMPARTMENT DOOR PADDLE HANDLE STAINLESS STEEL(S) Key Code: -- 1250
DA-72-1MAL	1	ALUMINUM "ANODIZED" ROLL-UP COMPARTMENT DOOR(S) - LOCKING (MED) Location: -- Compartment #4 Key Code: -- 1250
DB-00-0200	1	EXTERIOR COMPARTMENT (REG) SHELF TRACKS Location: -- Compartment #4
DB-00-1000	1	3/16" (.188") EXTERIOR COMPARTMENT SHELVES (REG) - ADJUSTABLE Location: -- Compartment #4
DB-54-0000	4	4" DIAMETER COMPARTMENT VENT(S) Location: -- One (1) in each compartment, except compartments #2 and #5
DB-55-1000	4	TURTLE TILE COVERING FOR COMPARTMENT FLOORS - Up to 25" Deep Color: -- Black
DB-55-1100	1	TURTLE TILE COVERING FOR COMPARTMENT SHELVES/TRAYS Color: -- Black -- Includes interior cabinet/closet shelves
DB-55-1101	7	-- REGULAR UP TO 25" DEEP
DB-61-2001	1	PATCH BLOCK COMPARTMENT W/ CAST DOOR #EB0010-1-B W/ KEYED LEVER LATCH Location: -- Curbside front of body - for inlet jacks to connect to throw phone
DB-61-2006	1	PATCH BLOCK COMPARTMENT W/ CAST DOOR #EB0014-1 Location: -- Streetside of body - behind electronics rack -- Lower to be a pass-thru to interior
DB-61-2202	1	MAST TOWER CONTROL COMPARTMENT W/ CAST LOCKING DOOR #AD0030-1-B Location: -- Rear of body on mast cover
DC-20-0502	1	STEEL SUPPORT - GENERATOR
DG-00-0024	2	ROLL-OUT EQUIPMENT TRAY(S) - 24" Location: -- Compartment #1 - for aux. batteries -- Compartment #4 Type Slides:

PART NO	QTY	DESCRIPTION
		-- AccuRide - 400 lbs. w/lock-in/lock-out feature
FA-BB-3200	1	EXTERIOR MODULAR BODY PAINTED POLYURETHANE Color: -- White Code: -- To match the Freightliner chassis #L0006EY
FD-BB-3200	1	BODY UNDERCOATING
FG-20-0001	1	SCOTCHLITE REFLECTIVE LETTERING PACKAGE Color: -- To be determined
FH-06-1000	3	CUSTOM REFLECTIVE SHIELD(S)
GA-BB-3200	1	INTERIOR PACKAGE: 32-FT BODY
GB-00-005A	1	-- MODULAR BODY POLYSTYRENE INSULATION
GB-10-005A	1	-- MODULAR BODY INSULATED ALUMINUM SUB-FLOOR
GB-10-026F	1	-- LONSEAL VINYL FINISH FLOOR - COIN DESIGN
GB-12-005A	1	-- AISLE WALLS - EMBOSSED FIBERGLASS REINFORCED PLASTIC (LIGHT GRAY)
GB-13-005G	24	-- UPPER INTERIOR WALLS - LOOP PILE CARPET
GB-14-005A	1	-- INTERIOR DECK AREA - EMBOSSED FIBERGLASS REINFORCED PLASTIC (LIGHT GRAY)
GB-16-005A	1	-- INTERIOR CEILING - EMBOSSED FIBERGLASS REINFORCED PLASTIC (WHITE)
HB-02-1540	1	#MRK-4026LRD ELECTRONICS RACK ENCLOSURE - (40 SPACE) Fans and Mount Model #: -- MW-4FT-380CFM Door Model #: -- MID LVFD-40 (includes keylock) -- Includes spare panels to cover empty spaces -- Rack to slide out from its fixed position to allow side access to rack equipment Type Slides: -- AccuRide Manufacturing - 400 lbs.
LB-50-0230	2	-- MIDDLE ATLANTIC #PDT-1415C-NS POWER STRIP(S) (14) 15A PLUG-INS
HB-02-1600	2	INDIVIDUAL RACK MOUNT(S) FOR TV, VCR, DVD, DSS -- Includes rack mount tracks & trim Location: -- Electronics rack Equipment to be mounted: -- NVR for surveillance camera systems -- Slide-out storage drawer for remotes
HB-06-002M	2	MEDIUM STORAGE CLOSET(S) - ALUMINUM Location: -- One (1) streetside mid interior of body -- One (1) curbside rear interior of body
HB-03-0305	5	-- 3/16" (.188") ADJUSTABLE SHELVES FOR INTERIOR CABINET(S) Location: -- Three (3) in streetside interior storage closet -- Two (2) in curbside interior storage closet
HB-03-0205	2	-- HEAVY DUTY INTERIOR CABINET SHELF TRACKS Location:

PART NO	QTY	DESCRIPTION
		-- One (1) set in each interior storage closet
HB-03-0306	1	-- 3/16" (.188") PERMANENT SHELVES FOR INTERIOR CABINET(S) Location: -- One (1) in curbside interior storage closet
HB-03-0308	1	-- 3/16" (.188") VERTICAL DIVIDER Location: -- One (1) in streetside interior storage closet
HC-07-002M HB-07-001S	2 1	-- ROLL-UP "ANODIZED" LOCKING DOOR(S) FOR CABINETS/CLOSETS OVERHEAD STORAGE CABINET(S) - ALUMINUM (UP TO 24") Location: -- Streetside interior of body - over galley cabinet
HC-06-001S HB-07-002M	1 5	-- OPEN FINISH - NO DOOR FOR CABINETS/CLOSETS OVERHEAD STORAGE CABINET(S) - ALUMINUM (UP TO 48") Location: -- Two (2) streetside body - over rear workstations in slide-out -- Two (2) curbside body - over rear workstations -- One (1) curbside of body - over printer station
HC-09-002M HC-30-0100 HB-12-002M	5 5 1	-- PORCELAIN MAGNETIC DRY/ERASE LOCKING DOOR FOR CABINETS/CLOSETS -- SOUTHCO #M1-41-8 STAINLESS STEEL "D" DOOR LATCHES MEDIUM STORAGE CABINET(S) - ALUMINUM (UP TO 48") Location: -- Curbside body - printer cabinet
HB-03-0305 HB-03-0205 HC-04-002M HC-30-0100 HB-26-001S	1 1 2 2 1	-- 3/16" (.188") ADJUSTABLE SHELVES FOR INTERIOR CABINET(S) -- HEAVY DUTY INTERIOR CABINET SHELF TRACKS -- HINGED SOLID LOCKING DOOR(S) FOR CABINETS/CLOSETS -- SOUTHCO #M1-41-8 STAINLESS STEEL "D" DOOR LATCHES GALLEY CABINET ASSEMBLY - ALUMINUM (UP TO 24") Location: -- Streetside interior of body
HC-06-001S HB-32-001S	1 3	-- OPEN FINISH - NO DOOR FOR CABINETS/CLOSETS FILE DRAWER(S) - ALUMINUM Location: -- Two (2) under workstations in streetside rear slide-out room -- One (1) in rear curbside storage closet
HB-32-04LP	1	BELOW COUNTER TOP STORAGE DRAWER(S) ALUMINUM Location: -- One (1) under the medium curbside storage printer cabinet
HD-00-0B05 HD-02-0B01 HF-12-0207	4 8 1	FOLD-UP SQUAD BENCH WITH SPRING LOADED SEAT IRONS -- PERSON SEATING CAPACITY PORCELAIN STEEL MAGNETIC DRY/ERASE BOARD(S) - (L) Location: -- One (1) front curbside wall of body - in slide-out room

PART NO	QTY	DESCRIPTION
HF-12-0209	1	EXTERIOR REMOVABLE PORCELAIN STEEL MAGNETIC DRY/ERASE BOARD(S)
HF-15-0100	2	EXTERIOR BRACKETS FOR DRY/ERASE BOARD(S) Location: -- One (1) set on rear wall in dispatch area for transit -- One (1) set on the curbside exterior of the body
HG-04-005E	2	WORK STATION(S) UP TO 96" WIDE Location: -- Rear streetside interior of body -- Rear curbside interior of body
HG-10-0213	10	MESH TASK SWIVEL CHAIR(S) W/ BUNGEE MOUNT(S) -- Includes a bungee or cable harness to secure each chair while the vehicle is in transit
HG-10-02LP	1	INSTALL CUSTOMER SUPPLIED PRINTER/COPIER/SCANNER Location: -- On top of medium storage cabinet - curbside
HG-12-002M	1	CONFERENCE TABLE
HG-17-0500	32	CORIAN COUNTER TOP UPGRADE (SQ FT) Material: -- WilsonArt Gibraltar Pebble Grey
HH-02-040L	2	BULKHEAD DIVIDER WITH SLIDING DOOR - LOCKING
HH-02-1215	2	6" X 8" WINDOW(S) WITH HINGED COVER PANELS FOR POCKET DOORS
HI-50-0200	1	WINDOW MINI-BLINDS Location: -- For the 36" x 22" window
HI-50-1000	6	BLACK-OUT CURTAINS Location: -- For the side windows in the slide-out rooms
HJ-05-0010	2	1.2 CU. FT. COUNTERTOP STAINLESS STEEL MICROWAVE - 120V Location: -- Overhead cabinet (curbside) above galley cabinet + compartment #4
HJ-05-0256	1	INDEL WEBASTO #CRUISE130 4.6 CU. FT. 12/120V REFRIGERATOR - BLACK Location: -- Lower streetside galley cabinet
HJ-06-0420	1	CUISINART COFFEE CENTER 12-CUP COFFEEMAKER + SINGLE-SERVE BREWER Location: -- Curbside galley cabinet
HJ-06-0505	1	KEURIG K-CUP POD COFFEE MAKER W/ REMOVABLE WATER RESERVOIR Location: -- Compartment #4

PART NO	QTY	DESCRIPTION
HK-00-0005	1	SMART 65" INTERACTIVE DISPLAY Location: -- Front conference area Note: -- To be connected to the Matrix switch -- Includes built conferencing camera Includes the Following: -- One (1) #SBID-QX265-P SMART Board QX065 Pro series interactive display with IQ -- One (1) #WM-SBID-200 SMART Wall Mount -- One (1) #UGK-PCM11-i7V SMART PCM11-i7 vPro OPS PC - Digital signage player - 8 GB RAM - Intel Core i7 - SSD
HK-00-0014	8	NAME BRAND 24" HDTV MONITOR(S) Location: -- Two (2) for each rear workstation Note: -- All to be connected to the Matrix switcher -- To be LG HDTV monitors
HK-00-0025	3	NAME BRAND 43" HDTV MONITOR(S) Location: -- Two (2) on streetside wall in front slide-out room -- One (1) rear wall of body Note: -- To be connected to the Matrix switch -- To be Samsung Smart/HDTV monitors
HK-00-0040	1	SUNBRITE #SB-V-43-4KHDR-BL 43" BLACK VERANDA OUTDOOR TV W/ SOUND BAR- FULL SHADE Location: -- One (1) in exterior TV/workstation compartment #5 Note: -- To be connected to the Matrix switch
HK-00-0250	8	PEERLESS #SF630P SMARTMOUNT UNIVERSAL FLAT WALL MOUNT 10" - 29" DISPLAY
HK-00-0255	4	PEERLESS #SF640P SMARTMOUNT UNIVERSAL FLAT WALL MOUNT 30" - 50" DISPLAY
HK-00-0260	1	PEERLESS #SF650P SMARTMOUNT UNIVERSAL FLAT WALL MOUNT 50" - 75" DISPLAY
HK-20-0012	1	AUDIO/VIDEO INTEGRATION AND PROGRAMMING MEDIUM COMMAND CENTER -- Fully functional and ready for operation at time of delivery
HK-31-0030	1	EXTRON #DXP1616 HDMI 16X16 HD 4K MATRIX SWITCHER - RACK MOUNTED Note: Inputs will be (10): -- (2) Axis camera decoders -- Perimeter camera NVR -- HDMI Input jack in the exterior TV compartment #5 -- Two (2) HDMI Input jacks in the front conference room -- One (1) HDMI Input jack at each rear workstation - (4) -- Six (6) Open Outputs will be (13): -- (8) 24" HDTV/monitors -- (3) 43" HDTV/monitor -- (1) 43" Sunbrite HDTV/monitor -- (1) 65" SMART display -- Three (3) Open

PART NO	QTY	DESCRIPTION
IF-06-0015	13	-- HDMI AUDIO/VIDEO CABLE OUTPUT - HDMI MATRIX TO MONITOR / TV
HK-32-0550	1	SURVEILLANCE CAMERA SYS. - MONTAVUE 8CH-NVR, 2TB & 4@ PoE CAMERAS - WHITE
HK-32-055A	2	ADDITIONAL - MONTAVUE PoE CAMERA w/ MIC - WHITE
HK-50-0010	1	APC SMART-UPS 3000VA LCD RM 2U 120V WITH SMARTCONNECT RACKMOUNT
HL-50-0110	2	BRG PRECISION #OT640 DIGITAL LED OPERATIONAL TIMER DISPLAY - PoE
		Location: -- One (1) in front conference room and one (1) in rear room
HN-00-00LP	1	ALLIED TELESIS GS950/48PS-10 48-PORT 10/100/1000T UNMANAGED GIGABIT SWITCH- PoE
HN-00-0210	1	WINEGARD #A3-2000 AIR 360 BROADCAST TV ANTENNA WHITE
HN-00-1000	1	CRADLEPOINT #R1900 ROUTER W/ WI-FI - 5G CAPABILITY
HN-00-100B	1	-- PANORAMA #LG-IN2607-W DOME 8 IN 1 ANTENNA W/ 16 FT CABLES, WHITE
HN-00-100C	1	-- CRADLEPOINT #MC400-5GB MODEM UPGRADE - W/ WI-FI
HN-00-100E	1	-- PANORAMA #LP-IN2443-W DOME 4 IN 1 ANTENNA - WHITE
HN-SP-0001	1	STARLINK FLAT HIGH PERFORMANCE SAT SYSTEM W/ GEN3 WIFI ROUTER
		Location: -- Mounted on roof of body
HS-03-0013	1	AXIS #Q6225-LE HDTV 1080P PTZ 30X OPTICAL / 21X DIGITAL ZOOM CAMERA
HS-03-0113	1	-- AXIS #D1110 4K VIDEO DECODER FOR PTZ CAMERA
HS-03-0025	1	AXIS #Q6355-LE HDTV 1080P PTZ NETWORK CAMERA
HS-03-0102	1	-- AXIS #TQ5001-E WALL-AND-POLE MOUNT
HS-03-0113	1	-- AXIS #D1110 4K VIDEO DECODER FOR PTZ CAMERA
IA-05-2L00	1	12-VOLT ELECTRICAL SYSTEM
IA-05-8040	1	-- SAFETY DISCONNECT
JC-10-0000	1	-- MANUAL COLE HERSEE #284 PADDLE HANDLE CUT-OFF SWITCH
IA-06-1000	1	DRIVER'S CONSOLE - FLOOR MOUNT -- Custom fabricated out of aluminum and finished with black Raptor material
IA-06-3000	2	SWITCH CONSOLE - MODULE -- One (1) to be mounted next to side entry door of body for 12VDC switches and components -- One (1) to be mounted over side entry door of body and to be angled for 120/240VAC switches and components
IA-06-30LP	2	WALL MOUNTED SWITCH PANEL(S) Location: -- One (1) for front conference room -- One (1) for rear workstation room
IA-10-0500	1	SWITCH LABEL PACKAGE
IA-10-1200	1	I.C.C. MARKER LIGHT/REFLECTOR PACKAGE - LED
IA-10-2000	6	ADDITIONAL LED SIDE MARKER LIGHT(S)
IA-11-0100	2	BRITAX #L427.203.L 12V 12VOLT LED MARKER LIGHT(S) Location: -- Rear of module body
IA-11-0200	6	TECNIQ #S33-RR00-1 RED LED MARKER LIGHT(S) FOR SLIDE-OUT ROOM(S)
IA-12-0552	6	WHELEN #60CREGCS RED/WHITE LED UNDER CABINET LIGHT(S) W/SWITCH Location: -- One (1) under each overhead cabinet in body
IA-12-0605	1	WHELEN #80C0EHCR WHITE LED INTERIOR DOME LIGHT(S) Location: -- Above each electronics rack and to be switched at switch panel

PART NO	QTY	DESCRIPTION
IA-12-0608	14	WHELEN #80CREHCR WHITE AND RED LED INTERIOR DOME LIGHT(S) Location: -- Ceiling of command unit
IA-12-0975	3	WHELEN #0SC0EDCR LED LIGHT(S) Location: -- One (1) in each Cast door compartment Note: -- Compartment lights are Not to be switched and to come on automatically whenever the compartment door is opened and the cab headlight switch is on
IA-12-1500	2	TECNIQ #E03-W000-1 EON LINEAR LED ILLUMINATION LIGHT(S) w/ SS HOUSING & GASKET Includes: - E03-0SH0-1 Eon Linear Horizontal Stainless Steel Housing and E03-00HG-1 Gasket Location: -- Two (2) to illuminate rear ladder Note: -- Lights to come on automatically whenever the parking brake is set and the cab headlight switch is on
IA-12-1530	2	TECNIQ #D07-W000-1 LED ILLUMINATION LIGHT(S) + #D07-0S45-1 S.S. 45 DEGREE CASE Location: -- Two (2) on the rear body - to illuminate the rear step/bumper Note: -- Lights to come on automatically whenever the parking brake is set and the cab headlight switch is on
IA-12-1830	1	HANSEN #LED10WH12V-30 30"LED COMPARTMENT STRIP LIGHT(S) Location: -- One (1) in compartment #5 (TV/workstation compartment) Note: -- Light in compartment #5 is to be switched via a sealed Carling switch from compartment.
IA-12-1837	2	HANSEN #LED10WH12V-37 37"LED COMPARTMENT STRIP LIGHT(S) Location: -- Two (2) in compartment #4 Note: -- Compartment lights to come on automatically whenever the compartment door is open and the cab headlight switch is on
IA-12-1854	4	HANSEN #LED10WH12V-54 54"LED COMPARTMENT STRIP LIGHT(S) Location: -- One (1) in compartments #1, #2, #3 and #6 Note: -- Compartment lights to come on automatically whenever the compartment door is open and the cab headlight switch is on
IA-12-3210	14	"DOOR OPEN" WARNING CIRCUIT(S) W/STEADY BURN LIGHT -- To be magnetic door switches
IA-12-3500	1	INDIVIDUAL OPEN DOOR DISPLAY
IA-12-4000	2	CAB DOORS CONNECTED TO DOOR OPEN WARNING CIRCUIT

PART NO	QTY	DESCRIPTION
IA-13-0540	8	AMDOR #AY-LB-12HW012 LUMABAR H20 LED GROUND ILLUMINATION LIGHT(S)
IA-13-0570	1	PAIR OF AMDOR #AY-LB-12HW012 LUMABAR H20 LED CAB AREA GROUND ILLUMINATION LIGHTS
IA-13-0600	1	-- GROUND LIGHTS ACTIVATION - CAB DOOR(S) + ON/OFF SWITCH IN CAB (NFPA)
IA-14-1002	1	PAIR LED SIDE FACING TURN SIGNALS
IA-15-0025	1	PAIR WHELEN #M6-SERIES STOP-TAIL / BACK-UP / DIRECTIONAL LIGHTS
IA-15-0027	1	-- PAIR WHELEN #M62BTT LED STOP/TAI LIGHTS
IA-15-0028	1	-- PAIR WHELEN #M62BU LED BACK-UP LIGHTS
IA-15-0029	1	-- PAIR WHELEN #M62T LED AMBER DIRECTIONAL LIGHTS
IB-03-0504	6	WHELEN #M6FC CHROME FLANGE
IC-40-0500	1	EMERGENCY LIGHT MASTER SWITCH
IC-40-1850	1	AUDIBLE ALARM FOR SLIDE-OUT ROOM(S)
IC-40-2000	1	GREEN BATTERY INDICATOR LIGHT
ID-00-2051	1	SB-TS2000 STAND ALONE WATER PROOF PROXIMITY KEYPAD Includes: -- (10) Prox Cards & (10) Key Fobs -- Push to exit button
ID-03-0002	2	FIRST ALERT #SCO7CN COMBINATION SMOKE/CARBON MONOXIDE ALARM - BATTERY OPERATED
IF-00-0400	7	COAXIAL WIRING FOR ANTENNA WITH MOUNTING BASE Location: -- One (1) on roof of cab and to terminate in cab floor console -- Six (6) in/on antenna raceway on roof of body and run to electronics rack
IF-00-05LP	1	DUAL ANTENNA BASES W/ ANTENNA BRACKET - MAST MOUNTED Antenna Quantity: -- Two (2)
IF-00-3000	1	WIRING ACCESS COVE PACKAGE
IF-00-5600	2	WIRING FOR FUTURE RADIO(S) -- Includes 12V circuit 20 amp breaker, #12 battery switched red wire and a battery direct ground lug
IF-02-0001	8	PHONE OUTLET/JACK(S) WITH WALL PLATE(S) Location: -- Two (2) in front conference room -- One (1) by curbside printer area -- One (1) by each rear workstation - (4) -- One (1) in exterior compartment #5
IF-03-00LP	1	NETWORK WIRING/CABLE(S) Location: -- One (1) in nycoil for 41' masts for future use -- To be CAT 6 cables/wiring to labeled w/Nelco #LSL-77 labels on each end
IF-04-0000	21	NETWORK OUTLET/JACK(S) Locations: -- Two (2) for each rear workstation - (8) -- Four (4) in front conference room -- One (1) by curbside printer cabinet -- One (1) in exterior compartment #5 -- One (1) for each clock - (2) -- One (1) for each 43" TV - (3) -- One (1) for 65" SMART TV -- One (1) for NVR

PART NO	QTY	DESCRIPTION
		-- To be CAT 6 wiring and labeled w/Nelco #LSL-77 labels on each end
IF-04-0001	2	NETWORK INLET/JACK(S) Location: -- Streetside Cast I/O compartment -- To be CAT 6 wiring and to be labeled w/Nelco #LSL-77 labels on each end
IF-04-05LP	2	ALTINEX MODEL #TNP327C TILT-N-PLUG TABLETOP INTERCONNECT BOX Location: -- Two (2) in front conference table Inputs: -- CAT6, HDMI, USB, USB-C, (2) 120V/15A receptacles
IF-04-0602	30	CAT6 PATCH CORDS - 18"
IF-04-0622	1	48- PORT CAT6 PATCH PANEL - RACK MOUNTED
IF-06-0000	4	TV ANTENNA COAXIAL CABLE & OUTLET(S)
IF-06-0001	7	HDMI AUDIO/VIDEO CABLE & INLET(S) - WALL TO HDMI MATRIX Location: -- One (1) in exterior TV compartment #5 -- One (1) by each rear workstation - (4) -- Two (2) in front conference room Note: -- All run to Matrix switcher
IF-06-01LP	2	INSTALL CUSTOMER SUPPLIED THROW PHONE CABLE(S) Location: -- Two (2) interior plugs - location: to be determined + two (2) plugs in patch block compartment - cables run between each location
IF-SP-0200	4	HDMI CABLES FROM BACK OF MONITOR TO MINICOMPUTER(S) -- For rear workstations
IH-00-1000	2	12 VOLT OUTLET(S) - CIGARETTE LIGHTER TYPE Locations: -- To be determined
IH-00-1017	7	KUSSMAUL #091-264-023 DUAL PORT 5.5A USB-C & USB-A SVR W/ PIGTAIL LEAD Location: -- One (1) by each rear workstation -- Two (2) in front conference room -- One (1) in compartment #5
IJ-00-15LP	4	INSTALL CUSTOMER SUPPLIED MINICOMPUTER(S) Location: -- Under rear workstations
IJ-01-0000	5	INSTALLATION OF CUSTOMER'S RADIO(S) Locations: -- One (1) in cab floor console -- One (1) in front conference room -- Two (2) by rear workstations -- One (1) in compartment #5

PART NO	QTY	DESCRIPTION
IK-00-0017	1	PRO-VISION #RV-505A REAR VISION CAMERA W/7" LCD MONITOR W/SIDE CAMERA System Includes: -- 18 Infra Red LED - Night Vision -- 120 Degrees (h) Camera View Area -- Audio -- Waterproof Camera -- Waterproof Connectors -- 7" Digital LCD Color Monitor -- (1) Side mounted camera
JB-00-0005	1	SCHOTTKY #51-140 DIODE ISOLATOR
JC-00-0017	1	INPOWER #DSP-DCS1 DIGITAL VOLTMETER W/LOW VOLT ALARM & LIGHT Location: -- On rear module switch panel
JC-10-0030	1	BLUE SEA SYSTEMS #9001E DUAL BATTERY SELECTOR SWITCH
JC-90-1010	1	KUSSMAUL #091-9HP 120V AIR COMPRESSOR (1.4 CFM) W/ MTG BRKTS & VIBRATION DAMPER Location: -- Compartment #1
JC-90-101A	1	-- #091-9H-1 MOUNTING PLATE FOR PUMP
JC-90-101B	1	-- #091-9G-B1-BOWL-M AUTO CLEAN METAL BOWL
JC-90-1250	1	KUSSMAUL #091-266-12-40-RCP CHIEF SERIES 12V 40AMP TRIPLE BANK CHARGER w/ 2-DISP Includes: Remote Control Panel -- Control panel mounted by shoreline inlet
JC-90-5010	1	ADDITIONAL BATTERY SYSTEM - (3) AGM 31 SERIES 12V Location: -- In slide-out tray in compartment #1
JC-90-5055	1	12 VDC BATTERY/CHARGING SYSTEM - DUAL
JD-75-0000	1	(NFPA) CLEAR LIGHT CUT-OUT - PARK POSITION
KA-10-0000	1	GENERATOR INSTALLATION - 120/240 VOLT
KC-02-031M	1	PANELTRONICS 120/240 MAIN POWER SYSTEM W/ DISTRIBUTION PANEL UP TO 24 BREAKERS Panel Location: -- On module switch panel by side entry door of body
KC-09-0523	1	-- PANELTRONICS MANUAL SOURCE SELECTOR
KC-55-0015	1	-- PANELTRONICS DIGITAL METERS PANEL - VOLTS, AMPS & FREQUENCY
KC-05-00LP	1	RED LED CHASSIS IGNITION "ON" INDICATOR LIGHT Location: -- On 120/240 VAC panel - by side entry door of body
KC-09-1007	1	10-FT LANDLINE CORD 50 AMP MALE PLUG TO 100 AMP FEMALE PLUG - 1PH 4-WIRE Male Plug Type : NEMA 14-50P
KC-09-1019	1	25-FT LANDLINE CORD 100 AMP TO 100 AMP (120/240) 1PH - 4 WIRE
KC-09-1027	1	25-FT 12/3 SAFETY HEAVY-DUTY LIGHTED PLUG EXTENSION CORD

PART NO	QTY	DESCRIPTION
KC-26-120V	1	GFI RECEPTACLE - 120 VOLT Location: -- One (1) in exterior TV compartment (to be used for exterior outlets)
KC-50-0055	1	120/240 VAC HIGH VOLTAGE ELECTRICAL SYSTEM - MULTIPLE SOURCE
KC-70-0110	1	SURGE TRACKER # ST2-501S1A TRANSIENT VOLTAGE SURGE SUPPRESSOR Note: -- To include an opening to view LED indicator light on suppressor
KH-AA-2000	1	DURAWATT #20i.QB 20KW ENCLOSED DIESEL GENERATOR Location: -- Compartment #2
KH-AB-1000	1	-- DURAWATT DIGITAL REMOTE PANEL W/ HARNESS
KN-00-0005	1	-- VERTICAL EXHAUST - FOR GENERATOR
LB-00-0504	5	COLEMAN 15,000 BTU 120-VOLT A/C - HEAT ROOF MOUNT W/CONDENSATE PUMP - DUCTED Cover Color: -- White
LB-00-0505	31	-- LN. FT. OF INTERIOR A/C DUCT
LB-00-0530	5	-- A/C THERMOSTAT (WALL MOUNTED)
LB-10-0508	3	INTELI-POWER #PD9380 120V TO 12V CONVERTER/CHARGER(S) 80 AMP
LB-16-1410	1	TWISTLOCK NEMA #L5-30R 120V/30AMP INTERIOR RECEPTACLE(S) Location: -- Behind electronics rack for UPS to plug into
LB-16-1500	18	HOUSEHOLD 15 AMP INTERIOR RECEPTACLE(S) - DUPLEX
LB-16-1619	2	HOUSEHOLD 120V/15 AMP DUPLEX EXTERIOR RECEPTACLE(S) Note: -- To be GFCI protected by outlet in exterior compartment #5
LB-25-2000	1	KUSSMAUL #VW-10 15A LANDLINE INLET W/WEATHER PROOF COVER Outlet cover color: -- Grey
LB-25-5003	1	120V/240V 100A LANDLINE INLET CONN. TO MAIN PANEL - 1PH
DA-55-2720	1	-- PAINTED ALUMINUM RECESSED POCKET
LI-50-1000	1	CAB MOUNTED TOWER UP INDICATOR LIGHT(S)
LX-80-0141	1	FIRECO 41-FT #CX.3919.3.NA PNEUMATIC MAST
LX-80-0505	1	-- FIRECO #BK.30108 LOWER FIXING BRACKET
LX-80-0605	1	-- FIRECO #BK.30208 UPPER FIXING BRACKET
LX-80-2000	1	-- FIRECO #PC.33213 PNEUMATIC REMOTE CONTROL BOARD
LX-99-0020	1	1-1/4" BLACK NYCOIL CABLE CONDUIT
LX-99-1000	1	PAINTED ALUMINUM MAST COVER
LX-99-2000	1	FOUR (4) LED MARKER LIGHT(S) - TOP OF MAST(S) Specify LED Color: -- Green Note: -- LED lights to be switched from mast compartment via a Carling switch
LX-99-2600	1	WHELEN #NP6BW PIONEER NANO MICRO MAST MOUNTED LOOK-UP LIGHT(S)

PART NO	QTY	DESCRIPTION
RE-13-1002	1	PAIR CAST SPEAKERS - THROUGH BUMPER FREIGHTLINER
RF-05-0110	1	WHELEN #295HFS2 SIREN SYSTEM
SD-02-1070	2	WHELEN #M92SLC EZ SUPER-LED® SCENELIGHT(S) W/ CHROME FLANGE - FRONT
SD-03-1070	6	WHELEN #M92SLC EZ SUPER-LED® SCENELIGHT(S) W/ CHROME FLANGE - SIDE
SD-06-1065	2	WHELEN #M92SLC EZ SUPER-LED® SCENELIGHT(S) W/ CHROME FLANGE - REAR
SD-99-0020	1	REVERSE RELAY FOR REAR SCENE LIGHTS
SD-99-00LP	4	FRONT, SIDE AND REAR SCENE LIGHT(S) - CONTROLLED FROM MODULE SWITCH CONSOLE
TA-02-0400	1	WHELEN #SSFPOS HEADLIGHT FLASHER
TA-08-0200	1	VANNER #9860GCPE ELECTRONIC LED FLASHER UNIT
TC-16-0012	5	WHELEN #M6BCS SERIES SUPER-LED WARNING LIGHT(S) - BLUE - CLEAR LENS -STEADY BURN
TC-16-0902	5	-- WHELEN #M6FC CHROME FLANGE
TC-16-0022	5	WHELEN #M6RCS SERIES SUPER-LED WARNING LIGHT(S) - RED - CLEAR LENS -STEADY BURN
TC-16-0902	5	-- WHELEN #M6FC CHROME FLANGE
TC-19-0012	5	WHELEN #M9BCS SERIES SUPER-LED WARNING LIGHT(S) - BLUE - CLEAR LENS -STEADY BURN
TC-19-0902	5	-- WHELEN #M9FC CHROME FLANGE
TC-19-0015	1	WHELEN #M9C SERIES SUPER-LED WARNING LIGHT(S) - CLEAR/WHITE - CLEAR LENS
TC-19-0902	1	-- WHELEN #M9FC CHROME FLANGE
TC-19-0022	5	WHELEN #M9RCS SERIES SUPER-LED WARNING LIGHT(S) - RED - CLEAR LENS -STEADY BURN
TC-19-0902	5	-- WHELEN #M9FC CHROME FLANGE
VD-00-0500	1	ROADSIDE EMERGENCY SAFETY KIT (8-PIECE)
VD-02-0995	1	ABC 5 LB. DRY CHEMICAL FIRE EXTINGUISHER W/VEHICLE BRACKET
WA-90-0050	1	BODY MANUFACTURER'S MANUAL(S)
WA-90-0055	1	BODY MANUFACTURER'S MANUAL(S) - ELECTRONIC FORMAT
WA-95-0050	1	WIRING MANUAL(S)
WA-95-0055	1	WIRING MANUAL(S) - ELECTRONIC FORMAT
WB-00-0020	1	ENGRAVED LABEL PACKAGE
WB-05-0500	1	-- SEATING CAPACITY TAG
WB-05-1500	1	-- ENGRAVED FLUID CAPACITY AND TYPE PLATE
WB-05-2000	1	-- OVERALL HEIGHT/LENGTH/GVWR PLATE
		When manufactured, this vehicle was:
		XX FT XX IN HIGH
		XX FT XX IN LONG
		XXXX LB GVWR
		> Changes in height since the apparatus was manufactured shall be noted on this plate by the department <
ZA-00-0002	1	CHASSIS RELATED EXPENSES
ZC-00-0002	1	ADMINISTRATIVE
ZC-05-001A	1	-- 12-MONTH / 12,000 MILE CONVERSION/UPFIT WARRANTY
ZC-05-004B	1	-- 20-YEAR LIMITED MODULAR BODY STRUCTURAL WARRANTY
ZC-05-005B	1	-- 5-YEAR / 60,000 MILE LIMITED ELECTRICAL WARRANTY
ZC-05-006A	1	-- 10-YEAR / 100,000 MILE LIMITED PAINT WARRANTY
ZD-00-000A	1	-- FACTORY LIAISON PROJECT COORDINATOR
ZD-00-000B	1	-- ENGINEERING/PRE-CONSTRUCTION REVIEW
ZD-00-000C	1	-- IN-HOUSE PRE-DELIVERY / DETAILING / INSPECTION [10.01.25]
ZD-00-0600	1	DELIVERY + FAMILIARIZATION TO END USER