# **QUOTATION**

# Emergency Vehicles, Inc.

Key West Police Department Captain Jason Castillo 1604 N Roosevelt Blvd Key West, FL 33040 (305) 809-1084 jcastillo@cityofkeywest-fl.gov

Quote No: KEYWESTPD-0002

## 10/30/2025 Page 1 **QTY PART NO DESCRIPTION** == FREIGHTLINER M2 106 | 2 DOOR CHASSIS == AG-02-0188 2027 FREIGHTLINER M2 106 PLUS | 2 DOOR, SINGLE AXLE CHASSIS CAB: -- 2-Door Conventional -- 106" BBC (Bumper to Back of Cab) **GVWR**: -- 40,600 Pounds WHEELBASE: -- 312" CAB-TO-AXLE: -- 246" FRAME: -- 130" Frame Overhang (AF) -- Steel Channel | 11/32" x 3-1/2" x 10-15/16", 120KSI -- Rated for GVWR -- 1/4" Inner C-Channel Frame Reinforcement FRONT BUMPER: -- Three-Piece 14" Chromed Steel with Collapsible Ends -- (2) Frame-Mounted Front Tow Hooks FRONT AXLE: -- 14,600 Pound Rating | Front Oil Seals -- Bonded Rubber Spring Pin Bushings -- 16.5x5 Q+ Cast Spider Cam Front Brakes, Double Anchor, Fabricated Shoes -- Fire and Emergency Severe Service, Non-Asbestos Front Lining -- Cast Iron Front Brake Drums -- Automatic Front Slack Adjusters -- Synthetic 75W-90 Front Axle Lube **REAR AXLE:** -- 26,000 Pound Rating, T-Series Single Axle -- Rear Axle Gear Ratio For 75 MPH Top Speed -- 16.5X7 Q+ Cast Spider Cam Rear Brakes, Double Anchor, Fabricated Shoes -- Fire and Emergency Severe Service Non-Asbestos Rear Brake Lining -- Rear Oil Seals -- Automatic Rear Slack Adjusters -- Synthetic 75W-90 Rear Axle Lube REAR SUSPENSION: -- Hendrickson Primaax 26,000 Pound Rear Air Ride Suspension -- High Position Ride Height -- Dual Air Rear Suspension Leveling Valves -- Rear Shock Absorbers - One Axle (Air Ride Suspension) SHOCKS: -- Heavy Duty Front and Rear STEERING: -- Power Hydraulic Assist -- Four Spoke 18" Steering Wheel -- Adjustable Tilt/Telescoping Steering Column

PART NO QTY DESCRIPTION

#### **BRAKES:**

- -- Anti-Lock Braking System with Traction Control
- -- Electronic Stability Control
- -- Full Air | Cam Type | Dual System
- -- Cummins 18.7 CFM Air Compressor
- -- (2) Steel Air Brake Reservoirs
- -- BW DV-2 Drain Valves
- -- Automatic Slack Adjusters
- -- Wabco 1200 Heated Air Dryer
- -- Petcock Drain Valves on all Air Tanks

#### PARKING BRAKE:

-- MGM TR Parking Chambers (Axle Cam)

### **ENGINE:**

- -- Cummins L9 Turbo Diesel-EV
- -- 360 Horsepower @ 2000 RPM
- -- 1150 Lb/Ft @1300 RPM
- -- Cummins Exhaust Brake Integral w/Variable Geometry Turbo w/Taillight Activation
- -- Cummins Full Flow / Bypass Oil Filter
- -- Engine Speed Control (Set @ 1400 RPM)
- -- Heavy Duty Engine Cooling
- -- Coolant Recovery System
- -- Air Powered On/Off Fan Clutch
- -- Automatic Fan Control without Dash Switch
- -- Air Intake

#### **EXHAUST:**

- -- RH Inboard Frame Mounted Horizontal Muffler/Engine After Treatment Device/DPF Tailpipe Exiting Forward of Rear Tires LH Side
- -- Automatic Over the Road Regeneration
- -- Dash Mounted Regeneration Request Switch
- -- 6-Gallon Diesel Exhaust Fluid Tank, Mounted Next to Fuel Tank on Drivers Side

## TRANSMISSION:

- -- Allison 3000EVS | 6-Speed Automatic w/Auto Neutral
- -- Push Button Electric Shift Control Dash Mounted
- -- Vehicle Interface Wiring and PDM
- -- Body Builder Connector Back of Cab
- -- PTO Provisions
- -- Transmission Oil Check and Fill with Electronic Oil Level Check
- -- Synthetic Transmission Fluid (TES-295 Compliant)

### DRIVE SHAFT:

-- Spicer Heavy Duty Tubular

#### **FUEL TANK:**

- -- 50-Gallon Capacity Short Rectangular (Aluminum) LH Side
- -- 50-Gallon Capacity Rectangular (Aluminum) RH Side
- -- Fuel Tank(s) Forward
- -- Plain Step Finish
- -- High Temperature Reinforced Nylon Fuel Lines
- -- Aux. Fuel Pick Up and Return LH Tank
- -- Heated Fuel/Water Separator with Primer Pump

### **ELECTRICAL SYSTEM:**

- -- Delco 12V Starter with Integrated Magnetic Switch
- -- Engine Warning System Buzzer and Light
- -- Warning Alarms: Low Oil | Low Water | High Water Temperature
- -- Tail Light Connector Back of Cab
- -- 87 dB to 112 dB Automatic Self-Adjusting Backup Alarm

### ALTERNATOR:

- -- Leece Neville 325 Amp Brushless Pad Alternator w/Remote Battery Voltage Sensor BATTERIES:
- -- (2) Group 31, 12-Volt Maintenance-Free 2000 CCA (Total)
- -- Single Battery Box LH Frame Mounted Under Cab

#### HORNS:

-- Dual Electric

PART NO QTY DESCRIPTION

#### HOOD:

- -- 1-Piece Moulded Fiberglass
- -- Tilting Hood and Fenders
- -- Chrome Front Grille
- -- Non-Removable Bug Screen Mounted Behind Grille

### CAB GLASS:

- -- Tinted Safety Glass All Windows
- -- Omit Rear Cab Windows

#### MIRRORS:

- -- 7" X 16" Stainless Steel/Heated
- -- LH/RH Remote Control
- -- 102" Wide Mirror Spacing
- -- 8" LH/RH Bright Finish Convex
- -- RH Down View Mirror

### **GAUGES:**

- -- Driver and Center Instrument Panel
- -- Tachometer with Hourmeter
- -- Speedometer
- -- Odometer
- -- Fuel Level
- -- Voltmeter
- -- Transmission Temperature Gauge
- -- Engine Coolant Temperature
- -- Engine ECM Customer Access
- -- Dual Air Pressure
- -- Air Restriction Indicator

### WIPERS:

- -- Electric Wipers and Washers
- -- Intermittent Wiper Switch

### PAINT COLOR:

- -- White Premium #L0006EY
- -- Base Coat/Clear Coat

### **ENVIRONMENTAL:**

- -- Cab Air Conditioning
- -- Heavy Duty Heater
- -- Windshield Defroster

### CAB SEATING:

- -- Premium High Back Air Suspension Driver Seat With 3 Chamber Air Lumbar, Integrated Cushion Extension, Forward and Rear Cushion Tilt, Adjustable Shock Absorber
- -- Premium High Back Air Suspension Passenger Seat With 3 Chamber Air Lumbar, Integrated Cushion Extension, Forward and Rear Cushion Tilt, Adjustable Shock Absorber
- -- Black Vinyl Seat Covering
- -- Dual Driver and Passenger Seat Armrests
- -- 3-Point High Visibility Orange Retractor Type Seat Belts

# CAB TRIM/COLOR:

- -- Custom Interior Opal Gray Vinyl
- -- Black Floor Mats with Insulation

### TIRES:

- -- Michelin; 12R22.5; 16-Ply
- -- (2) Front | Highway Tread XZE2
- -- (4) Rear | Traction Tread XDN2

# WHEELS:

-- (6) 22.5 x 8.25 Alcoa Polished Aluminum 10- Hole Pattern

### MISCELLANEOUS:

- -- LH/RH NFPA Exterior Grab Handles
- -- Air Ride Rear Cab Suspension
- -- AM/FM/WB Radio with Bluetooth and Front Auxiliary Input
- -- (2) Radio Speakers in Cab
- -- Self-Canceling Turn Signal Switch with Dimmer
- -- Integral Headlight Beam 4-way Flasher
- -- Day Time Running Lights

10/30/2025	Page 4
PART NO QTY	Cigarette Lighter + USB-C Charge Ports Dual Interior Sun Visors LED Head Light Assembly Wiring with Separate Stop/Turn Wires to 4-Feet Beyond End of Frame 12-Volt Power Source - Dash Forward Roof Mounted Console with Upper Storage Compartment (2) Cup Holders - LH/RH Dash Power Windows and Door Locks (1) Owner's Manual Booklet
	==32-FT MOBILE COMMAND CENTER SINGLE AXLE == CHASSIS PREPARATION - GENERAL TRANSMISSION INTERLOCK SYSTEM To prevent the vehicle from going into gear with the following deployed: Leveling system Slide-out rooms Rear mast To include a hidden override switch in the engine compartment
	CHASSIS FRAME RAIL PREPARATION FRAME RAIL TORQUE BOX - 8" RISE (LIN FT) QUADRA MFG. BIG FOOT #QE-2 VEHICLE LEVELING SYSTEM Includes: Warning light in cab Foot Pad: 14" O.D. x 3/8"
IC-00-2000 1 BC-50-0000 1	
BC-50-0500 1	DIAMOND PLATE FUEL TANK COVER - RH The diamond plate utilized shall be "slip resistant", meeting NFPA requirements
BE-00-1715 1	ENGRAVED LABEL - ULTRA LOW SULFUR DIESEL FUEL ONLY ENGRAVED LABEL - DEF FLUID ONLY REAR STEP AND BUMPER ASSEMBLY The diamond plate utilized shall be "slip resistant", meeting NFPA requirements Note: To be 21" deep
BG-00-1000 1 BH-06-0500 1 C0-01-0000 1 CA-BC-3200 1 CA-BD-0020 1 CA-BD-0040 1 CA-BD-0060 1 CA-BD-0080 1 CA-CC-3200 1	SET CHROME HUBS & NUTS W/ AIR INFLATION & WRENCH KIT - 19.5" MED/ 22.5" HVY DUTY ALL ALUMINUM MODULAR BODY MODULE BODY PACKAGE   32-FT WALK-IN   MODULE BODY LENGTH - 384" O.D.   MODULE BODY WIDTH - 100" O.D.   MODULE BODY COMPARTMENT HEIGHT - VARIES   MODULE BODY HEADROOM (WALK-IN) - 86"
CA-CE-0040 1	MODULE FRONT WALL - SMOOTH PAINTED

10/30/2025		Page 5
PART NO CA-CF-0020 CA-CG-0020 CA-CG-1020 CA-CG-2040 CA-CG-3020 CC-BC-3200	QTY	EXTERIOR SHEETING - 1/8" THICKNESS     SET ROUNDED BODY VERTICAL CORNERS     DRIP RAIL PACKAGE     PAIR PAINTED EXTERIOR WHEELWELL PANELS     REAR DIAMOND PLATE KICK PANEL     LOWER BODY RUB RAILS - "C" CHANNEL    Scotchlite Stripe Color:     To be determined
CJ-BB-3200 CC-00-3501 CC-00-5600 CC-05-0006	1 1 1	BODY INSTALLATION SIDE ENTRY DOOR(S) WITH #400 LATCH   ENTRY DOOR PADDLE HANDLE STAINLESS STEEL (S)   MODULE ENTRY DOOR GRAB RAIL(S)   KNURLED ONE-PIECE - STAINLESS STEEL Location: Interior of side entry door To be V-shaped
CE-01-022A CC-00-5699	1	18"W X 22"H ENTRY DOOR SLIDING WINDOW(S) PADDLE LATCH HANDLE EXTENSION For entry door
CC-20-1510	1	STEPWELL(S) WITH DOUBLE INTERMEDIATE STEPS The diamond plate utilized shall be "slip resistant", meeting NFPA requirements
CC-60-0200 CC-90-2000 CD-40-K01M	1 1 2	LICENSE PLATE HOUSING W/ LED LIGHT PAIR RUBBER REAR WHEEL FENDERETTES KNURLED GRAB RAIL(S) - MEDIUM Location: One (1) on exterior of body by side entry door One (1) on interior of body by side entry door
CD-60-0103	1	MANUAL PULL-OUT/DROP-DOWN STEP - SIDE ENTRY Includes warning light within the cab ** Step material to be type with small holes since ladies with heals will be coming in and out of vehicle **
CE-00-1122 CE-01-022D CE-05-1838 CF-30-0500	6 1 1 1	12"W X 22"H SOLID WINDOW(S) 18"W X 22"H ENTRY DOOR SOLID LOWER WINDOW(S) 36"W X 22"H SLIDING WINDOW(S) - EMERGENCY ESCAPE ZICO #RL-2-6 QUIC-LADDER ROOF ACCESS LADDER Since access is provided to the roof, the diamond plate covering the roof shall be "slip resistant", meeting NFPA requirements
CF-90-0270	1	GIRARD G2000 ELECTRIC ACRYLIC AWNING 120V   UP TO 23-FT Canvas Color: To be determined Case Color: White Location: Upper curbside of module body
CF-90-0300 CF-90-0325	1 1	GIRARD #98003528-23 G-LITE LED LIGHT OPTION FOR AWNING   G-LINK 1 AWNING - 120V MTR - ASSEMBLY W/ 12V MOTION SENSOR, REMOTE & WALL SW

10/30/2025		Page 6
PART NO	QTY	DESCRIPTION  LOADEEDEE #COKULCUPE OUT DOOM VINVI AWAING(C)
CF-98-0093	3	CAREFREE #SOKIII SLIDE-OUT ROOM VINYL AWNING(S) Case Color:
		White
		Canvas Color:
		To be determined
CG-10-0000	10	LN. FT. OF ALUMINUM ANTENNA RACEWAY
CG-10-0000	19	To be 3" x 3"
		Antenna raceways to be Raptor coated to match exterior color of body
CJ-02-0002	3	SLIDE-OUT/DROP-DOWN ROOM(S) - FLAT FLOOR
		Locations:
		One (1) streetside front of body One (1) streetside rear of body
		One (1) curbside front of body
		Extension:
		All 30"
DA-40-000A	6	1/8" EXTERIOR COMPARTMENTS - DIAMOND PLATE
		Compartment Floors:
		3/16" (.188") thick brushed aluminum
DA-40-0010	6	1/8" EXTERIOR COMPARTMENTS (REG) - DIAMOND PLATE
		Location:
		All exterior compartments
DA-55-0425	30	LN. FT. OF ROOF MOUNTED PAINTED ALUMINUM FRAMED LIMB GUARD
DA-71-0000		COMPARTMENT DOOR CONSTRUCTION   CONVENTIONAL
DA-71-020L	1	DOUBLE COMPARTMENT DOOR(S) - LOCKING Location:
		Location:   Compartments #2 (generator compartment)
		Geniparaneme //= (generale: Geniparanem)
DA-73-0500	2	
		Key Code: 1250
		1230
DA-71-032L	3	DROP-DOWN COMPARTMENT DOOR(S) - LOCKING
		Location:
		Compartments #1, #3 and #6 To include red labels on the inside of each door: Not A Step + Do Not Sit
		To include red labels on the inside of each door. Not A step 1 Bo Not oil
DA-73-0500	3	
		Key Code: 1250
DA-71-036L	1	LIFT-UP/DROP-DOWN COMPARTMENT DOOR(S) - LOCKING Location:
		Location:   Compartment #5 (exterior TV/workstation compartment)
		To include a lift-up upper section + fold-down lower section w/a smooth writing surface + a 1/2"
		outer front edge for retention

10/30/2025		Page
PART NO	QTY	DESCRIPTION
DA-73-0500	2	COMPARTMENT DOOR PADDLE HANDLE STAINLESS STEEL(S)   Key Code:   1250
DA-72-1MAL	1	ALUMINUM "ANODIZED" ROLL-UP COMPARTMENT DOOR(S) - LOCKING (MED) Location: Compartment #4 Key Code: 1250
DB-00-0200	1	EXTERIOR COMPARTMENT (REG) SHELF TRACKS Location: Compartment #4
DB-00-1000	1	3/16" (.188") EXTERIOR COMPARTMENT SHELVES (REG) - ADJUSTABLE Location: Compartment #4
DB-54-0000	1	4" DIAMETER COMPARTMENT VENT(S)
DB 04 0000		Location:
		One (1) in each compartment, except compartments #2 and #5
DB-55-1000	4	TURTLE TILE COVERING FOR COMPARTMENT FLOORS - Up to 25" Deep Color: Black
DB-55-1100	1	TURTLE TILE COVERING FOR COMPARTMENT SHELVES/TRAYS Color: Black Includes interior cabinet/closet shelves
DB-55-1101	7	REGULAR   UP TO 25" DEEP
DB-61-2001	1	PATCH BLOCK COMPARTMENT W/ CAST DOOR #EB0010-1-B W/ KEYED LEVER LATCH
		Location: Curbside front of body - for inlet jacks to connect to throw phone
DB-61-2006	1	PATCH BLOCK COMPARTMENT W/ CAST DOOR #EB0014-1
		Location:
		Streetside of body - behind electronics rack Lower to be a pass-thru to interior
DB-61-2202	1	MAST TOWER CONTROL COMPARTMENT W/ CAST LOCKING DOOR #AD0030-1-B
		Location: Rear of body on mast cover
DC-20-0502 DG-00-0024	1 2	STEEL SUPPORT - GENERATOR ROLL-OUT EQUIPMENT TRAY(S) - 24" Location: Compartment #1 - for aux. batteries Compartment #4 Type Slides:

10/30/2025			Page 8
PART NO	QTY	DESCRIPTION	
		AccuRide - 400 lbs. w/lock-in/lock-out feature	
E4 DD 0000		EVTERIOR MORULAR ROBY RAINTER ROLVARETUANE	
FA-BB-3200	1	1	
		Color:	
		White	
		Code:	
		To match the Freightliner chassis #L0006EY	
FD-BB-3200	1	BODY UNDERCOATING	
FG-20-0001	1		
1 0 20 0001		Color:	
		To be determined	
FH-06-1000	3	CUSTOM REFLECTIVE SHIELD(S)	
GA-BB-3200	1	INTERIOR PACKAGE: 32-FT BODY	
GB-00-005A	1		
GB-10-005A	1		
GB-10-026F	1		
GB-12-005A	1		
GB-13-005G	24		_
GB-14-005A	1		ı
GB-16-005A	1	GRAY)	
HB-02-1540		INTERIOR CEILING - EMBOSSED FIBERGLASS REINFORCED PLASTIC (WHITE)  #MRK-4026LRD ELECTRONICS RACK ENCLOSURE - (40 SPACE)	
110-02-1040	'	Fans and Mount Model #:	
		MW-4FT-380CFM	
		Door Model #:	
		MID LVFD-40 (includes keylock)	
		Includes spare panels to cover empty spaces	
		Rack to slide out from its fixed position to allow side access to rack equipment	
		Type Slides:	
		AccuRide Manufacturing - 400 lbs.	
LB-50-0230	2		
HB-02-1600	2	INDIVIDUAL RACK MOUNT(S) FOR TV, VCR, DVD, DSS	
		Includes rack mount tracks & trim	
		Location: Electronics rack	
		Equipment to be mounted:	
		NVR for surveillance camera systems	
		Slide-out storage drawer for remotes	
		ondo out otorago drawor for romotos	
HB-06-002M	2	MEDIUM STORAGE CLOSET(S) - ALUMINUM	
		Location:	
		One (1) streetside mid interior of body	
		One (1) curbside rear interior of body	
LID 00 0005	_	L OLGON ( ACON AR HIGTARI E OLIEL) (EO EOR INTERIOR CARINET(O)	
HB-03-0305	5		
		Location: Three (2) in streeteids interior storage closet	
		Three (3) in streetside interior storage closet Two (2) in curbside interior storage closet	
		I wo (2) III curpoide lilicitor storage closet	
HB-03-0205	2	HEAVY DUTY INTERIOR CABINET SHELF TRACKS	
	_	Location:	
-		1	

10/30/2025			Page 9
PART NO	QTY	One (1) set in each interior storage closet	
		One (1) set in each interior storage closet	
HB-03-0306	1	3/16" (.188") PERMANENT SHELVES FOR INTERIOR CABINET(S) Location:	
		One (1) in curbside interior storage closet	
HB-03-0308	1	3/16" (.188") VERTICAL DIVIDER   Location:	
		One (1) in streetside interior storage closet	
HC-07-002M	2		
HB-07-001S	1	OVERHEAD STORAGE CABINET(S) - ALUMINUM (UP TO 24") Location:	
		Streetside interior of body - over galley cabinet	
HC-06-001S HB-07-002M	1	OPEN FINISH - NO DOOR FOR CABINETS/CLOSETS   OVERHEAD STORAGE CABINET(S) - ALUMINUM (UP TO 48")	
11B-07-002IVI	5	Location:	
		Two (2) streetside body - over rear workstations in slide-out Two (2) curbside body - over rear workstations	
		One (1) curbside of body - over printer station	
HC-09-002M HC-30-0100	5	PORCELAIN MAGNETIC DRY/ERASE LOCKING DOOR FOR CABINETS/CLOSETS   SOUTHCO #M1-41-8 STAINLESS STEEL "D" DOOR LATCHES	
HB-12-002M	5 1	MEDIUM STORAGE CABINET(S) - ALUMINUM (UP TO 48")	
		Location: Curbside body - printer cabinet	
		Carbonac body printer cabinet	
HB-03-0305	1	3/16" (.188") ADJUSTABLE SHELVES FOR INTERIOR CABINET(S)	
HB-03-0205	1	HEAVY DUTY INTERIOR CABINET SHELF TRACKS	
HC-04-002M HC-30-0100	2 2	HINGED SOLID LOCKING DOOR(S) FOR CABINETS/CLOSETS   SOUTHCO #M1-41-8 STAINLESS STEEL "D" DOOR LATCHES	
HB-26-001S	1	GALLEY CABINET ASSEMBLY - ALUMINUM (UP TO 24") Location:	
		Streetside interior of body	
HC-06-001S	1		
HB-32-001S	3	FILE DRAWER(S) - ALUMINUM Location:	
		Two (2) under workstations in streetside rear slide-out room	
		One (1) in rear curbside storage closet	
HB-32-04LP	1	BELOW COUNTER TOP STORAGE DRAWER(S)   ALUMINUM	
115 02 0 121		Location:	
		One (1) under the medium curbside storage printer cabinet	
HD-00-0B05	1	FOLD-UP SQUAD BENCH WITH SPRING LOADED SEAT IRONS	
HD-02-0B01	8	PERSON SEATING CAPACITY	
HF-12-0207	1	PORCELAIN STEEL MAGNETIC DRY/ERASE BOARD(S) - (L) Location:	
		One (1) front curbside wall of body - in slide-out room	

10/30/2025			Page 10
PART NO	QTY	DESCRIPTION	
HF-12-0209 HF-15-0100		EXTERIOR REMOVABLE PORCELAIN STEEL MAGNETIC DRY/ERASE BOARD(S) EXTERIOR BRACKETS FOR DRY/ERASE BOARD(S) Location:	
		One (1) set on rear wall in dispatch area for transit One (1) set on the curbside exterior of the body	
HG-04-005E	2	WORK STATION(S)   UP TO 96" WIDE Location: Rear streetside interior of body Rear curbside interior of body	
HG-10-0213	10	MESH TASK SWIVEL CHAIR(S) W/ BUNGEE MOUNT(S)	
		Includes a bungee or cable harness to secure each chair while the vehicle is in transit	
HG-10-02LP	1	INSTALL CUSTOMER SUPPLIED PRINTER/COPIER/SCANNER Location: On top of medium storage cabinet - curbside	
HG-12-002M HG-17-0500		CONFERENCE TABLE CORIAN COUNTER TOP UPGRADE (SQ FT) Material: WilsonArt Gilbraltar Pebble Grey	
HH-02-040L HH-02-1215 HI-50-0200		BULKHEAD DIVIDER WITH SLIDING DOOR - LOCKING 6" X 8" WINDOW(S) WITH HINGED COVER PANELS FOR POCKET DOORS WINDOW MINI-BLINDS Location: For the 36" x 22" window	
HI-50-1000	6	BLACK-OUT CURTAINS Location: For the side windows in the slide-out rooms	
HJ-05-0010	2	1.2 CU. FT. COUNTERTOP STAINLESS STEEL MICROWAVE - 120V Location: Overhead cabinet (curbside) above galley cabinet + compartment #4	
HJ-05-0256	1	INDEL WEBASTO #CRUISE130 4.6 CU. FT. 12/120V REFRIGERATOR - BLACK Location: Lower streetside galley cabinet	
HJ-06-0420	1	CUISINART COFFEE CENTER 12-CUP COFFEEMAKER + SINGLE-SERVE BREWER Location: Curbside galley cabinet	
HJ-06-0505	1	KEURIG K-CUP POD COFFEE MAKER W/ REMOVABLE WATER RESERVOIR Location: Compartment #4	

10/30/2025		Page 11
PART NO	QTY	DESCRIPTION
HK-00-0005	1	SMART 65" INTERACTIVE DISPLAY Location:
		Front conference area
		Note: To be connected to the Matrix switch
		Includes built conferencing camera
		Includes the Following:
		One (1) #SBID-QX265-P SMART Board QX065 Pro series interactive display with IQ One (1) #WM-SBID-200 SMART Wall Mount
		One (1) #UGK-PCM11-I7V SMART PCM11-i7 vPro OPS PC - Digital signage player - 8 GB RAM - Intercore i7 - SSD
HK-00-0014	8	
		Location: Two (2) for each rear workstation
		Note:
		All to be connected to the Matrix switcher To be LG HDTV monitors
HK-00-0025	3	NAME BRAND 43" HDTV MONITOR(S) Location:
		Two (2) on streetside wall in front slide-out room
		One (1) rear wall of body
		Note: To be connected to the Matrix switch
		To be Samsung Smart/HDTV monitors
HK-00-0040	1	SUNBRITE #SB-V-43-4KHDR-BL 43" BLACK VERANDA OUTDOOR TV W/ SOUND BAR- FULL SHADE
		Location:
		One (1) in exterior TV/workstation compartment #5 Note:
		To be connected to the Matrix switch
HK-00-0250 HK-00-0255 HK-00-0260 HK-20-0012	1	PEERLESS #SF630P SMARTMOUNT UNIVERSAL FLAT WALL MOUNT   10" - 29" DISPLAY PEERLESS #SF640P SMARTMOUNT UNIVERSAL FLAT WALL MOUNT   30" - 50" DISPLAY PEERLESS #SF650P SMARTMOUNT UNIVERSAL FLAT WALL MOUNT   50" - 75" DISPLAY AUDIO/VIDEO INTEGRATION AND PROGRAMMING   MEDIUM COMMAND CENTER Fully functional and ready for operation at time of delivery
HK-31-0030	1	EXTRON #DXP1616 HDMI 16X16 HD 4K MATRIX SWITCHER - RACK MOUNTED
1 11 C 1-0000	1	Note:
		Inputs will be (10):
		(2) Axis camera decoders Perimeter camera NVR
		HDMI Input jack in the exterior TV compartment #5
		Two (2) HDMI Input jacks in the front conference room
		One (1) HDMI Input jack at each rear workstation - (4) Six (6) Open
		Outputs will be (13):
		(8) 24" HDTV/monitors (3) 43" HDTV/monitor
		(3) 43 HDTV/monitor (1) 43" Sunbrite HDTV/monitor
		(1) 65" SMART display
		Three (3) Open

10/30/2025		Page 12
PART NO	QTY	DESCRIPTION
IF-06-0015	13	
HK-32-0550	1	SURVEILLANCE CAMERA SYS MONTAVUE 8CH-NVR, 2TB & 4@ PoE CAMERAS - WHITE
HK-32-055A	2	ADDITIONAL - MONTAVUE PoE CAMERA w/ MIC - WHITE
HK-50-0010	1	APC SMART-UPS 3000VA LCD RM 2U 120V WITH SMARTCONNECT RACKMOUNT
HL-50-0110	2	BRG PRECISION #OT640 DIGITAL LED OPERATIONAL TIMER DISPLAY - PoE
		Location:
		One (1) in front conference room and one (1) in rear room
HN-00-00LP		ALLIED TELESIS GS950/48PS-10 48-PORT 10/100/1000T UNMANAGED GIGABIT SWITCH- PoE
HN-00-0210	1	
HN-00-1000	1	
HN-00-100B	1	
HN-00-100C	1	
HN-00-100E	1	
HN-SP-0001	1	on a length End of the artist
		Location:
		Mounted on roof of body
110 00 0040	4	AVIC #06225 LE LIDTV 4000D DT7 20V ODTICAL / 24V DICITAL 700M CAMEDA
HS-03-0013		AXIS #Q6225-LE HDTV 1080P PTZ 30X OPTICAL / 21X DIGITAL ZOOM CAMERA
HS-03-0113	1	
HS-03-0025	1	AXIS #Q6355-LE HDTV 1080P PTZ NETWORK CAMERA
HS-03-0102	1	
HS-03-0113	1 1	
IA-05-2L00 IA-05-8040	1	
JC-10-0000	1	SAFETY DISCONNECT
	1	
IA-06-1000	ı	
		Custom fabricated out of aluminum and finished with black Raptor material
IA-06-3000	2	SWITCH CONSOLE - MODULE
		One (1) to be mounted next to side entry door of body for 12VDC switches and components
		One (1) to be mounted over side entry door of body and to be angled for 120/240VAC switches and
		components
IA-06-30LP	2	WALL MOUNTED SWITCH PANEL(S)
		Location:
		One (1) for front conference room
		One (1) for rear workstation room
14 40 0500	4	CWITCH LAREL DACKACE
IA-10-0500		SWITCH LABEL PACKAGE
IA-10-1200		I.C.C. MARKER LIGHT/REFLECTOR PACKAGE - LED
IA-10-2000	2	ADDITIONAL LED SIDE MARKER LIGHT(S)
IA-11-0100	2	BRITAX #L427.203.L12V 12VOLT LED MARKER LIGHT(S) Location:
		Rear of module body
		Real of filodule body
IA-11-0200	6	TECNIQ #S33-RR00-1 RED LED MARKER LIGHT(S) FOR SLIDE-OUT ROOM(S)
IA-12-0552	6	
	J	Location:
		One (1) under each overhead cabinet in body
		, ,
IA-12-0605	1	WHELEN #80C0EHCR WHITE LED INTERIOR DOME LIGHT(S)
		Location:
		Above each electronics rack and to be switched at switch panel

10/30/2025		Page 13
PART NO	QTY	DESCRIPTION
IA-12-0608	14	WHELEN #80CREHCR WHITE AND RED LED INTERIOR DOME LIGHT(S) Location: Ceiling of command unit
IA-12-0975	3	WHELEN #0SC0EDCR LED LIGHT(S) Location: One (1) in each Cast door compartment Note: Compartment lights are Not to be switched and to come on automatically whenever the compartment door is opened and the cab headlight switch is on
IA-12-1500	2	TECNIQ #E03-W000-1 EON LINEAR LED ILLUMINATION LIGHT(S) w/ SS HOUSING & GASKET Includes: - E03-0SH0-1 Eon Linear Horizontal Stainless Steel Housing and E03-00HG-1 Gasket Location: Two (2) to illuminate rear ladder Note: Lights to come on automatically whenever the parking brake is set and the cab headlight switch is on
IA-12-1530	2	TECNIQ #D07-W000-1 LED ILLUMINATION LIGHT(S) + #D07-0S45-1 S.S. 45 DEGREE CASE Location: Two (2) on the rear body - to illuminate the rear step/bumper Note: Lights to come on automatically whenever the parking brake is set and the cab headlight switch is on
IA-12-1830	1	HANSEN #LED10WH12V-30 30"LED COMPARTMENT STRIP LIGHT(S) Location: One (1) in compartment #5 (TV/workstation compartment) Note: Light in compartment #5 is to be switched via a sealed Carling switch from compartment.
IA-12-1837	2	HANSEN #LED10WH12V-37 37"LED COMPARTMENT STRIP LIGHT(S) Location: Two (2) in compartment #4 Note: Compartment lights to come on automatically whenever the compartment door is open and the cab headlight switch is on
IA-12-1854	4	HANSEN #LED10WH12V-54 54"LED COMPARTMENT STRIP LIGHT(S) Location: One (1) in compartments #1, #2, #3 and #6 Note: Compartment lights to come on automatically whenever the compartment door is open and the cab headlight switch is on
IA-12-3210	14	"DOOR OPEN" WARNING CIRCUIT(S) W/STEADY BURN LIGHT To be magnetic door switches
IA-12-3500 IA-12-4000	1 2	INDIVIDUAL OPEN DOOR DISPLAY CAB DOORS CONNECTED TO DOOR OPEN WARNING CIRCUIT

10/30/2025		Page 14
PART NO	QTY	DESCRIPTION
IA-13-0540 IA-13-0570	8 1	
IA-13-0600	1	
IA-14-1002	1	PAIR LED SIDE FACING TURN SIGNALS
IA-15-0025 IA-15-0027	1	PAIR WHELEN #M6-SERIES STOP-TAIL / BACK-UP / DIRECTIONAL LIGHTS   PAIR WHELEN #M62BTT LED STOP/TAIL LIGHTS
IA-15-0028	1	PAIR WHELEN #M62BU LED BACK-UP LIGHTS
IA-15-0029	1	PAIR WHELEN #M62T LED AMBER DIRECTIONAL LIGHTS
IB-03-0504	6	
IC-40-0500 IC-40-1850	1	EMERGENCY LIGHT MASTER SWITCH AUDIBLE ALARM FOR SLIDE-OUT ROOM(S)
IC-40-2000	1	
ID-00-2051	1	
		Includes:
		(10) Prox Cards & (10) Key Fobs
		Push to exit button
ID-03-0002	2	FIRST ALERT #SCO7CN COMBINATION SMOKE/CARBON MONOXIDE ALARM - BATTERY
IF-00-0400	7	OPERATED COAXIAL WIRING FOR ANTENNA WITH MOUNTING BASE
		Location:
		One (1) on roof of cab and to terminate in cab floor console
		Six (6) in/on antenna raceway on roof of body and run to electronics rack
IF-00-05LP	1	DUAL ANTENNA BASES W/ ANTENNA BRACKET - MAST MOUNTED
55 552.	·	Antenna Quantity:
		Two (2)
IF-00-3000	1	WIRING ACCESS COVE PACKAGE
IF-00-5600		WIRING FOR FUTURE RADIO(S)
		Includes 12V circuit 20 amp breaker, #12 battery switched red wire and a battery direct ground lug
IF-02-0001	8	PHONE OUTLET/JACK(S) WITH WALL PLATE(S)
		Location:
		Two (2) in front conference room
		One (1) by curbside printer area One (1) by each rear workstation - (4)
		One (1) in exterior compartment #5
IF-03-00LP	1	NETWORK WIRING/CABLE(S)
		Location:
		One (1) in nycoil for 41' masts for future use To be CAT 6 cables/wiring to labeled w/Nelco #LSL-77 labels on each end
		To be OAT 6 cables/withing to labeled withcles #ESE-17 labels off cacif clid
IF-04-0000	21	NETWORK OUTLET/JACK(S)
		Locations:
		Two (2) for each rear workstation - (8)
		Four (4) in front conference room One (1) by curbside printer cabinet
		One (1) in exterior compartment #5
		One (1) for each clock - (2)
		One (1) for each 43" TV - (3)
		One (1) for 65" SMART TV One (1) for NVR
		` '

10/30/2025		Page 15
PART NO	QTY	To be CAT 6 wiring and labeled w/Nelco #LSL-77 labels on each end
IF-04-0001	2	NETWORK INLET/JACK(S)
		Location: Streetside Cast I/O compartment
		To be CAT 6 wiring and to be labeled w/Nelco #LSL-77 labels on each end
IF-04-05LP	2	ALTINEX MODEL #TNP327C TILT-N-PLUG TABLETOP INTERCONNECT BOX Location:
		Two (2) in front conference table
		Inputs: CAT6, HDMI, USB, USB-C, (2) 120V/15A receptacles
		c. 1. c, 1. 2 m., c c 2, c c 2 c, (2) 1. 2 c 1. 1. 2 c 2 p m. c. 1. 2 c 2
IF-04-0602	30	CAT6 PATCH CORDS - 18"
IF-04-0622 IF-06-0000	1 4	48- PORT CAT6 PATCH PANEL - RACK MOUNTED TV ANTENNA COAXIAL CABLE & OUTLET(S)
IF-06-0001	7	HDMI AUDIO/VIDEO CABLE & INLET(S) - WALL TO HDMI MATRIX
		Location: One (1) in exterior TV compartment #5
		One (1) by each rear workstation - (4)
		Two (2) in front conference room Note:
		All run to Matrix switcher
IE 00 041 D	0	INICTALL CHICTOMED CURRILIED TUROW RUONE CARLE(C)
IF-06-01LP	2	INSTALL CUSTOMER SUPPLIED THROW PHONE CABLE(S) Location:
		Two (2) interior plugs - location: to be determined + two (2) plugs in patch block compartment - cable run between each location
IF-SP-0200	4	HDMI CABLES FROM BACK OF MONITOR TO MINICOMPUTER(S)
		For rear workstations
IH-00-1000	2	42 VOLT OUTLET(S), CICARETTE LICUTER TVPE
IH-00-1000	2	12 VOLT OUTLET(S) - CIGARETTE LIGHTER TYPE Locations:
		To be determined
IH-00-1017	7	MUCCAAALII #004 004 000 DUAL DODT 5 5A LICD O 8 LICD A CVD W/ DICTAIL LEAD
IH-00-1017	1	KUSSMAUL #091-264-023 DUAL PORT 5.5A USB-C & USB-A SVR W/ PIGTAIL LEAD Location:
		One (1) by each rear workstation Two (2) in front conference room
		One (1) in compartment #5
IJ-00-15LP	4	INSTALL CUSTOMER SUPPLIED MINICOMPUTER(S) Location:
		Under rear workstations
IJ-01-0000	5	INSTALLATION OF CUSTOMER'S RADIO(S) Locations:
		One (1) in cab floor console
		One (1) in front conference room Two (2) by rear workstations
		Two (2) by rear workstations One (1) in compartment #5
1		

10/30/2025	Page 16
PART NO QTY	DESCRIPTION
IK-00-0017 1	PRO-VISION #RV-505A REAR VISION CAMERA W/7" LCD MONITOR W/SIDE CAMERA System Includes: 18 Infra Red LED - Night Vision 120 Degrees (h) Camera View Area Audio Waterproof Camera Waterproof Connectors 7" Digital LCD Color Monitor (1) Side mounted camera
JB-00-0005 1 JC-00-0017 1	
JC-10-0030 1 JC-90-1010 1	BLUE SEA SYSTEMS #9001E DUAL BATTERY SELECTOR SWITCH KUSSMAUL #091-9HP 120V AIR COMPRESSOR (1.4 CFM) W/ MTG BRKTS & VIBRATION DAMPER Location: Compartment #1
JC-90-101A 1 JC-90-101B 1 JC-90-1250 1	#091-9G-B1-BOWL-M AUTO CLEAN METAL BOWL
JC-90-5010 1	ADDITIONAL BATTERY SYSTEM - (3) AGM 31 SERIES 12V Location: In slide-out tray in compartment #1
KC-09-0523 1 KC-55-0015 1 KC-05-00LP 1	PANELTRONICS DIGITAL METERS PANEL - VOLTS, AMPS & FREQUENCY
KC-09-1007 1	10-FT LANDLINE CORD 50 AMP MALE PLUG TO 100 AMP FEMALE PLUG - 1PH 4-WIRE Male Plug Type : NEMA 14-50P
	25-FT LANDLINE CORD 100 AMP TO 100 AMP (120/240) 1PH - 4 WIRE 25-FT 12/3 SAFETY HEAVY-DUTY LIGHTED PLUG EXTENSION CORD
1	·

	10/30/2025			Page 17
ļ	PART NO	QTY	DESCRIPTION	
ļ	KC-26-120V	1	GFI RECEPTACLE - 120 VOLT Location:	
,	1	,	One (1) in exterior TV compartment (to be used for exterior outlets)	
ļ	1	!		
ļ	KC-50-0055	1	120/240 VAC HIGH VOLTAGE ELECTRICAL SYSTEM - MULTIPLE SOURCE	
ļ	KC-70-0110	1	SURGE TRACKER # ST2-501S1A TRANSIENT VOLTAGE SURGE SUPPRESSOR	
	1	!	Note: To include an opening to view LED indicator light on suppressor	
	1	!	To morado an oponing to their LLD manager agent and any area.	
ļ	KH-AA-2000	1	DURAWATT #20i.QB 20KW ENCLOSED DIESEL GENERATOR	
ļ		. !	Location:	
ļ	1	!	Compartment #2	
ļ	1	!		
ļ	KH-AB-1000	1		
ļ	KN-00-0005 LB-00-0504	1 5		
ļ		!	DUCTED	
ļ	1	!	Cover Color: White	
ļ	1	!	Writte	
ļ	LD 00 0505	31	LIN ET OF INTERIOR A/C DUCT	
ļ	LB-00-0505 LB-00-0530	31 5		
ļ	LB-10-0508	3	INTELI-POWER #PD9380 120V TO 12V CONVERTER/CHARGER(S)   80 AMP	
ļ	LB-16-1410	1	TWISTLOCK NEMA #L5-30R 120V/30AMP INTERIOR RECEPTACLE(S) Location:	
ļ	1	!	Behind electronics rack for UPS to plug into	
ļ	1	!		
ļ	LB-16-1500		HOUSEHOLD 15 AMP INTERIOR RECEPTACLE(S) - DUPLEX	
ļ	LB-16-1619		HOUSEHOLD 120V/15 AMP DUPLEX EXTERIOR RECEPTACLE(S)	
ļ	1	!	Note: To be GFCI protected by outlet in exterior compartment #5	
ļ	1	!	,	ļ
	LB-25-2000	1	KUSSMAUL #VW-10 15A LANDLINE INLET W/WEATHER PROOF COVER	
ļ		!	Outlet cover color:	
ļ	1	!	Grey	
ļ	1	!		ļ
ļ	LB-25-5003	1 1		ļ
ļ	DA-55-2720 LI-50-1000	1 1	PAINTED ALUMINUM RECESSED POCKET   CAB MOUNTED TOWER UP INDICATOR LIGHT(S)	
ļ	LX-80-0141	1	FIRECO 41-FT #CX.3919.3.NA PNEUMATIC MAST	
ļ	LX-80-0505 LX-80-0605	1 1	1 1 1 1 2 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	
ļ	LX-80-2000	1	FIRECO #PC.33213 PNEUMATIC REMOTE CONTROL BOARD	
ļ	LX-99-0020 LX-99-1000			ļ
ļ	LX-99-1000 LX-99-2000		FOUR (4) LED MARKER LIGHT(S) - TOP OF MAST(S)	
ļ	1	!	Specify LED Color:	
ļ	1	!	Green Note:	
ļ	1	!	LED lights to be switched from mast compartment via a Carling switch	
ļ	1	!		
ļ	LX-99-2600	1 '	WHELEN #NP6BW PIONEER NANO MICRO MAST MOUNTED LOOK-UP LIGHT(S)	
	1	ļ		

10/30/2025		Page 18
PART NO	QTY	DESCRIPTION
RE-13-1002	1	PAIR CAST SPEAKERS - THROUGH BUMPER   FREIGHTLINER
RF-05-0110	1	WHELEN #295HFS2 SIREN SYSTEM
SD-02-1070		WHELEN #M92SLC EZ SUPER-LED® SCENELIGHT(S) W/ CHROME FLANGE - FRONT
SD-03-1070	6	
SD-06-1065	2	
SD-99-0020	1	REVERSE RELAY FOR REAR SCENE LIGHTS
SD-99-00LP	4	FRONT, SIDE AND REAR SCENE LIGHT(S) - CONTROLLED FROM MODULE SWITCH CONSOLE
TA-02-0400	1	WHELEN #SSFPOS HEADLIGHT FLASHER
TA-08-0200	1	VANNER #9860GCPE ELECTRONIC LED FLASHER UNIT
TC-16-0012	5	BURN
TC-16-0902		WHELEN #M6FC CHROME FLANGE
TC-16-0022	5	BURN
TC-16-0902	5	
TC-19-0012		WHELEN #M9BCS SERIES SUPER-LED WARNING LIGHT(S) - BLUE - CLEAR LENS -STEADY BURN
TC-19-0902		WHELEN #M9FC CHROME FLANGE
TC-19-0015	1	WHELEN #M9C SERIES SUPER-LED WARNING LIGHT(S) - CLEAR/WHITE - CLEAR LENS
TC-19-0902	1	
TC-19-0022	5	BURN
TC-19-0902	5	
VD-00-0500	1	ROADSIDE EMERGENCY SAFETY KIT (8-PIECE)
VD-02-0995	1	ABC 5 LB. DRY CHEMICAL FIRE EXTINGUISHER W/VEHICLE BRACKET
WA-90-0050	1	BODY MANUFACTURER'S MANUAL(S)
WA-90-0055	1	BODY MANUFACTURER'S MANUAL(S) - ELECTRONIC FORMAT
WA-95-0050	1	WIRING MANUAL(S)
WA-95-0055	1	WIRING MANUAL(S) - ELECTRONIC FORMAT
WB-00-0020	1	ENGRAVED LABEL PACKAGE
WB-05-0500	1	SEATING CAPACITY TAG
WB-05-1500	1	ENGRAVED FLUID CAPACITY AND TYPE PLATE
WB-05-2000	1	OVERALL HEIGHT/LENGTH/GVWR PLATE
		When manufactured, this vehicle was:
		XX FT XX IN HIGH
		XX FT XX IN LONG
		XXXX LB GVWR
		> Changes in height since the apparatus was manufactured shall be noted on this plate by the department <
ZA-00-0002	1	CHASSIS RELATED EXPENSES
ZC-00-0002	1	ADMINISTRATIVE
ZC-05-001A	1	12-MONTH / 12,000 MILE CONVERSION/UPFIT WARRANTY
ZC-05-004B	1	20-YEAR LIMITED MODULAR BODY STRUCTURAL WARRANTY
ZC-05-005B	1	5-YEAR / 60,000 MILE LIMITED ELECTRICAL WARRANTY
ZC-05-006A	1	10-YEAR / 100,000 MILE LIMITED PAINT WARRANTY
ZD-00-000A	1	FACTORY LIAISON   PROJECT COORDINATOR
ZD-00-000B	1	ENGINEERING/PRE-CONSTRUCTION REVIEW
ZD-00-000C	1	IN-HOUSE PRE-DELIVERY / DETAILING / INSPECTION [10.01.25]
ZD-00-0600	1	DELIVERY + FAMILIARIZATION TO END USER