

CODE ANALYSIS 2014 FLORIDA BUILDING CODE
2014 FLORIDA MECHANICAL CODE
2014 FLORIDA PLUMBING CODE
2011 ATATOMA, ELECTRIC CODE (NEC)
2014 FLORIDA FLEL GAS CODE
2014 FLORIDA FUEL GAS CODE
2014 FLORIDA ENERGY CONSERVATION CODE
2014 FLORIDA COESSIBILITY CODE
ASCE 7-10 BUILDING CODE MECHANICAL COD PLUMBING CODE: ELECTRICAL CODE FUEL GAS CODE ENERGY CODE:
HANDICAP ACCESSIBILITY CODE:
STANDARD LOAD DESIGN CRITERIA CITY OF KEY WEST CODES AND ORDINANCES FLOOD ZONE: AE 8-0" NGVO 1929 HISTORIC PUBLIC AND SEMI PUBLIC SERVICES (HPS) MAX HEIGHT - 25-0" FROM COR/ LAG LOCAL BUILDING REQUIREMENTS: FEMA REQUIREMENTS: ZONING: MAX BUILDING HEIGHT

8UILDING COMPLIANCE

CRITERIA					
CRITERIA	PER CODE		PER	BUIL	
USE GROUP CLASSIFICATION	BUSIN		BUSINESS -	- B	
GENERAL BUILDING HEIGHTS AND AREAS	ALLOWABLE 2 STORIES		2 STORIES		
	ALLOWABLE 9,500 SQ FT		1,910 GSF		
CONSTRUCTION CLASSIFICATION			TYPE IIIB		
FIRE RETARDANT TREATED WOOD FRAMIN ASSEMBLIES OF A 2-HR RATING OR LESS.	G COMPLYING WITH SECTION 2302,2	SHAI	LL BE PERMI	TTEC	
FIRE PROTECTION SYSTEMS	NOT REQUIRED		BUILDING NOT		
TOTAL GROSS BUILDING AREA			1,910 GSF		
NUMBER OF EXITS	1 EXITS REQUIRED		2 PROVIDED		
NUMBER OF ACCESSIBLE EXITS	1 EXITS REQUIRED		1 PROVIDED		
EGRESS WIDTH	.20° PER OCCUPANT = 34.8" REQUIRED 274		274" PROVIDED		
TRAVEL DISTANCE	200' MAX COMPL		COMPLIES	LIES	
COMMON PATH OF TRAVEL	75' MAX COMPLIE		COMPLIES		
AREA CA	LCULATIONS FOR OCCUPANCY PER	TABL	E 1004.1.2	_	
LOCATION	USE	Т	OTAL SQ FT	SF	
FIRST FLOOR	ASSEMBLY: UNCONCENTRATED	576 NET			
	BUSINESS	377 GROSS		1	
	KITCHEN	863 GROSS		2	
	ACCESSORY (STORAGE/MECH)	94 GROSS		3	

OCCUPANT LOAD SHALL BE POSTED PER FBC 1004.1.2

	TOILET FACILITIES PER FBC PLUMBING TABLE 403.1		
TYPE	CODE	# REQUIRED	
WATER CLOSET	WOMEN: 1/65	1	
	MEN: 1/125	1	
LAVATORY	MEN & WOMEN: 1/200	1 PER EACH	
URINAL			
DRINKING FOUNTAIN	1/500	1	
SERVICE SINK	1 55	1	

G.C. TO INSTALL FIRE EXTINGUISHERS PER FIRE MARSHAL DIRECTION

LIFE SAFETY PLAN LEGEND:




EXIT SIGN

INTERIOR FIRE EXTINGUISHER CABINET WIND MP SERIES DRY CHEMICAL EXTINGUISHER RECESSED IN WALL AT 4'-8" A.F.F. TO TOP OF CABINET.

GENERAL NOTES

- Final location and quantity of fire extinguishers to be coordinated with fire inspection.
 Refer to electrical drawings for fire alarm design.







WET WILLIE'S DAIQUIRI BAR

126 DUVAL STREET KEY WEST, FL 33040 CONCEPT PLAN 01 - 04.04.17 CONCEPT PLAN 01_REV01 - 04.05.1

NORBY




Thomas A. Norby, PLS Reg. No. 5234

3104 Fingler Avenue

Key West, FL 33040

(305) 296-7422 FAX (305) 293-9924

150' R/N)



NOTES:

- Flood Insurance Rate Map Zone: AE, EL6; Community Panel #120168, 1716 G, dated 11-4-92.
- Street address: 126 Duval Street, Key West, FL 33040.
- 3. Underground foundations and utilities were not located.
 4. All angles are 90° (Measured & Record) unless otherwise noted.
 5. Date of field work: July 1, 1995.

BOUNDARY SURVEY OF: On the Island of Key West, known on William A. Whitehead's map delineated in February, A.D. 1829, as a part of Lot One (1) in Square Eight (8), said part of Lot One (1) in said Square Eight (8) commencing at a point on Duval Street Seventy-four (74) feet, Six (6) inches from the corner of Duval and Greene Streets, and running thence along Duval Street in a Northwesterly direction Thirty-three (33) feet, Four (4) inches; thence in a Southwesterly direction One Hundred (100) feet, Six (6) inches; thence in a Southeasterly direction Thirty-three (33) feet, Four (4) inches; thence in a Northeasterly direction One Hundred (100) feet, Six (6) inches to the place of beginning on Duval Street.

I HEREBY CERTIFY to: 126 Duval Company, a Florida Corporation...

...that the survey delineated hereon meets or exceeds the minimum technical standards as set forth by the Florida Board of Land Surveyors, pursuant to Section 472.027 of the Florida Statutes, and Chapter 61G17the Florida Administrative Code, and that there are no encroachments, above ground, other than those shown hereon.

NORBY & ASSOCIATES, INC.