




TOTAL TREE MITIGATION INCHES REQUIRED 3.86"

EXISTING PALM IMPACT SCHEDULE								CONDITION (%)		
PALM #	LOCAL NAME	BOTANICAL NAME	NOTES	APPRX. DSH	HEIGHT	SPREAD	Remove	Replacement Quantity	Mit. Req.	Total
2	Washington Palm	Washingtonia robusta	NN - Replace w/4'+ Native Palm	12"	10' oa	10'	Χ	1	у	1
4	Triangle Palm	Dypsis decaryi	NN - Replace w/4'+ Native Palm	12"	10' oa	8'	X	1	У	1
6	Areca Palm	Dypsis lutescens	NN- not protected	na	6'	4'	Χ	0	n	0
7	Areca Palm	Dypsis lutescens	NN- not protected	na	6'	4'	X	0	n	0
	A D-1	D . 1 .	AIAI I I I I		C.I.	41	V	0		^



FLAGLER
AVENUE
MIXED-USE
KEY WEST, FL 33040





FLAGLER AVE MIXED USE

DATE: 2.15.18

REV	ISIONS:		
No. Date		Notes	
1.	5.15.18	REVISED TABLE	
2.			

CONSTRUCTION DOCUMENTS


SHEET NUMBER:

JOB #: 18002 DRAWN BY: LBR


THIS DRAWING IS THE PROPERTY OF LANDWISE DESIGN, INC.
UNLESS OTHERWISE PROVIDED FOR BY CONTRACT, THE
CONTENTS OF THIS DRAWING ARE CONFIDENTIAL AND SHALL
NOT BE TRANSMITTED TO ANY OTHER PARTY EXCEPT AS
AGREED TO BY LANDWISE DESIGN, INC.

© Copyright 2018





FLAGLER **AVENUE** MIXED-USE KEY WEST, FL 33040





DATE: 2.15.18

MIXED

口

GLER


2.			

CONSTRUCTION **DOCUMENTS** 


SHEET NUMBER:

JOB #: 18002 DRAWN BY: LBR THIS DRAWING IS THE PROPERTY OF LANDWISE DESIGN, INC. UNLESS OTHERWISE PROVIDED FOR BY CONTRACT, THE CONTENTS OF THIS DRAWING ARE CONFIDENTIAL AND SHALL NOT BE TRANSMITTED TO ANY OTHER PARTY EXCEPT AS AGREED TO BY LANDWISE DESIGN, INC. C Copyright 2018





FLAGLER
AVENUE
MIXED-USE
KEY WEST, FL 33040





FLAGLER AVE MIXED USE

DATE: 5.15.18

REV	ISIONS:		
No.	Date	Notes	
1.			
2.			

CONSTRUCTION DOCUMENTS

SHEET NUMBER:

JOB #: 18002 DRAWN BY: LBR

THIS DRAWING IS THE PROPERTY OF LANDWISE DESIGN, INC.

UNLESS OTHERWISE PROVIDED FOR BY CONTRACT, THE
CONTENTS OF THIS DRAWING ARE CONFIDENTIAL AND SHALL

NOT BE TRANSMITTED TO ANY OTHER PARTY EXCEPT AS


AGREED TO BY LANDWISE DESIGN, INC.

C Copyright 2018





USE PVC SCH. 40


BELOW GRADE.



WHERE IT WILL BE EXPOSED TO
UNOBSTRUCTED RAINFALL, BUT NOT IN
THE PATH OF SPRINKLER SPRAY.







MIXED

VE

FLAGLER

**AVENUE** 

MIXED-USE

KEY WEST, FL 33040

WALL MOUNT CONTROLLER

**RAIN SENSOR** 

~INSTALL ASSEMBLY

FINISHED GRADE.

HIGH POP HEAD. —

N.T.S.

1" TO 1 1/2"ABOVE

DO NOT USE SIDE INLET. —

REDUCED PRESSURE BACKFLOW DEVICE N.T.S.

> CLEAR TO FENCE OR . HARDSCAPE, WHERE

APPLICABLE.

FINISHED GRADE. ---

TURF ROTOR POP UP. \_\_\_\_\_

1/2" MARLEX STREET ELL. —

└ PVC TEE (SXSXT)

OR ELL.

— LATERAL LINE.

BARB ELL X MIPT. —


1/2" MARLEX — STREET ELL.

SERVICE


SIDE.

-REDUCED PRESSURE BACKFLOW

ELECTRIC REMOTE CONTROL VALVE



₹| TURF POP UP HEAD. — TO CURB OR 1/2" MARLEX STREET ELL. — BARB ELL X MIPT. —— WALK. 1/2" MARLEX — STREET ELL. └ PVC TEE (SXSXT) - 1/2" POLYETHYLENE FLEXIBLE TUBING, LENGTH AS REQUIRED. OR ELL. LATERAL LINE.



SHRUB SPRAY HIGHPOP W/FLEX ASSEMBLY

TURN ROTOR FLEX ASSEMBLY

NOTE: FOR WIRE SIZES #14, #12 AND #10. STEP 1 STRIP WIRES APPROXIMATELY 1/2" FROM ENDS AND TWIST ENDS TOGETHER. TWIST WIRE NUT ONTO WIRE ENDS. PUSH WIRE NUT INTO CONNECTOR PAST TABS. STEP 4 <u>STEP 5</u> STRAP TOP TO CONNECTOR.

TURF SPRAY FLEX ASSEMBLY

CHEDULE 40 PVC SLEEV BEDDING AND COMPACTION AS PER ENGINEER'S SPECIFICATIONS

NOTES:

1. ALL PVC IRRIGATION SLEEVING TO BE SCH 40.

2. ALL JOINTS TO BE SOLVENT WELDED AND

CONTRACTOR TO COMPLY WITH ALL LOCAL CODES AND ORDINANCES IN REFERENCE TO THE INSTALLATION OF PVC PIPING AND LOW VOLTAGE WIRING. ALL 120 VOLT WIRING IN IN ACCORDANCE WITH LOCAL CODE. TIE A LOOSE 20" LOOP IN WIRING AT ALL CHANGES OF DIRECTION GREATER THAN 30° UNTIE ALL LOOPS AFTER ALL CONNECTIONS HAVE BEEN COMPLETED. ALL MAIN SUPPLY LINES
TO BE INSTALLED IN
ACCORDANCE WITH
MANUFACTURER'S INSTAL

SECTION VIEW

1/2" POLYETHYLENE FLEXIBLE


TUBING, LENGTH AS REQUIRED.

EASTERN STANDARD TIME:

3. WHERE THERE IS MORE THAN ONE SLEEVE, EXTEND SMALLER SLEEVE TO 24" MIN. ABOVE FINISH GRADE. 4. MECHANICALLY TAMP TO 95% PROCTOR. 5. INSTALLER OF SLEEVES SHALL BE RESPONSIBLE TO LOCATE SLEEVES IF NOT PROPERLY INSTALLED.

WATERTIGHT.

SLEEVE BELOW ALL HARDSCAPE ELEMENTS WITH SCHEDULE 40 PVC 2 TIMES THE DIAMETER OF THE PIPE WITHIN.



WIRE CONNECTION DETAIL

**IRRIGATION SLEEVING** 

936 SAN MARCO BLVD - SUITE 101 - JAX. - FL 32207

PIPE AND WIRE TRENCHING

BUBBLER ON FLEX HOSE RISER

NOTF:	

- 1. SYSTEM IS DIAGRAMMATIC TO IMPROVE CLARITY.
  ALL MAINLINE AND LATERAL PIPING, ELECTRIC VALVES AND WIRING ARE TO BE INSTALLED IN LANDSCAPE AREAS AND WITHIN PROPERTY BOUNDARIES.
- 2. CONTRACTOR SHALL REFERENCE THE LANDSCAPE PLAN PRIOR TO THE INSTALLATION OF PIPING TO AVOID CONTACT WITH PLANT MATERIALS EXISTING OR NEW.
- 3. CONTRACTOR TO MAKE FIELD ADJUSTMENTS TO HEAD AND PIPE LAYOUT WHEN EXISTING OBSTRUCTIONS MAY OCCUR (SEE IRRIGATION NOTES AND SPECIFICATIONS).
- 4. THESE TIMINGS HAVE BEEN COMPILED USING THE MANUFACTURERS SPECIFICATIONS TO ACHIEVE 1.0 INCHES PRECIPITATION PER WEEK PRECISE WATERING TIMES MUST BE SITE DETERMINED BASED ON SEASON, RAINFALL ETC. PRECIPITATION RATES WILL ALSO VARY BASED ON THE ELEMENTS AND SEASONS.
- DAYLIGHT SAVING TIME: HOUSES WITH ODD NUMBERED ADDRESSES OR NO ADDRESS WILL WATER ON WEDNESDAY & SATURDAY. HOUSES WITH EVEN NUMBERED ADDRESSES WILL WATER ON THURSDAY & SUNDAY. NON RESIDENTIAL ADDRESSES WILL WATER ON TUESDAY & FRIDAY.
- HOUSES WITH ODD NUMBERED ADDRESSES OR NO ADDRESS WILL WATER ON SATURDAY. HOUSES WITH EVEN NUMBERED ADDRESSES WILL WATER ON SUNDAY. NON RESIDENTIAL ADDRESSES WILL WATER ON TUESDAY.

CONSTRUCTION **DOCUMENTS** 

DATE: 5.15.18

**REVISIONS:** 

No. Date

SHEET NUMBER:

JOB #: 18002 DRAWN BY: LBR THIS DRAWING IS THE PROPERTY OF LANDWISE DESIGN, INC. UNLESS OTHERWISE PROVIDED FOR BY CONTRACT, THE CONTENTS OF THIS DRAWING ARE CONFIDENTIAL AND SHALL NOT BE TRANSMITTED TO ANY OTHER PARTY EXCEPT AS AGREED TO BY LANDWISE DESIGN, INC. C Copyright 2018

