VICTOR STANLEY®

P.O. Drawer 330, Dunkirk, MD 20754 1.800.368.2573 (USA + Canada) TEL 301.855.8300 FAX 410.257.7579 VICTORSTANLEY.COM

# SALES QUOTE

Sales Quote No: SQ91298 **Revision Number: 2** Sales Quote Date: 05/04/18

**Customer No:** Phone No: **Contact Name: Contact Phone No:** Terms: Associate:

C005110 305-292-8170

Net 30 Megan Somosky

Project Name: CITY OF KEY WEST Project Location State: FL

Ship To:

Sell To:

City of Key West

Key West, FL 33041

DeeDee Green

PO Box 1409

3140 Flagler Avenue Key West, FL 33040

Ship Via:	Contract Carrier
Ship Freight:	Prepaid
Shipping Method:	FOB Factory
This Quote is valid	l for <u>60</u> days.
Estimated Lead Time:	Allow <u>10</u> to <u>12</u> (weeks) for Production of your order.

All credit determinations are made by our Credit Department.

#### **Comments:**

\* Orders are released into production upon receipt of signed sales/purchase order, credit determination and (where applicable) deposit, payment bond, etc.

\* All products must be permanently affixed to the ground. Consult your local codes for regulations. Anchor bolts NOT provided.

\* Common Carrier unloading is the responsibility of the receiver.

\* While the vast majority of our components satisfy Buy America requirements, we must know if there are Buy America requirements before the order is placed.

\* It is the buyer's sole responsibility to inspect shipments at the time of delivery; any damage, loss, or shortage must be noted on the signed Proof of Delivery and reported to Victor Stanley within seven (7) days.

\* This quote is valid for shipment within normal production time. No deferred shipping dates are accepted without prior written approval.

\* Hot-Dip Galvanizing is performed for us by an experienced qualified firm to which we ship our products for galvanizing. Hot-Dip Galvanizing includes an aggressive pre-treatment and immersion in a tank of charged liquid zinc at or around 860 °F (460 °C). The resulting surface is resistant to rust but has some unevenness resulting from the bonding of the zinc to the steel surface. As a result, the powder-coating surface finish over that galvanized surface may exhibit bumps, unevenness, and not be as smooth as our standard finish; this uneven finish is normal for Hot Dip Galvanizing. By signing, you confirm that you have read and understand the "Powder Coated Hot-Dip Galvanized Steel - Full Disclaimer" information sheet - Contact Customer Service for more information.

QTY	Model No.	Description	Unit Cost	Total Price
50	SD-42	Ironsites Series 36-Gallon Side-Opening Litter Receptacle	1,164.00	58,200.00
		SD-42 Components		
		Black Plastic Liner		
		Black		
		Standard Tapered Formed Lid		
		Lid - Black		

Many Victor Stanley, Inc. products are covered by patents including but not limited to Many Victor Stanley, Inc. products are covered by patents including but not imittee to the following: USA Patents D458,431 S; D441,932 S; D452,760 S; D450,166 S; D445,922 S; D483,538 S; D47,747 S; D47,538 S; D447,238 S; D474,65 S; D474,645 S; D474,0153; 6,339,944 B1; D385,231; 5,660,907; 5,771,047; D336,012, D376,837; D333,615,D376,271; D394,512; D532,263 S; D532,62 S; D526,805 S; D585,793 S; D582,169 S; D578,767 S; D579,664 S; D567,733 S; D481,173 S; D563,021 S; D563,202 S; D569,664 S; D567,676 S; D567,676 S; D569,576 S; D569,576 S; D569,677 S; D569,272 S; D579,685 S; D542,693 S; D561,697 S; D569,516 S; D565,516 S; D569,670 S; D661,777 S; D662,221 S; D579,664 S; D564,733 S; D661,823 S; D607,226 S; D609,670 S; D661,777 S; D662,221 S; D542,693 S; D561,697 S; D569,515 S; D559,516 S; D569,670 S; D661,777 S; D662,21 295 S; Canada@04;01; 6604,0; 66159, 951003; 06108;110655; 110664; 117181; 126714; 126232; 130715; 130716; Canada Patent 2, 144,348; Mexico Reg, Des, 001371; 26182; C2 Reg, Des; C00475579-001; 000503297-0001; 000762638-0001; 000661404. Other Patentis): Pending.

STANLEY® VICTOR

P.O. Drawer 330, Dunkirk, MD 20754 1.800.368.2573 (USA + Canada) TEL 301.855.8300 FAX 410.257.7579 VICTORSTANLEY.COM

### SALES QUOTE

Sales Quote No: SQ91298 **Revision Number: 2** Sales Quote Date: 05/04/18

**Customer No:** Phone No: **Contact Name: Contact Phone No:** Terms: Associate:

305-292-8170

C005110

Net 30 Megan Somosky

### Project Name: CITY OF KEY WEST Project Location State: FL

## Shin To

Sell To:

City of Key West

Key West, FL 33041

DeeDee Green

PO Box 1409

Ship to:	
3140 Flagler Avenue	
Key West, FL 33040	

Ship Via: Ship Freight: Shipping Method:	Contract Carrier Prepaid FOB Factory	
This Quote is valid for $60$ days.		
Estimated Lead Time:	Allow <u>10</u> to <u>12</u> (weeks) for Production of your order.	

All credit determinations are made by our Credit Department.

QTY	Model No.	Description	Unit Cost	Total Price
_		Latch		
		Band Decal		
		per Approved Layout #"Trash" Standard TBD		
		Hot Dip Galvanizing		
		Do Not Hot Dip Galvanize the Following:Lid		
75	SD-42	Ironsites Series 36-Gallon Side-Opening Litter Receptacle	1,260.00	94,500.00
		SD-42 Components		
		Black Plastic Liner		
		Blue		
		Recycle Lid		
		Lid - Blue		
		Latch		
		Band Decal		
		per Approved Layout #"Recycle" Standard TBD		
		Lid Decal		
		per Approved Layout #"Recycle" Standard TBD		
		Hot Dip Galvanizing		
		Do Not Hot Dip Galvanize the Following:		
125	UPCHARGI	E Band Decal Upcharge	96.00	12,000.00
125	UPCHARGI	E Galvanizing Upcharge	672.00	84,000.00
1		Freight	9,359.00	9,359.00

Stanley, Inc. products are covered by patents including but not limited to		
	<b>T</b> = ( = l =	
D487.537 S; D487.538 S; D454.238 S; D476.455 S; D476.454 S; D417.053; SUD-	Total:	258,059.00
I; D385,231; 5,660,907; 5,791,047; D386,012; D376,937; D383,615;D376,271; 523,263 S; D532,620 S; D526,805 S; D585,793 S; D582,199 S; D578,792 S; <b>Total Sales</b>	s Tax:	0.00
D565,220 S; D573,766 S;D573,769 S; D553,821 S; D555,209 S; D556,144 S; D578,783 S; D581,173 S; D581,188 S; D563,689 S; D579,227 S; D579,685 S; D561,967 S; D565,915 S; D595,916 S; D595,970 S; D601,770 S; D602 221 S;	Tatal:	258.059.00
D595,973 S, D601,823 S, D607,229 S, D609,933 S, D586,062 S, D621,295 S.	Total:	230,039.00
1101;196040;96159;96103;96108;110953;110594;117161;126714;126322; 714;130717;126317,126318;126319;126320;126321;130653; 716: Canada Patent 2,184;348. Mexico Reg. Des. 001871;28182.	l figures a	re in US Dollars
s. 000475579-0001; 000503297-0001; 000762638-0001; 000961404. t(s): Pending.		Page: 2

Please review our Standard Terms of Production on proceeding pages

#### STANDARD TERMS OF PRODUCTION

#### TAXES

Prices on the specified products are exclusive of all city, state and federal excise taxes, including, without limitation, taxes on manufacture, sales, receipts, gross income, occupation, use and similar taxes. It is the responsibility of the purchaser to remit to the appropriate state or local authority all state sales tax not herein designated as well as the applicable use taxes, local taxes, permits and fees of any kind.

#### **REGULAR PAYMENT TERMS**

All payment terms are determined by the credit department. No order will be processed or placed into production until credit has been determined and a deposit has been received (if required). Purchaser is responsible for the timely payment of Victor Stanley's invoices within Victor Stanley's payment terms. In the unlikely event that collection activity is necessary due to the non-payment of past due invoices, Purchaser agrees that all collection charges, legal fees and interest incurred in such collection activity will be the sole responsibility of the Purchaser.

#### CANCELLATION FEE

Victor Stanley, Inc. manufactures all products to specific orders, and therefore reserves the right to charge a 30% cancellation fee if this order is canceled by the Buyer while goods are in production.

#### DELIVERY

All prices are FOB Factory unless otherwise stated by Victor Stanley, Inc. in writing.

#### INTEREST

If Buyer fails to pay in accordance with the terms of this agreement, an interest charge of 1.5% per month may be added to the unpaid balance.

#### ATTORNEYS' FEES

In the event that the Buyer fails to timely pay for the goods in accordance with the terms of this agreement or is otherwise in breach of its obligations to Victor Stanley, Inc., Buyer agrees to pay to Victor Stanley, Inc. the cost of collection, including its reasonable attorney's fees and suit costs.

#### DELAYS

Our lead time is an estimate only and Victor Stanley, Inc. is not responsible for any delays in our previously quoted or estimated shipping time. Victor Stanley, Inc. will not be liable for any delay in the performance of orders or contracts, or in the delivery or shipment of goods, or for any damages suffered by Buyer by reason of such delay, if such delay is, directly or indirectly, caused by, or in any manner arises from, fires, floods, accidents, civil unrest, acts of God, war, governmental interference or embargoes, strikes, labor difficulties, shortage of labor, fuel, power, materials, or supplies, transportation delays, or any other cause or causes (whether or not similar in nature to any of these herein before specified) beyond its control.

#### NONCONFORMITY

All products made by Victor Stanley, Inc. are inspected before shipment, and should any of such materials prove defective due to faults in manufacture, or fail to meet the written specifications accepted by Victor Stanley, Inc., Buyer shall not return the goods, but notify Victor Stanley, Inc. immediately, stating full particulars in support of claim, and Victor Stanley, Inc. will either replace goods upon return of the defective or unsatisfactory material or adjust the matter fairly and promptly, but under no circumstances shall Victor Stanley, Inc. be liable for consequential or other damages, losses, or expenses in connection with or by reason of the use of or inability to use materials purchased for any reason.

#### LIMITED WARRANTY

We warrant to the original purchaser the goods manufactured by us to be free from defects in material and workmanship for one year under normal use and service. Our obligation under this warranty shall be limited to the repair or exchange of any part or parts which may thus prove defective under normal use and service within one year from date of delivery, and which our examination shall disclose to our satisfaction to be defective. This warranty expressly excludes acts of misuse, vandalism or freight damage. Ductile Iron castings include a 10-year limited warranty against breakage. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR USE AND OF ALL OTHER OBLIGATIONS OR LIABILITIES ON OUR PART.

#### CONDITIONS

All orders or contracts are accepted with the understanding that they are subject to Victor Stanley, Inc.'s ability to obtain the necessary raw materials, and all orders or contracts as well as shipments applicable thereto are subject to Victor Stanley, Inc.'s current manufacturing schedules, and government regulations, orders, directives, and restrictions that may be in effect from time to time.

#### **CONTROLLING PROVISIONS**

These terms and conditions shall supersede all provisions, terms and conditions contained on any confirmation order, or other writing Buyer may give or receive, and the rights of the parties shall be governed exclusively by the provisions, terms and conditions hereof. Victor Stanley, Inc. makes no representations or warranties concerning this order except such as are expressly contained herein, and this order may not be changed or modified orally.

#### CONTROLLING LAW

Any controversy or claim arising out of or relating to this order or the performance or breach thereof shall be governed by the laws of the State of Maryland and Buyer authorizes and agrees that suit may be brought within the State of Maryland by Victor Stanley, Inc. to collect for any breach of Buyer's obligations to pay for the goods.

#### SHIPPING CLAIMS

It is the sole responsibility of the Buyer to inspect all shipments at the time of receipt, both by comparing the number of packages received to the number outlined on the Bill of Lading, and by inspecting the packaging for damage. Damage, loss, or shortage must be noted on the signed Proof of Delivery prior to the departure of the delivery driver, and must be reported to Victor Stanley, Inc. within seven (7) days. Replacement cannot be guaranteed for damage, loss, or shortage not clearly noted on delivery paperwork and promptly reported to Victor Stanley, Inc. This includes damage to materials that will be stored for later use.



P.O. Drawer 330, Dunkirk, MD 20754 1.800.368.2573 (USA + Canada) TEL 301.855.8300 FAX 410.257.7579 VICTORSTANLEY.COM SALES QUOTE

Sales Quote No:SQ91298Revision Number:2Sales Quote Date:05/04/18

### Powder Coated Hot-Dip Galvanized Steel - Full Disclaimer

Hot-Dip Galvanizing is performed for us by an experienced qualified firm to which we ship our products for galvanizing. Hot-Dip Galvanizing includes an aggressive pre-treatment and immersion in a tank of charged liquid zinc at about 860 deg. F (460 deg. C). The resulting surface is resistant to rust but has some unevenness resulting from the bonding of the zinc to the steel surface.

As a result, the powder-coat surface finish over that galvanized surface may exhibit bumps, unevenness, and not be as smooth as our standard finish; this uneven finish is normal and unavoidable for Hot Dip Galvanizing. In addition, the Zinc coating exhibits a phenomenon known as "Outgassing" when an organic coating is applied on top of it. This outgassing results in localized bumps between the powder-coat layer and the zinc.

The images below visually illustrate some of these expected inconsistencies and imperfections at varying distances from the product's surface.

Finally, any organic coating (including powder-coating) may require periodic maintenance for chipping due to expansion and contraction over the zinc substrate. This can be random and may not occur, but it is sometimes a factor.

Hot Dip Galvanizing is a superb rust-inhibiting process used worldwide, but it can create interference for any paint or powder-coating applied on top of it as a finish-coat. We take steps to minimize these effects but they cannot be completely prevented.





Please sign below acknowledging that you have read and understand all of the information contained in the above paragraphs.