



# Application For Administrative Variance

City of Key West, Florida • Planning Department
1300 White Street • Key West, Florida 33040-4602 • 305-809-3720 • www.keywestcity.com

Application Fee: \$900.00 / After-the-Fact: \$1,650.00 (includes \$100.00 advertising/noticing fee and \$50.00 fire review fee)

# This application is only available for the following variances:

- (1) Reduction in the front yard, rear yard and non-shoreline setback requirements in Code Chapter 122, Article IV by no more than 10 feet, and side yard setback by no more than 20%.
- (2) Reduction in all the street and landscape bufferyard width requirements in Code Chapter 108, Article VI by no more than 10%.
- (3) Reduction in the total area of the landscaping required for off-street parking and loading in Code Chapter 108, Article VII, Subdivision II by no more than 10%.
- (4) Reduction of any yard setback requirement may be granted for an elevator or wheelchair lift or ramp to allow access to the elevated dwelling unit of a disabled applicant or household member.

Please complete this application and attach all required documents. This will help staff process your request quickly and obtain necessary information without delay. If you have any questions, please call 305-809-3720 to schedule an appointment with a planner.

PROPERTY DESCRIPTION:			
Site Address: 1221 LAIRD ST			
Zoning District:	Real Estate	(RE) #: /200 5	- 9310 - 060000
Property located within the Historic District?	□ Yes	ĭ No	7,570 00000
<b>APPLICANT:</b> ☑ Owner ☐ Author	rized Represe	entative	
Name: Doug HellieseN			
Mailing Address: 1221 Laire ST			
City: Key West		State: FL	Zin:33040
City: <u>Key west</u> Home/Mobile Phone: <u>305 294 8329</u> O Email:	ffice:	]	Fax:
PROPERTY OWNER: (if different than above)  Name:  Mailing Address:	ove		
City:		State:	Zip:
Home/Mobile Phone:Of	ffice:	F	Fax:
Email:  Description of Proposed Construction, Development,  De M which (WAS Trus) FULLED & PROP	and Use: 7	INSTAU RA N 2001	Ling ARound 2 nd Star;
List and describe the specific administrative variance  Front Setback [Complete Parts A & B]  Special Accessibility Setback [Complete Part A, Star Macy For Part A & Bacy For	Other Setbac ndards 2 & 3	cks and/or Land	dscaping [Complete Part A]

Are there any easements, deed restrictions or other encumbrances attached to the property?   If yes, please describe and attach relevant documents:	₩ No
Will any work be within the dripline (canopy) of any tree on or off the property?  If yes, provide date of landscape approval, and attach a copy of such approval.  PRTIALLY UNDER GUMBO LIMBO TREE- FRONT DOCK PALLING UNDER ROOF OF TREE TREET TRUE UNDER ROOF	≥ No NALITUAS
Please fill out the relevant Site Date in the table halo I I is a line of the salary o	

Please fill out the relevant Site Data in the table below. Italicized items are not eligible for administrative variances, but are requested as relevant background information.

	Code Requirement	Existing	Proposed	Variance Request
Zoning district				
Flood zone		1		
Land area		1		
Front setback	Im FOID 20-	Buildy 18"	existing Deck 40	14-
Side setback		The state of the s	mistry war	19
Side setback				
Street side setback				
Rear setback				
Open space/landscaping				
Height	APPROT 12" ABBEC	A.a		
Floor area ratio (FAR)				
Building coverage				
Impervious surface				
Parking spaces				Not eligible for
Handicap parking				administrative
Bicycle parking				variance
Number and type of units				
Consumption area or				
number of seats				


This application is reviewed pursuant to Section 90-398 of the City of Key West Land Development Regulations (LDRs). The City's LDRs can be found in the Code of Ordinances online at <a href="http://library.municode.com/index.aspx?clientId=10053">http://library.municode.com/index.aspx?clientId=10053</a> under Subpart B.

# The review process for administrative variances is as follows:

- 1. Complete application submitted to Planning Department.
- 2. Review by the Development Review Committee (DRC).
- 3. Within 3 weeks of the DRC meeting, the city planner completes review and renders a proposed decision to approve, approve with conditions or deny in writing, after obtaining the concurrence of the city manager.
- 4. Planning Department provides written notice of the proposed decision and gives 30 working days to request a public hearing. If a public hearing is not requested, the city planner will issue the written decision to approve or deny. If a public hearing is requested, the Planning Board will review the application according to the procedures for regular variances.
- 5. If the city planner issues a denial, the applicant may file a written objection, and the Planning Board will review the request according to the procedures for regular variances.

demonstrates the following. Please describe how the proposed variance meets each standard. Attach separately, if necessary.	
(1) The existing setback average, as measured pursuant to the definition of "setbacks" in Code Section 86-9, on the block of the street within the zoning district in which the subject property is located is less than the zoning district standard, as established in Code Chapter 122, Article IV:  ONLY & PROPERTY ON MY SIRE OF STREET, AND REAR PROPERTY VACANT INT STREET OF NEXT PROPERTY OF STREET OF REAR HOME PROPERTY OF NEXT PROPERTY OF STREET OF THE STREET OF T	<i>y</i>
(3) The waiver is for an amount not greater than 20% of the zoning district standard as established in Code Chapter 122, Article IV:	
(4) In the event that a contiguous lot on either side of the subject property is vacant, the zoning district standard shall apply:	
REQUIRED SUBMITTALS: All of the following must be submitted in order to have a complete application. Please submit one paper copy and one electronic copy of all materials.	
□ Correct application fee. Checks may be payable to "City of Key West." □ Notarized verification form signed by property owner or the authorized representative. □ Notarized authorization form signed by property owner, if applicant is not the owner. □ Copy of recorded warranty deed □ Property record card □ Signed and sealed survey already Submitted to Market Castro dury previous more plans and sealed by an Engineer of Architect) □ Stormwater management plan	19

B. FRONT SETBACK CRITERIA: The Planning Director may recommend approval or approve an administrative variance that modifies the minimum front setback requirements provided the applicant



### THIS WARRANTY DEED

Made this 1st day of May, 2002 A.D., by FRANCYS HELLIESEN, AN UNREMARRIED WIDOW AND DOUGLAS A. HELLIESEN JOINTED BY HIS WIFE CAROLYN HELLIESEN hereinafter called the grantor, to CAROLYN HELLIESEN and DOUGLAS A. HELLIESEN, WIFE AND HUSBAND whose post office address is 1221 LAIRD STREET, KEY WEST, FL 33040 hereinafter called the grantee:

MONROE COUNTY OFFICIAL RECORDS

FILE #1306891 BK#1792 PG#2408

RCD Jun 17 2002 10:25AM DANNY L KOLHAGE, CLERK

DEED DOC STAMPS) DEP CLK

(Whenever used herein the term "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporations)

Witnesseth, that the grantor, for and in consideration of the sum of ZERO AND 00/100 DOLLARS, and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys and confirms, unto the grantee, all that certain land situate in the County of MONROE, and State of

#### SEE ATTACHED LEGAL DESCRIPTION

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining. To Have and to Hold, the same in fee simple forever.

And the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances except taxes accruing subsequent to December 31, 2002

In Witness Whereof, the said grantor has signed and sealed these presents the day and year first above written Signed, sealed and delivered in our presence: (LS) AS A. HELLIESEN CAROLYCHELLIESEN (LS) Witness: State of FLORIDA, County of MONROE The foregoing instrument was acknowledged before me this day of Francus Helliesen, Duslas A. Helliesen, Carolyn day of , 2002, by who is personally known to me or who has produced Fh. Drivers SHELLEY J. BREGMAN Notary Public - State of Florida y Commission Expires Sep 20, 2003 Notary Public Print Name: The Hey J. Bright N My Commission Expires Commission # CC872269 PLEASE RECORD & RETURN TO: TITLESOUTHEAST, INC. 4025 TAMPA ROAD, SUITE 1205

OLDSMAR, FL 34677

FILE NO: 1357-02

FILE #1306891 BK#1792 PG#2409

3. The Land is described as follows:

On the Island of Key West and Known on William A. Whitehead's Map of said Island delineated in February, Ad 1829 as port of Tract 28, and more particularly described as follows:

Lots 11 & 12 Block 1, Tract 28, according to the plat thereof recorded in Plat Book 1, page 5, Monroe County, Florida Public Records.


Address: 1221 Laird Street, Key West, Florida 33040.

Note: This Commitment consists of insert pages labeled in Schedule A, Schedule B - Section 1, and Schedule B - Section 2. This Commitment is of no force and effect unless all schedules are included, along with any Rider pages incorporated by reference in the insert pages.

(1007 DipplaySon 25-WIN-1-PI - CMTA)

MONROE COUNTY OFFICIAL RECORDS

F. 1895




# **City of Key West Planning Department**





# **Verification Form**


(Where Owner is the applicant)

I, being duly sworn, depose and say that I am the Owner (as appears on the deed), for the following property identified as the subject matter of this application:
1221 Laird Arest Ley West Street address of subject property
All of the answers to the above questions, drawings, plans and any other attached data which make up the application, are true and correct to the best of my knowledge and belief. In the event the City or the Planning Department relies on any representation herein which proves to be untrue or incorrect, any action or approval based on said representation shall be subject to revocation.
Signature of Owner
Subscribed and sworn to (or affirmed) before me on this Tuly 1/ 2018 by  Douglas & Carolyn Helliesen  Name of Owner
He/She is personally known to me or has presented $DL-H_{25-103} - 53-730-0$ as identification.
Matalu L. Hull Notary's Signature and Seal
Name of Acknowledger typed, printed or stamped  NATALIE L. HILL  Commission # GG 051262  Expires November 29, 2020
GG 051 262  Commission Number, if any









LAIRD ST.

SITE PLAN

**GENERAL NOTES** 

3 # 6 THHN = 12,000 W

2 # 12 THHN = 1,500 W

2# 12 THHN = 1,500 W

2 # 12 THHN = 1,200 W

3 # 10 THMM = 5,000 W

3 # 10 THMM = 4,500 W 3 # 10 THHM = 1,500 W

SUBTOTAL = 35,024 W

MET COMPUTED LOAD

= 10,000 W

= 10,010 W

= 13,200 W

= 33,210 W

= 138 AMPS

MIN # 12 THHN = 1,500 W

LEGAL DESCRIPTION

According to William A. Whitehead's map, February 1829 Lots 11 & 12, Block 1, of Tract Twenty-eight (28), According to the Plat thereof recorded in Plat Book 1, Page 5, of the Public Records of Monroe County, Florida

SITE DATA ZONING SF

FLOOD ZONE AE - 7

COMMUNITY No 120168

PANEL No 1716 SUFFIX h DATE MARCH 3, 1997

REVISIONS

# **WOOD AND FRAMING NOTES**

. EXCEPT WHERE NOTED OTHERWISE, ALL FRAMING LUMBER SHALL BE SOUTHERN PINE NO. 2, AS GRADED BY THE SOUTHERN PINE INSPECTION BUREAU. CUTTING AND NOTCHING OF FLOOR JOISTS SHALL CONFORM TO THE FOLLOWING THE SEMOCH AND SHALL BAT BE LOCATED IN THE MIDDLE ONE-THERD OF THE SPAN.

(INCLUDE A SPAN MOUTH CUTS)

B) NOTCH DEPTH AF THE ENDS OF THE MEMBER SHALL NOT EXCEED ONE-FOURTH THE DEPTH OF THE MEMBER C) THE TENSION SIDE OF BEAMS, JOISTS AND RAFTERS OF FOUR INCHES OR GREATER NOMINAL THICKNESS SHALL NOT BE MOTCHED, EXCEPT AY ENDS OF MEMBERS. D) HOLES BORED OR CUT INTO JOISTS SHALL NOT BE CLOSER THAN TWO INCHES TO THE TOP OF BOTTON OF THE JOISTS. THE DIAMETER OF THE HOLE SHALL NOT EXCEED ONE-THIRD THE MEMBER DEPTH.

HOLES BORED IN BEARING WALL STUDS SHALL NOT EXCEED ONE-THIRD OF STUD. PROVIDE BLOCKING BETWEEN ALL JOISTS 2 X 6 OR GREATER AT INTERVALS NOT TO EXCEED 8 FEET. 5. PROVIDE SOLID BLOCKING AT MID MEIGHT ON CENTER BETWEEN STUDS. (MIMMUM) B. ALL WALL STUDS SHALL BE SPF NO. 2 DENSE GRADE OR BETTER. . SEE PLANS FOR WALL STUD SIZE AND SPACING. 8. ALL STUD BEARING WALLS SHALL BE PROVIDED WITH 2 CONTINGUS TOP PLATES AND CONTINGUS BOTTOM PLATES WITH A MINIMUM OF ONE ROW OF HORIZONTAL BRIDGING AT MID-HEIGHT OF WALL

UNLESS NOTED OTHERWISE. SPLICES OF TOP PLATE SHALL OCCUR OVER STUD. SPLICES SHALL BE STAGGERED A MINIMUM OF FOUR FEET. 9. ALL LINTEL'S OVER ALL FRAMED OPENINGS SHALL BE AS SHOWN BELOW, UNLESS NOTED OTHERWISE.

2 - 2X6 FOR OPENINGS UP TO 4'-0" 2 - 2X8 FOR OPENINGS UP TO 6'-0" 2 - 2X10 FOR OPENINGS UP TO 8'-0" 2 - 2X1Z FOR OPENINGS UP TO 10'-0"

FOR ROOF ONLY LOADING ABOVE: 2 - 2X4 FOR OPENINGS UP TO 4'0" 2 – 2X6 FOR OPENINGS UP TO 6'0" 2 – 2X8 FOR OPENINGS UP TO 8'0"


10. EXTERIOR WALL STUDS SHALL BE STRAPPED TO ROOF TRUSSES OR RAFTERS 11. WHERE WOOD JOISTS/BEAMS ETC. FRAME INTO OTHER MEMBERS INSTALL SIMPSON "LUS" SERIES GALVANIZED JOIST HANGERS.

12. FIRESTOPPING SMALL BE PROVIDED IN ALL WALLS AND PARTITIONS TO SEAL ALL CONCEALED DRAFT OPENINGS BOTH HORIZONTAL AND VERTICAL AND TO FORM A FIRE BARRIER BETWEEN FLOORS AND BETWEEN THE UPPER FLOOR AND THE ROOF SPACE. 13. FIRESTOPPING SHALL BE INSTALLED IN WOOD FRAME CONSTRUCTION IN THE FOLLOWING LOCATIONS:

A) IN CONCEALED SPACE OF STUDWALLS AND PARTITIONS INCLUDING FURBED SPACES AT CEILING AND

B) AT ALL INTERCONNECTIONS BETWEEN CONCEALED VERTICAL AND HORIZONTAL SPACES SUCH AS OCCUR AT SOFFITS, DROP CEILINGS, COVE CEILINGS, ETC. C) IN CONCEALED SPACES BETWEEN STAIR STRINGERS AT THE TOP AND BOTTOM OF THE RUN. D) IN CONCEALED SPACES CREATED BY AN ASSEMBLY OF FLOOR JOISTS, FIRESTOPPING SHALL BE

PROVIDED OF THE FULL DEPTH OF THE JOISTS AT THE ENDS AND OVER THE SUPPORTS. 14. FIRESTOPPING SHALL CONSIST OF TWO (2) UNCH NOMINAL LUMBER, OR TWO (2) THICKNESS OF ONE (1) INCH NOMINAL LUMBER WITH BROKEN LAP JOINTS, OR ONE (1) THICKMESS OF THREE-FOURTHS (3/4) INCH PLYWOOD WITH JOINTS BACKED BY THREE-FOURTHS (3/4) INCH PLYWOOD, OR OTHER APPROVED MATERIALS.



- 1. ROOF JACK ACCOMODATES PIPE SIZES 3" THROUGH 11"
- O.D. IACK IS TAPPERED CONE TO FIELD CUT OR STACK
- 3. BASE IS MADE OF CORROSION RESISTANT ALUMINUM.
- EXCESS OF 30 YEARS.

# PIPE THRU ROOF DETAIL

**DESIGNED PER ASCE 7-95** 

Sheet

Date 12/28/00

Scale AS SHOWN

Drawn J E

ADDITION
D. HELLIESEN
KEY WEST

SECOND FOR MR. & 1221 LAI

STORY


D. N. KEY


2. BASE OF IACK CONFORMS TO THE SHAPE OF THE PANEL

4. RUBBER COLLAR IS EPDM. COMPOUNDED WITH CARBON BLACK AND OTHER ADDITIVES. LIFE EXPECTANCY IS IN

5. COLOR IS BLACK WITH ALUMINUM BASE.

NOTE: GROUND STEEL BAR JOISTS PER CODE































# **A qPublic.net**™ Monroe County, FL

#### Disclaimer

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the data is intended for ad valorem tax purposes only and should not be relied on for any other purpose.

By continuing into this site you assert that you have read and agree to the above statement.

#### Summary

Parcel ID 00059310-000000
Account # 1059773
Property ID 1059773
Millage Group 10KW

Location 1221 LAIRD St , KEY WEST

Address Legal

Description O

KW PROG LAND IMP CO DIAG PB 1-1 LOT 11 & 12 SQR 1 TR 28 OR180-559/560 OR191-473/475 OR445-920-921 OR1167-998D/C OR1458-2196R/S OR1792-

2408/09

(Note: Not to be used on legal documents)

6157

Neighborhood Property Class

operty Class MULTI FAMILY LESS THAN 10 UNITS (0800)

SubdivisionProgressive Land Improvement CoSec/Twp/Rng05/68/25

Sec/Twp/Rng Affordable

Housing



#### Owner

HELLIESEN CAROLYN C	HELLIESEN DOUGLAS A
1221 LAIRD ST	1221 LAIRD ST
KEY WEST FL 33040	KEY WEST FL 33040

#### Valuation

		2017	2016	2015	2014	2013	2012
+	Market Improvement Value	\$256,800	\$216,023	\$213,142	\$218,360	\$221,171	\$224,425
+	Market Misc Value	\$945	\$944	\$822	\$746	\$746	\$746
+	Market Land Value	\$442,816	\$495,380	\$309,320	\$136,752	\$136,752	\$136,752
=	Just Market Value	\$700,561	\$712,347	\$523,284	\$355,858	\$358,669	\$361,923
=	Total Assessed Value	\$404,447	\$384,801	\$369,835	\$355,857	\$358,669	\$356,591
-	School Exempt Value	(\$30,000)	(\$30,000)	(\$30,000)	(\$30,000)	(\$30,000)	(\$30,000)
=	School Taxable Value	\$451,599	\$450,600	\$384,662	\$325,858	\$328,669	\$326,592

#### Land

Land Use	Number of Units	Unit Type	Frontage	Depth
MULTI RES DRY (080D)	8,800.00	Square Foot	88	100

#### **Buildings**

Building ID	4912	Exterior Walls	VINYL SIDING
Style		Year Built	1953
Building Type	M.F R2 / R2	EffectiveYearBuilt	1992
Gross Sq Ft	4364	Foundation	CONCR FTR
Finished Sq Ft	3252	Roof Type	MANSARD
Stories	2 Floor	Roof Coverage	METAL
Condition	AVERAGE	Flooring Type	CONC ABOVE GRD
Perimeter	340	Heating Type	NONE with 0% NON
Functional Obs	20	Bedrooms	4
<b>Economic Obs</b>	0	Full Bathrooms	2
Depreciation %	32	Half Bathrooms	0

TOTAL		4.364	3.252	0	
DUU	UF UTILITY DET	400	0	0	0
DCU	U DET CARPORT	520	0	0	
OPF	OP PRCH FIN LL	192	0	0	
FLA	FLOOR LIV AREA	3,252	3,252	0	
Interior W  Code	alls DRYWALL  Description	Sketch Area	Finished Area	Grade Number of Fire Pl Perimeter	


#### Yard Items

Description	Year Built	Roll Year	Quantity	Units	Grade
CH LINK FENCE	1964	1965	1	576 SF	1
FENCES	1984	1985	1	245 SF	2

#### **Permits**

Notes <b>≑</b>	Permit Type	Amount \$	Date Completed	Date Issued	Number <b>♦</b>
RENEWAL OF 06-6239 FOR FINAL INSPECTION. RENEW PERMIT 05-2783 WIRE THE SECOND FLOOR BEDROOM.	Residential	\$0	12/31/2008	11/10/2008	08-4205
RENEWAL OF 06-6237 FOR FINAL INSPECTION RENEW PERMIT 05-2782 FINISH SIDING, OUTSIDE DECKING, AND DRYWALL.	Residential	\$0	12/31/2008	11/10/2008	08-4206
RENEW PERMIT 05-3298. INSTALL 1.5 TON SPLIT A/C UNIT AND INSTALL 2 TON SPLIT A/C UNIT. UNIT.	Residential	\$0	12/31/2008	11/10/2008	08-4207
RE-NEW PERMIT #05-2782	Residential	\$5,000		11/20/2006	06-6237
RENEW PERMIT #05-2783	Residential	\$1,000		11/20/2006	06-6239
RENEW PERMIT #05-3298	Residential	\$2,000		11/20/2006	06-6241
UP-GRADE ELECTRIC PERMIT TO WIRE 2ND FLOOR BEDROOM	Residential	\$1,000		8/3/2005	05-2783
INSTALL 1.5 TON A/C	Residential	\$2,000		8/3/2005	05-3298
REPAIR/REPLACE UPSTAIRS SIDING	Residential	\$5,000		7/11/2005	05-1756
UPGRADE EXISTING PERMIT SIDING, DECK, DRYWALL	Residential	\$5,000		7/11/2005	05-2782
2ND FLR ADD	Residential	\$30,000	10/13/2004	1/18/2001	01-0184
BLD SLOPE ROOF OVER FLAT ROOF	Residential	\$5,000	10/13/2004	8/18/2000	00-2341
MOVE SVC RISER	Residential	\$500	10/13/2004	8/17/2000	00-2400

Sketches (click to enlarge)



### **Photos**





#### Мар



No data available for the following modules: Commercial Buildings, Mobile Home Buildings, Exemptions, Sales.

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the

Last Data Upload: 7/11/2018 1:52:31 AM

