\* 1-1 EXTERIOR WALL FLEVATION "C" EXTERIOR WALL ELEVATIONS "B" & "D" \* 1-2 \* 1-3 EXTERIOR WALL ELEVATION "B" (UNISTRUT LAYOUT) 2<del>-</del>0

2-2 ROOM OVERLAY PLAN 3-0 REFLECTED CEILING PLAN (ELECTRICAL) 3-1 REFLECTED CEILING PLAN (RAYCAP TELCOFLEX) 3-2 REFLECTED CEILING PLAN (RECTIFIER DETAILS) 3-3 REFLECTED CEILING PLAN (MECHANICAL)

**EQUIPMENT LAYOUT PLAN** 

REFLECTED CEILING PLAN (HALO DETAILS) 3-3 4-0 INTERIOR ELEVATION WALL "A & C" (ELECTRICAL) 4-1 INTERIOR ELEVATION WALL "B & D" (ELECTRICAL) 5<del>-</del>0 INTERIOR ELEVATION WALL "A & C" (MECHANICAL) INTERIOR ELEVATION WALL "B & D" (MECHANICAL) 5-1

REFERENCE DRAWINGS

2-1

\* 5-2

108-007 ABBREVIATIONS & SYMBOLS CONCRETE SHELTER PANEL CONNECTION DETAILS 108-008 GENERAL ELECTRICAL NOTES & LEGEND 108-015 GENERAL CASTING SPECIFICATIONS 108-016

MECHANICAL GROUND BAR INSTALLATION DETAILS

108-035 CONCRETE SHELTER INTERIOR INSULATION/PANEL INSTALLATION DETAILS

ANGLED & FLAT TIE DOWN DETAILS 108-039 108-087 CANOPY FIELD INSTALLATION DETAIL SHELTER LIFTING DETAILS 108-088 SHELTER LOADING DETAILS 108-089 503-053 ELECTRICAL SCHEMATIC WIC SHELTER DESIGN PARAMETERS USE GROUP: S-2 (IBC, FBC) U (OBC)

CONSTRUCTION TYPE:

OCCUPANCY CATEGORY: II ROOF LIVE LOAD: ??? PSF

FLOOR LIVE LOAD: ??? PSF

GROUND SNOW LOAD: ??? PSF (N/A FOR FBC 2014)

WIND SPEED: 150 MPH/EXPOSURE C

SEISMIC ZONE FOR SBC & UBC: SEISMIC DESIGN CATEGORY FOR IBC: E (IBC)

USE GROUP-III (OBC) SITE CLASS-D (OBC)

MEETS BULLET RESISTANCE UL 752 LEVELS 1, 2, 3 & 6 FOR 4" CONCRETE CONCRETE fc: 5000 PSI AT 28 DAYS

CONCRETE UNIT WEIGHT: 115 PCF

FIRE RATING: 2 HOUR WALL PER IBC/FBC TABLE 720.1 (2) ITEM NUMBER 4-1.1,

2 HOUR ROOF PER IBC/FBC TABLE 720.1 (3) ITEM NUMBER 3-1.1, SOLID LIGHTWEIGHT CONCRETE

(LIMITATIONS MAY APPLY DUE TO OPENINGS AND PROXIMITY ON SITE)

MINIMUM FIRE SEPARATION DISTANCE: 10FT

PHYSICAL PROPERTIES

SHELTER DIMENSIONS: 8'-0"W X 8'-0"L SHIPPING DIMENSIONS: 8'-6"W X 9'-3 3/16"L X 9'-4 1/2"H

SHELTER WEIGHT: 21,000 LBS (SHELTER ONLY) EXCLUDES BATTERIES AND RADIO EQUIPMENT

SHELTER WEIGHT: 24,500 LBS (SHELTER WITH EQUIPMENT)

STRUCTURAL SPECIFICATIONS DOOR POST FABRICATION STRUCTURAL LAYOUT SIDE WALL "A" STRUCTURAL LAYOUT END WALL "B" STRUCTURAL LAYOUT SIDE WALL "C"

7 OF 7 STRUCTURAL LAYOUT ROOF

221-0800X0800-04 CONCRETE FLOOR ASSEMBLY

STRUCTURAL DRAWINGS (MANUFACTURER ONLY)

STRUCTURAL LAYOUT END WALL "D" 6 OF 7

DOOR MUST BE MINIMUM 90 MINUTE FIRE RATED IF USED IN 2 HOUR FIRE RATED SHELTER AND MINIMUM

| EXTERIOR COMPC                           | ONENTS AND CLADDING             | POSITIVE AND NEGATIVE                     | PRESSURES IN TERMS OF PSF                           |                                | 5-0   |
|--|---------------------------------|---|---|--------------------------------|---|
| ZONE                                     | 2000 IBC, 120 MPH<br>WIND SPEED | 2003 IBC, 2006 IBC,<br>120 MPH WIND SPEED | 06, 09, 12, 15 IBC / 2014 FBC<br>150 MPH WIND SPEED | 2014 FBC 180 MPH<br>WIND SPEED | A   |
| ROOF ZONE 1 (100 SF EFFECTIVE WIND AREA) | +12.1/-28.7                     | +10.0/-28.7                               | +15.7/-44.8   | +22.7/-64.5                    | □ ~ ~ <sub>1-0</sub>                        |
| ROOF ZONE 2 (20 SF EFFECTIVE WIND AREA)  | +12.1/-46.9                     | +12.0/-46.9                               | +18.6/-73.4   | +26.9/-105.8                   |   |
| ROOF ZONE 3 (10 SF EFFECTIVE WIND AREA)  | +12.7/-79.1                     | +12.7/-79.1                               | +20.0/-123.7  | +28.7/-178.1                   |   |
| WALL ZONE 4 (200 SF EFFECTIVE WIND AREA) | +25.8/-28.4                     | +25.8/-28.4                               | +39.6/-43.4   | +58.2/-64.1                    |   |
| WALL ZONE 5 (30 SF EFFECTIVE WIND AREA)  | +29.3/-38.0                     | +29.3/-38.0                               | +45.9/-59.2   | +65.9/-92.3                    | ADDE INDUCTDIEC/TM) DDODDIETADY DOCUMENT    |
|  |                                 |   |   |                                | FABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT 🗕 |

4-0 5-0 **ELEVATION KEY** 

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC All DESIGN, LAYOUT AND FABRICATION DETAILS CONTAINED IN THIS DRAWING ARE CONSIDERED PROPRIETARY. ANY USE OF THESE DRAWINGS OF THE INFORMATION CONTAINED HEREIN FOR ANY REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED CONTRACTORS PERFORMING AUTHORIZED WORK WITHIN THE SHELTER ARE AUTHORIZED TO USE THE INFORMATION CONTAINED WITHIN THE DRAWING FOR EQUIPMENT INSTALLATION PURPOSES. THIS DRAWING HAS BEEN DISTRIBUTED WITH THE UNDERSTANDING THAT ANYONE RECEIVING OR EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE

CUSTOMER

AT&T **MOBILITY** 

PROJECT: 08'-0" X 8'-0" CONCRETE SHELTER COVER SHEET

| FILENAME:    |          |         |  |
|--------------|----------|---------|--|
| SATN70       |          |         |  |
| SCALE:       | TOLERANG | CE:     |  |
| N.T.S.       |          |         |  |
| DRWN. BY:    | DATE:    |         |  |
| G. BRINKMAN  | 01/0     | 04/18   |  |
| CHK, BY:     | DATE:    |         |  |
| C. MITCHEL   | 01/0     | 04/18   |  |
| APP. BY:     | DATE:    |         |  |
| D. BRANNEN   | 01/04/18 |         |  |
| SHEET NO.    |          |         |  |
| 0-0          |          |         |  |
| 0 0          |          |         |  |
| DRAWING NO.: |          | REV.:   |  |
| SATN70       |          | l īr l  |  |
| C            |          | ı -·· l |  |

1/4/2018 4:58:16 PM, gbrinkman, Confidential

NEW MEXICO ELECTRICAL CODE

MICHIGAN BUILDING CODE

MICHIGAN MECHANICAL CODE

MICHIGAN ELECTRICAL CODE

CALIFORNIA BUILDING CODE

CALIFORNIA ELECTRICAL CODE

NEW YORK CITY BUILDING CODE

CALIFORNIA FIRE CODE

**CALIFORNIA TITLE 25** 

OHIO BUILDING CODE

OHIO FIRE CODE

OHIO MECHANICAL CODE

CALIFORNIA GREEN BUILDING STANDARDS

NORTH DAKOTA ELECTRICAL WIRING STANDARDS

FLORIDA BUILDING CODE W/ 2016 SUPPLEMENTS

MASSACHUSETTS STATE BUILDING CODE

OREGON STRUCTURAL SPECIALITY CODE

OREGON MECHANICAL SPECIALITY CODE

NORTH CAROLINA BUILDING CODE

TEXAS ACCESSIBILITY STANDARDS

2009,2012 INTERNATIONAL FUEL GAS CODE 2012 NFPA 1 UNIFORM FIRE PREVENTION CODE ARKANSAS FIRE PREVENTION CODE

RHODE ISLAND FIRE SAFETY CODE

OCCUPANT LOAD = 0, OHIO = 2

11. WIND IMPORTANCE FACTOR - IW = 1.000

14. EXTERNAL GROUNDING BY OTHERS.

13. HVAC UNITS ARE SIZED PER CUSTOMER REQUIREMENTS.

15. SHELTER CONSTRUCTED IN ACCORDANCE WITH 61G20-3.006.

A117 1-1986

NORTH CAROLINA FIRE PREVENTION CODE

APPROVED MODEL MAY BE MIRROR IMAGE.

1996 - 2017 NATIONAL ELECTRIC CODE 2004,2007,2010,2013 ASHRAE 90.1

NORTH CAROLINA ELECTRICAL CODE

NORTH CAROLINA MECHANICAL CODE

OREGON ENERGY EFFICIENCY SPECIALITY CODE

NORTH CAROLINA ENERGY CONSERVATION CODE

2006,2009,2012,2015 INTERNATIONAL ENERGY CONSERVATION CODE 2003,2005,2006,2009,2012,2015 NFPA 101 LIFE SAFETY CODE

LISTED CODES INCLUDE LATEST STATE ADOPTED AMENDMENTS.

SPECIAL CONDITIONS AND PERMISSIBLE TYPES OF GASSES: N/A

45 MINUTE FIRE RATED IF USED IN 1 HOUR FIRE RATED SHELTER.

2014 FBC) ASCE 7-10 SIMPLIFIED DIAPHRAGM LOW-RISE BUILDINGS.

ON SITE SUBJECT TO THE LOCAL AUTHORITY HAVING JURISDICTION.

THIS SHELTER IS AN "ENCLOSED STRUCTURE" NOT INTENDED FOR HUMAN HABITATION.

SHELTER HAS NO COUNTY PLACEMENT RESTRICTION IN THE STATE OF MARYLAND.

STATE INSIGNIA LABEL/DECAL IS LOCATED NEAR MAIN ELECTRICAL SERVICE PANEL.

10. APPLICABLE INTERNAL PRESSURE COEFFICIENT (N/A) - THESE SHELTERS CONFORM TO THE

ACCESS TO SHELTER SHALL COMPLY WITH MARYLAND ACCESSIBILITY CODE COMAR.05.02.02.07 / ADAAG

REQUIREMENTS OF (2000,03,06,09 IBC), ASCE 7-05, METHOD 1 SIMPLIFIED PROCEDURE; (2012,15 IBC

12. THESE PLANS ARE DESIGNED TO BE USED FOR THE CONSTRUCTION OF COMMERCIAL MODULAR UNITS.

16. THIS BUILDING DOES NOT CONTAIN PLUMBING FACILITIES. PLUMBING FACILITIES SHALL BE PROVIDED

ACCORDANCE WITH CA HEALTH AND SAFETY CODE SECTION 18028, 1991 UBC, 1993 NEC, ANSI

FLORIDA BUILDING CODE MECHANICAL W/ 2016 SUPPLEMENTS

FLORIDA BUILDING CODE FUEL GAS W/ 2016 SUPPLEMENTS

CALIFORNIA ENERGY CODE TITLE 24

NEW MEXICO MECHANICAL CODE

2014

2009

2012

2012

2013

2013

2010

2014

2011

2011

2014

2012

2002

NOTES

|      |                  |     |                  |          | PARTS LIST  |   |                   |
|------|------------------|-----|------------------|----------|---|---|-------------------|
| ITEM | QTY              | U/M | P/N              | DEPT     |   | MFG   | MFG P/N           |
| 1    | 1.0000           | EA. | 522001-00045     |          | HVAC,SLEEVE,12"X14 3/4"X6"  | CELLXION  | 522001-00045      |
| 2    | 1.0000           | EA. | 522001-00046     | 20       | HVAC,SLEEVE,5 1/2"X13 1/2"X6"   | CELLXION  | 522001-00046      |
| 3    | 2.0000           | EA. | 170122           | 30       | PIPE CAP,PLASTIC,NPT,NIAGARA T-6X (OR EQUAL)                                | NIAGARA   | T-6X              |
| 4    | 1.0000           | EA. | 400108           | 30       | LUG,2H,#4,GRY,1/4"BOLT,3/4"C/C,LB (OR EQUAL)                                | PANDUIT   | LCC4-14B-L        |
| 5    | 1.0000           | EA. | 410014           | 30       | CONDULET,BODY AL LB,3/4",LB75D  | . ,   |                   |
| 6    | 1.0000           | EA. | 410068           | 30       | CONNECTOR,EMT,1/2",RT (OR EQUAL)  | STEEL CITY  | TC711A            |
| 7    | 1.0000           | EA. | 410069           | 30       | CONNECTOR,EMT,3/4",RT (OR EQUAL)  | STEEL CITY  | TC812SC           |
| 8    | 1.0000           | EA. | 410134           | 30       | NIPPLE,RIGID,1/2",CLOSE   |   |                   |
| 9    | 1.0000           | EA. | 410182           |          | NIPPLE,RIGID,3/4"X8 1/2"  |   |                   |
| 10   | 2.0000           | EA. | 410183           | 30       | NIPPLE,RIGID,3/4"X7 1/2"  |   |                   |
| 11   | 3.0000           | EA. | 410184           | 30       | NIPPLE,RIGID,1/2"X7 1/2"  |   |                   |
| 12   | 7.0000           | EA. | 410205           | 30       | NIPPLE,RIGID,2"X8"  |   |                   |
| 13   | 1.0000           | EA. | 410274           |          | PIPE,GALV,SCH 40,4",CAP (OR EQUAL)  | MORRILL   | GPF-C40           |
| 14   | 1.0000           | EA. | 410537           |          | NIPPLE,RIGID,4"X8"  |   |                   |
| 15   | 12.0000          | EA. | 430005           |          | BOX,JUNCT,4"X4",2-1/8D,1/2"-3/4KO (OR EQUAL)                                | STEEL CITY  | 521711234E        |
| 16   | 4.0000           | EA. | 430050           |          | WIREWAY,GALV,4"X4",U-CONNECTOR (OR EQUAL)                                   | HOFFMAN   | F-44GUCGV         |
| 17   | 1.0000           | EA. | 430054           |          | BOX,JUNCT,2"X4",1 7/8" (OR EQUAL)   | STEEL CITY  | 103-W-1/2         |
| 18   | 1.0000           | EA. | 430061           | 30       | WIREWAY,GALV,4X4,90D ELBOW (OR EQUAL)                                       | HOFFMAN   | F-4490EGV         |
| 19   | 1.0000           | EA. | 430267           | 30       | WIREWAY,GALV,4"X4"X24",W/O KO'S (OR EQUAL)                                  | HOFFMAN   | F-44T124GV        |
| 20   | 1.0000           | EA. | 430268           | 30       | WIREWAY,GALV,4"X4"X48",W/O KO'S (OR EQUAL)                                  | HOFFMAN   | F-44T148GV        |
| 21   | 2.0000           | EA. | 430336           |          | WIREWAY,GALV,4"X4"X12",W/O KO'S (OR EQUAL)                                  | HOFFMAN   | F-44T112GV        |
| 22   | 2.0000           | EA. | 431419           |          | BOX,JUNCT,4-11/16"W/3/4" & 1" K/O'S (OR EQUAL)                              | STEEL CITY  | 721711            |
| 23   | 1.0000           | EA. | 431427           |          | ALARM BLOCK,SIEMON,S66B3-100MH-49 (OR EQUAL)                                | SIEMON  | S66B3-100MH-49    |
| 24   | 1.0000           | EA. | 432111           |          | PANEL,PTLC,INT,200A,30P,MTS,TVSS,CL,NEMA 3R                                 | , in the second | PTLC-MTS-12200-CL |
| 25   | 1.0000           | EA. | 460029           | 30       | CONTROLLER,LEAD LAG,SCHROFFTECH   | SCHROFFTECH   | AF000119          |
| 26   | 4.5000           | FT. | 510126           | 30       | UNISTRUT,1 5/8" CHANNEL,P1000 GALV  |   |                   |
| 27   | 12.0000          | FT. | 510126           | 30       | UNISTRUT,1 5/8"CHANNEL,P1000 GALV   | FACTERIAL   |                   |
| 28   | 2.0000           | EA. | 168186           | 40       | WASHER,1/2" FLAT,STAINLESS (OR EQUAL)                                       | FASTENAL  | 78021             |
| 29   | 4.0000           | FT. | 400050           | 40       | WIRE,#2 THHN,STRAND,GRN   |   |                   |
| 30   | 1.0000<br>1.0000 | EA. | 410005<br>410040 | 40<br>40 | CONDULET, BODY COVER, 3/4" AL, CC75   |   |                   |
| 31   | 73.0000          | FT. | 410111           | 40       | CONDUCT, GASKET 3/4", GASK025N  | ANAMET ELECTRICAL, INC  | EF34              |
| 35   | 5.0000           | FT. | 410111           | 40       | CONDUIT,LFMC,3/4",SEALTITE (OR EQUAL) CONDUIT,LFMC,1/2",SEALTITE (OR EQUAL) | ANAMET ELECTRICAL, INC  | EF12              |
| 36   | 7.0000           | EA  | 410112           | 40       | CONNECTOR,LFMC,3/4",90D,SEALTITE (OR EQUAL)                                 | T&B   | 5253              |
| 37   | 8.0000           | EA. | 410128           | 40       | CONNECTOR, LFMC, 3/4", 45D, SEALTITE (OR EQUAL)                             | T&B   | 5243              |
| 38   | 2.0000           | EA. | 410129           | 40       | CONNECTOR, LFMC, 3/4", STRAIGHT, ST (OR EQUAL)                              | T&B   | 5233              |
| 39   | 2.0000           | EA. | 410555           |          | COVER,OCT,4" BLANK,W/1/2 KO (OR EQUAL)                                      | RACO  | 724               |
| 40   | 1.0000           | EA. | 420006           |          | LABEL,BLK,ELECT,"GFCI"  | CELLXION  | 420006            |
| 41   | 2.0000           | EA. | 420009           | 40       | LABEL,BLK,ELECT, GI CI LABEL,BLK,ELECT,"INTERIOR LIGHT"                     | CELLXION  | 420009            |
| 42   | 1.0000           | EA. | 420016           | 40       | LABEL,BLK,ELECT,"LEAD-LAG CONTROL"  | CELLXION  | 420016            |
| 43   | 1.0000           | EA. | 420018           | 40       | LABEL,BLK,ELECT,"HVAC #1"   | CELLXIONG   | 420018            |
| 44   | 1.0000           | EA. | 420024           | 40       | LABEL,BLK,ELECT,"EXTERIOR LIGHT"  | CELLXION  | 420024            |
| 45   | 16.0000          | EA. | 420033           | 40       | LABEL,SELF TRANSFER,PANDUIT TTSL2 (OR EQUAL)                                | PANDUIT   | S100X150VATY      |
| 46   | 1.0000           | EA. | 420041           | 40       | LABEL,"ARC FLASH AND SHOCK WARNING  |   |                   |
| 47   | 1.0000           | EA. | 420143           | 40       | LABEL, RED, ELECT, BONDING TAG  | CELLXION  | 420143            |
| 48   | 1.0000           | EA. | 430001           | 40       | COVER, BLANK PLATE, 4X2, HANDY (OR EQUAL)                                   | RACO  | 860               |
| 49   | 1.0000           | EA. | 430006           | 40       | COVER,SWITCH PLATE,4X4,1 SWITCH (OR EQUAL)                                  | STEEL CITY  | 460-BW            |
| 50   | 9.0000           | EA. | 430012           | 40       | COVER, BLANK PLATE, 4X4 (OR EQUAL)  | APPLETON  | 8465              |
| 51   | 2.0000           | EA. | 430014           | 40       | COVER,BLANK PLATE,4 11/16 (OR EQUAL)  | APPLETON  | 8487              |
| 52   | 1.0000           | EA. | 430025           | 40       | COVER,RECPT PLATE,4X4,2R (OR EQUAL)   | APPLETON  | 8365N             |
| 53   | 1.0000           | EA. | 430034           |          | RECEPTACLE, DUPLEX, 125V, 20A, IVORY (OR EQUAL)                             | COOPER  | CR20V             |
| 54   | 1.0000           | EA. | 430072           | 40       | COVER,SWITCH PLATE,4X4,2 SWITCH (OR EQUAL)                                  | STEEL CITY  | 456               |
| 55   | 100.0000         | EA. | 430214           |          | ALARM BLOCK,BRIDGE CLIP,SA1-SS  |   |                   |
| 56   | 1.0000           | EA. | 430328           | 40       | SWITCH,DPST,20A,120V,IVORY (OR EQUAL)                                       | HUBBELL   | 1222I             |

## **DEPT CODES:**

- 20 - CARPENTRY
- 30 CONDUIT
- 40 - ELECTRICAL
- 50 - MECHANICAL
- 51 - DOORS
- 55 - HVAC
- 70 - TILE/FLOORING
- 75 - GENERATOR
- 90 - SHIPPING
- 95 - MULTI-TASK
- PACKING LIST 150 - INSTALLATION DEPT

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. All DESIGN, LAYOUT AND FABRICATION DETAILS All DESIGN, LAYOUT AND FABRICATION DETAILS
CONTAINED IN THIS DRAWING ARE CONSIDERED
PROPRIETARY. ANY USE OF THESE DRAWINGS OR
THE INFORMATION CONTAINED HEREIN FOR ANY
REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY
SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED.
CONTRACTORS PERFORMING AUTHORIZED WORK SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT WITHIN THE SHELTER ARE AUTHORIZED TO USE THE INFORMATION CONTAINED WITHIN THE DRAWING FOR EQUIPMENT INSTALLATION PURPOSES. THIS DRAWING HAS BEEN DISTRIBUTED WITH THE UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE.



AT&T **MOBILITY** 

PROJECT: 08'-0" X 8'-0" CONCRETE SHELTER PARTS LIST

| FILENAME:<br>SATNZO |          |       |
|---------------------|----------|-------|
| SCALE:              | TOLERANG | Œ:    |
| N.T.S. DRWN, BY:    | DATE:    |       |
| G. BRINKMAN         |          | 04/18 |
| CHK, BY:            | DATE:    |       |
| C. MITCHEL          | 01/0     | 14/18 |
| APP. BY:            | DATE:    |       |
| D. BRANNEN          | 01/0     | 14/18 |
| SHEET NO.           | •        |       |
| 0-1                 |          |       |
| DRAWING NO.:        |          | REV.: |
| SATN70              |          | IR    |

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT

1. ITEMS LISTED THAT DO NOT SHOW AN ITEM NUMBER HAVE TWO OR MORE LIKE MATERIALS CUT TO DIFFERENT LENGTHS AND ARE MERGED TO PROVIDE A TOTAL QUANTITY REQUIRED. THESE MERGED ITEMS ARE DETAILED IN THE CUT LIST TABLE SHOWN AFTER THE PARTS LIST.

|            |                  |      |                  |          | PARTS LIST (CONTINUED)  | RIES(TM) PROPRIETARY DOCUMEN | 11                |
|------------|------------------|------|------------------|----------|---|------------------------------|-------------------|
| ITEM       | QTY              | U/M  | P/N              | DEPT     | DESCRIPTION   | MFG                          | MFG P/N           |
| 57         | 2.0000           | EA.  | 430437           |          | SWITCH,SPST,125VAC,24/48VDC,TOGGLE (OR EQUAL)                         | SELECTA                      | SS209-8-BG        |
| 58         | 2.0000           | EA.  | 470736           | 40       | LIGHT,EXT,LED,MOTION/PHOTO,29 WATT                                    | COOPER LIGHTING              | MST18920L         |
| 59         | 1.0000           | EA.  | 470900           |          | FAN,48VDC,ECON/MITI,SCHROFFTECH                                       | SSST EK EISTTING             | 1101109202        |
| 60         | 4.0000           | EA.  | 470913           |          | DC LIGHT FIXTURE,LED,SURF,LDX-TL                                      | TEXAS FLOURESCENTS           | LDX-TL            |
| 61         | 1.0000           | EA.  | 490000           |          | ALARM, MAGNETIC DOOR CONTACT (OR EQUAL)                               | HONEYWELL                    | 7939WG-2GY        |
| 62         | 1.0000           | EA.  | 400001           | 50       | LUG,2H,#6,BLU,3/8"BOLT,1"C/C,LBFW (OR EQUAL)                          | PANDUIT                      | LCCXF6-38D-L      |
| 63         | 7.0000           | EA.  | 400021           |          | C-TAP,BROWN,54720 (OR EQUAL)  | PANDUIT                      | CTAPF4-12TP-C     |
| 64         | 35.0000          | FT.  | 400030           |          | WIRE, #6 THHN, STRAND, GRN  |                              |                   |
|            | 37.0000          | FT.  | 400050           |          | WIRE,#2 THHN,STRAND,GRN   |                              |                   |
| 69         | 18.0000          | EA.  | 400051           |          | C-TAP,ORANGE,54740 (OR EQUAL)   | PANDUIT                      | CTAPF1/0-12TP-L   |
|            | 79.6667          |      | 400099           |          | WIRE,#2 SOLID COPPER,BARE,TINNED                                      |                              |                   |
| 74         | 1.0000           | EA.  | 400108           | 50       | LUG,2H,#4,GRY,1/4"BOLT,3/4"C/C,LB (OR EQUAL)                          | PANDUIT                      | LCC4-14B-L        |
| 75         | 17.0000          |      | 400174           |          | C-TAP,PINK,54730  | PANDUIT                      | CTAPF2-12TP-C     |
| 76         | 3.0000           | EA.  | 400259           | 50       | LUG,2H,#2,BRN,3/8"BOLT,1"C/C,LBFW (OR EQUAL)                          | PANDUIT                      | LCCXF2-38D-L      |
| 77         | 11.0000          | EA.  | 400307           | 50       | LUG,2H,#4,GRY,3/8"BOLT,1"C/C,LBFW (OR EQUAL)                          | PANDUIT                      | LCCXF4-38D-L      |
| 78         | 9.0000           | EA.  | 400371           | 50       | LUG,2H,#6,BLU,1/4"BOLT,3/4"C/C,LBFW (OR EQUAL)                        | PANDUIT                      | LCCXF6-14B-L      |
| 79         | 3.0000           | EA.  | 400390           | 50       | LUG,2H,#2,BRN,1/4"BOLT,3/4"C/C,LBFW (OR EQUAL)                        | PANDUIT                      | LCCXF2-14B-L      |
| 80         | 5.0000           | EA.  | 400500           |          | CLAMP,GROUND 1/2"-1",GC-1Z,WEAVER (OR EQUAL)                          | NEER                         | GC-1Z             |
| 81         | 1.0000           | EA.  | 400623           |          | CLAMP, GROUND 1 1/2", RB12B, PERPENDIC (OR EQUAL)                     | HARGER                       | RB12B             |
| 82         | 24.0000          | EA.  | 410343           |          | WIRE STANDOFF,1 3/4" (OR EQUAL)                                       | T&B                          | TC376             |
| 83         | 10.0000          | EA.  | 410396           |          | BUSHING, INSULATING, CEILING BRACKET                                  |                              |                   |
| 84         | 12.0000          | EA.  | 410396           | 50       | BUSHING, INSULATING, CEILING BRACKET (OR EQUAL)                       | NYLON & ALLOYS, LTD          | 12SWS3104         |
| 85         | 4.0000           | EA.  | 410397           | 50       | BUSHING, INSULATING, WALL MOUNT BRACK (OR EQUAL)                      | NYLON & ALLOYS, LTD          | 12SWS3165         |
|            | 38.2500          | FT.  | 410441           | 50       | CONDUIT,LFNC,1/2",SEALTITE  |                              |                   |
| 95         | 1.0000           | EA.  | 480005           | 50       | SABRE GRAY/BLUE SERIAL NO. PLATE                                      | CELLXION                     | 480005            |
| 96         | 1.0000           | EA.  | 480025           |          | DESK,FOLD DOWN,20"X15"X2-3/4" (OR EQUAL)                              | McMASTER-CARR                | FD100             |
|            | 5.0000           | EA.  | 510000           |          | CABLE LADDER,12"X9'8 1/2",YELLOW ZI (OR EQUAL)                        | CENTRAL STEEL FABRICATORS    | 10012ZY           |
| 101        | 1.0000           | EA.  | 510006           |          | CABLE LADDER,12",CLOSING BAR,Y/Z                                      | CENTRAL STEEL FABRICATORS    | ET112YZ           |
| 102        | 7.0000           | PAIR | 510014           |          | CABLE LADDER,WALL CLIP,WC12,PAÌR (OR EQUAL)                           | CENTRAL STEEL FABRICATORS    | WC12              |
| 103        | 4.0000           | EA.  | 510061           | 50       | CABLE LADDER,BLACK, END CAP (OR EQUAL)                                | CENTRAL STEEL FABRICATORS    | RFCH1             |
| 104        | 4.0000           | EA.  | 510074           |          | CABLE LADDER,FLOOR BRKT,3.5"X1.5" (OR EQUAL)                          | CENTRAL STEEL FABRICATORS    | WM11YZ            |
| 105        | 10.0000          | EA.  | 510181           |          | CABLE LADDER, TRAY HANGER, 9"   |                              |                   |
| 106        | 1.0000           | EA.  | 521021           |          | HVAC,GRILL,SUPPLY,5"X13"  |                              |                   |
| 107        | 1.0000           | EA.  | 521121           |          | HVAC,GRILL,RETURN,11 3/4"X13 3/4"                                     |                              |                   |
| 108        | 1.0000           | EA.  | 530003           |          | WAVEGUIDE ENTRY,8 PORT,4",2X4 (OR EQUAL)                              | VALMONT                      | B576              |
| 109        | 1.0000           | EA.  | 540218           |          | GROUND STRAP ASSY,#6 THHN,14 1/2"                                     | CELLXION                     | 540218            |
| 110        | 4.0000           | EA.  | 540232           |          | GROUND STRAP ASSY,#6 THHN,12"   | CELLXION                     | 540232            |
| 111        | 1.0000           | EA.  | 540293           |          | G-BAR KIT,WITH PIGTAILS,1/4"X12" (OR EQUAL)                           | ROSENBERGER                  | GRB-ATTG0412-PUNI |
| 112        | 1.0000           | EA.  | 540492           |          | G-BAR,1/4X4X12,2-10'DROP,NOHW   | ERICO                        |                   |
| 113        | 3.0000           | EA.  | 540493           |          | G-BAR, ERICO, 1/4X4X12, 1-10'DROP, KIT                                | ERICO                        | <u> </u>          |
| 114        | 1.0000           | EA.  | 500001           |          | DOOR,3070,LH/RHT,CURRIES,18G,45MIN                                    | CLODAL DOOD CONTROLS         | CC4E4EDD          |
| 115        | 3.0000           | EA.  | 504000           |          | DOOR,HINGES,STAINLESS STEEL 32D (OR EQUAL)                            | GLOBAL DOOR CONTROLS         | CS4545BB          |
| 116        | 1.0000           | EA.  | 504109<br>504300 |          | DOOR,CLOSER,W/90 DEGREE HOLD OPEN (OR EQUAL)                          | GLOBAL DOOR CONTROLS         | TC2200            |
| 117<br>118 | 1.0000<br>1.0000 | EA.  | 504300           |          | DOOR, LOCKGUARD, 10" 32D  | PEMKO                        | 346C              |
| 118        | 1.0000           | EA.  | 504409           |          | DOOR, DRIP CAP, NGF16A-48" (OR EQUAL)                                 | CELLXION                     | 504409            |
| 120        | 1.0000           | EA.  | 504437           |          | DOOR,THRESHOLD 42"X4.75",.090 ALUM DOOR,THRESHOLD 42"X6.25",.090 ALUM | CELLXION                     | 504437            |
| 120        | 1.0000           | EA.  | 504437           |          | LOCKSET,PB,CYD,SIMPLEX,LVR,LL1021B-                                   | SIMPLEX                      | LL1021B-26D-41    |
| 121        | 1.0000           | EA.  | 504500           | 51<br>51 | CORE,LOCKSET,BEST,CONSTRUCT,GREEN                                     | DIMPLLA                      | LL1021D-20D-41    |
| 123        | 1.0000           | EA.  | 504555           |          | DOOR,STRIKER PLATE,STANDARD   |                              |                   |
| 123        | 1.0000           | EA.  | 540216           |          | GROUND STRAP ASSY,1/2 BRAIDED,18"                                     | CELLXION                     | 540216            |
| 147        | 1,0000           | L~.  | J-UZ10           | 1 21     | JOINOUND STIME MOST, 1/2 DIMIDED, 10                                  | CELEVION                     | D 10210           |

## DEPT CODES:

- 20 CARPENTRY
- 30 CONDUIT
- 40 ELECTRICAL 50 - MECHANICAL
- 51 DOORS
- 55 HVAC
- 70 TILE/FLOORING
- 75 GENERATOR
- 90 SHIPPING
- 95 MULTI-TASK
- 99 PACKING LIST
- 150 INSTALLATION DEPT

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. All DESIGN, LAYOUT AND FABRICATION DETAILS CONTAINED IN THIS DRAWING ARE CONSIDERED PROPRIETARY. ANY USE OF THESE DRAWINGS OR THE INFORMATION CONTAINED HEREIN FOR ANY REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED. CONTRACTORS PERFORMING AUTHORIZED WORK WITHIN THE SHELTER ARE AUTHORIZED TO USE THE INFORMATION CONTAINED WITHIN THE DRAWING FOR EQUIPMENT INSTALLATION PURPOSES. THIS DRAWING HAS BEEN DISTRIBUTED WITH THE UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE.



CUSTOME

AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
PARTS LIST
(CONTINUED)

| FILENAME:    |         |        |
|--------------|---------|--------|
| SATN70       |         |        |
| SCALE:       | TOLERAN | CE:    |
| N.T.S.       |         |        |
| DRWN. BY:    | DATE:   |        |
| G. BRINKMAN  | 01/0    | 04/18  |
| CHK, BY:     | DATE:   |        |
| C. MITCHEL   | 01/0    | 04/18  |
| APP. BY:     | DATE:   |        |
| D. BRANNEN   | 01/0    | 04/18  |
| SHEET NO.    |         |        |
| 0-2          |         |        |
|              |         |        |
| DRAWING NO.: |         | REV.:  |
| CATMIZO      |         | ו מז ו |

NOTE:

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT

1. ITEMS LISTED THAT DO NOT SHOW AN ITEM NUMBER HAVE TWO OR MORE LIKE MATERIALS CUT TO DIFFERENT LENGTHS AND ARE MERGED TO PROVIDE A TOTAL QUANTITY REQUIRED. THESE MERGED ITEMS ARE DETAILED IN THE CUT LIST TABLE SHOWN AFTER THE PARTS LIST.

|   |        |     |           |      | PARTS LIST (CONTINUED)                       |          |                |  |  |
|---|--------|-----|-----------|------|--|----------|----------------|--|--|
| ITEM  | QTY    | U/M | P/N       | DEPT |  | MFG      | MFG P/N        |  |  |
| 126   | 1.0000 | EA. | 520199    |      | HVAC,WPU,1T,3.6KW,MARV,ECUA12ACA             | MARVAIR  | ECUA12ACA-036  |  |  |
| 127   | 1.0000 | EA. | 410118    | 75   | CONNECTOR,LFMC,1/2",90D,SEALTITE (OR EQUAL)  | T&B      | 5372           |  |  |
| 128   | 1.0000 | EA. | 420048    | 90   | LABEL, DATA, STANDARD SHELTER                | CELLXION | 420048         |  |  |
| 129   | 1.0000 | EA. | 480001    |      | PLATE,DATA,ALUM,8"X12",GRAY                  | CELLXION | 480001         |  |  |
| 130   | 1.0000 | EA. | 480355    |      | SIGN,SITE LOG BOOK                           | EXCEL    | D-005          |  |  |
| 131   | 1.0000 | EA. | 480356    |      | SIGN,FCC LICENSE                             | EXCEL    | ATT DC CUS 653 |  |  |
| 132   | 3.0000 | FT. | 504216    |      | DOOR,WEATHERSTRIP,SPONGE NEOPRENE (OR EQUAL) | PEMKO    | P491           |  |  |
| 133   | 1.0000 | EA. | 504222    | 95   | DOOR,WEATHERSTRIPPING,303-TF-3670 (OR EQUAL) | PEMKO    | 303-TF-3670    |  |  |
| 134   | 1.0000 | EA. | 480087-02 |      | PACKING KIT,W/8 FLAT TIE DOWN PLATE          | CELLXION | 480087-01      |  |  |
| 135   | 1.0000 | EA. | 480357    | 99   | SIGN, AUTHORIZED PERSONNEL ONLY              | EXCEL    | D-006          |  |  |
| 136   | 1.0000 | EA. | 480358    |      | SIGN,COMBO,PACK,DIESEL,GEN                   |          |                |  |  |
| 137   | 1.0000 | EA. | 504108    |      | KEY,OPERATING BEST "A" CORE,GREEN            |          |                |  |  |
|   |        |     |           |      |  | ROXTEC   | 5RKT810000032  |  |  |
|   |        |     |           |      |  |          |                |  |  |
|   |        |     |           | 99   | WAVEGUIDE ENTRY GLAND ROXT                   |          |                |  |  |
| 138   1.0000   EA   530147   99   SEA_CABLE ENTRY_ROXTEC R75/4,3*PVC (PACKING LIST ITEM)   ROXTEC   NWG4-52 |        |     |           |      |  |          |                |  |  |

### DEPT CODES:

- 20 CARPENTRY
- 30 CONDUIT
- 40 ELECTRICAL
- 50 MECHANICAL
- 51 DOORS
- 55 HVAC
- 70 TILE/FLOORING
- 75 GENERATOR
- 90 SHIPPING
- 95 MULTI-TASK
- 99 PACKING LIST
- 150 INSTALLATION DEPT

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. AII DESIGN, LAYOUT AND FABRICATION DETAILS CONTAINED IN THIS DRAWING ARE CONSIDERED PROPRIETARY. ANY USE OF THESE DRAWINGS OR THE INFORMATION CONTAINED HEREIN FOR ANY REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED. CONTRACTORS PERFORMING AUTHORIZED WORK WITHIN THE SHELTER ARE AUTHORIZED TO USE THE INFORMATION CONTAINED WITHIN THE DRAWING FOR EQUIPMENT INSTALLATION PURPOSES. THIS DRAWING HAS BEEN DISTRIBUTED WITH THE UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE



CUSTOMER:

AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
PARTS LIST
(CONTINUED)

| FILENAME:    |          |          |  |  |
|--------------|----------|----------|--|--|
| SATN70       |          |          |  |  |
| SCALE:       | TOLERANG | CE:      |  |  |
| N.T.S.       |          |          |  |  |
| DRWN. BY:    | DATE:    |          |  |  |
| G. BRINKMAN  | 01/0     | 14/18    |  |  |
| CHK, BY:     | DATE:    |          |  |  |
| C. MITCHEL   | 01/0     | 01/04/18 |  |  |
| APP. BY:     | DATE:    |          |  |  |
| D. BRANNEN   | 01/0     | 01/04/18 |  |  |
| SHEET NO.    |          |          |  |  |
| 0-3          |          |          |  |  |
| DRAWING NO.: |          | REV.:    |  |  |
| SATN70       |          | l īR     |  |  |
|              |          | -''`     |  |  |

NOTES:

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT

1. ITEMS LISTED THAT DO NOT SHOW AN ITEM NUMBER HAVE TWO OR MORE LIKE MATERIALS CUT TO DIFFERENT LENGTHS AND ARE MERGED TO PROVIDE A TOTAL QUANTITY REQUIRED. THESE MERGED ITEMS ARE DETAILED IN THE CUT LIST TABLE SHOWN AFTER THE PARTS LIST.

### SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT =

|   | <u>NOTE:</u><br>CUT LIS | TITEMIE | ENGTHS ARE ESTIMATED, CONFIRM                                     |             |                               |        | SHOP DRAWINGS (ELECTRICAL)                     |
|---|-------------------------|---------|---|-------------|-------------------------------|--------|--|
|   |                         |         | ED PRIOR TO ACTUALLY CUTTING PARTS.                               | DWG #       | DESCRIPTION                   |        |  |
| H   |                         |         | CUT LIST  | 30-002      | BOX TO BOX PENETRATION DETAIL |        |  |
|   | ITEM                    | P/N     | DESCRIPTION   | CUT         | PCS                           | 30-004 | BOX TO GFCI PENETRATION DETAIL                 |
|   | 19                      |         | WIREWAY,GALV,4"X4"X24",W/O KO'S (OR EQUAL)                        | 24"         | 1                             | 30-007 | THRU WALL PENETRATION RIGID NIPPLE DETAIL      |
|   | 20                      |         | WIREWAY,GALV,4"X4"X48",W/O KO'S (OR EQUAL)                        | 48"         | 1                             | 30-009 | CONDUIT TO WIREWAY CONNECTION                  |
|   | 21                      |         | WIREWAY,GALV,4"X12",W/O KO'S (OR EQUAL)                           | 8"          | 2                             | 30-011 | PLASTIC CAP INSTALLATION DETAIL                |
|   | 26                      |         | UNISTRUT,1 5/8" CHANNEL,P1000 GALV                                | 18"         | 3                             | 30-012 | RIGID, CLOSE & CHASE NIPPLE APPLICATION        |
|   | 27                      | 510126  | UNISTRUT,1 5/8"CHANNEL,P1000 GALV                                 | 96"         | 12                            | 30-015 | ONE LAYER UNISTRUT INSTALLATION                |
|   | 29                      |         | WIRE,#2 THHN,STRAND,GRN   | 48"         | 1                             | 30-016 | WIREWAY MOUNTING INSTALLATION DETAIL           |
|   | 32                      |         | CONDUIT,LFMC,3/4",SEALTITE (OR EQUAL)                             | 60"         | 1                             |        |  |
| ш   | 33                      |         | CONDUIT,LFMC,3/4",SEALTITE (OR EQUAL)                             | 48"         | 2                             | 30-017 | CONDUIT STRAP-BACK INSTALLATION DETAIL         |
|   | 34                      |         | CONDUIT,LFMC,3/4",SEALTITE (OR EQUAL)                             | 120"        | 6                             | 30-019 | CONDUIT STANDARD INTERIOR LIGHT FIXTURE DETAI  |
| П   | 35                      |         | CONDUIT,LFMC,1/2",SEALTITE (OR EQUAL)                             | 60"         | 1                             | 30-020 | JUNCTION BOX MOUNTING DETAIL                   |
|   | 64                      |         | WIRE, #6 THHN, STRAND, GRN  | 420"        | 1                             | 30-022 | HVAC THRU WALL PENETRATION DETAIL              |
|   | 66                      |         | WIRE,#2 THHN,STRAND,GRN   | 24"         | 2                             | 40-008 | ELECTRICAL GROUND BONDING DETAIL               |
|   | 67                      |         | WIRE,#2 THHN,STRAND,GRN   | 384"        | 1                             | 40-010 | TYPICAL WIRE SECURING AT LOADCENTER            |
|   | 68<br>70                |         | WIRE,#2 THHN,STRAND,GRN   | 12"<br>216" | 4                             | 40-011 | HVAC THRU WALL CONDUIT PENETRATION             |
|   | 70                      |         | WIRE,#2 SOLID COPPER,BARE,TINNED WIRE,#2 SOLID COPPER,BARE,TINNED | 54"         | 1                             |        |  |
| <u>.</u>                                  | 72                      |         | WIRE,#2 SOLID COPPER,BARE,TINNED                                  | 24"         | 1                             | 40-012 | WARNING LABEL PLACEMENT DETAILS                |
|   | 73                      |         | WIRE,#2 SOLID COPPER,BARE,TINNED                                  | 14"         | 1                             | 40-013 | FIRE PROTECTION CIRCUIT BREAKER INSTALLATION S |
| Σ   | 86                      |         | CONDUIT,LFNC,1/2",SEALTITE  | 36"         | 2                             |        |  |
| 2   | 87                      |         | CONDUIT,LFNC,1/2",SEALTITE  | 12"         | 1                             |        |  |
| ă   | 88                      | 410441  | CONDUIT,LFNC,1/2",SEALTITE  | 14"         | 1                             |        |  |
| Ϋ́  | 89                      | 410441  | CONDUIT,LFNC,1/2",SEALTITE  | 54"         | 1                             |        |  |
| ¥   | 90                      |         | CONDUIT,LFNC,1/2",SEALTITE  | 24"         | 1                             |        |  |
| R   | 91                      |         | CONDUIT,LFNC,1/2",SEALTITE  | 62"         | 1                             |        |  |
| P   | 92                      | 410441  | CONDUIT,LFNC,1/2",SEALTITE  | 69"         | 1                             |        | ·V   |
| P.  | 93                      | 410441  | CONDUIT,LFNC,1/2",SEALTITE  | 80"         | 1                             |        | <b>'</b>                                       |
| ₹   | 94                      | 410441  | CONDUIT,LFNC,1/2",SEALTITE  | 72"         | 1                             |        |  |
| E   | 97                      |         | CABLE LADDER,12"X9'8 1/2",YELLOW ZI (OR EQUAL)                    |             | 1                             |        |  |
| ES  | 98                      |         | CABLE LADDER,12"X9'8 1/2",YELLOW ZI (OR EQUAL)                    |             | 1                             |        |  |
| $\mathbb{Z}$                              | 99                      |         | CABLE LADDER,12"X9'8 1/2",YELLOW ZI (OR EQUAL)                    |             | 2                             |        |  |
| S   | 100                     |         | CABLE LADDER,12"X9'8 1/2",YELLOW ZI (OR EQUAL)                    |             | 1                             |        |  |
| <u> </u>                                  | 118                     |         | DOOR,DRIP CAP,NGF16A-48" (OR EQUAL)                               | 40"         | 1                             |        |  |
| SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT | 132                     | 504216  | DOOR,WEATHERSTRIP,SPONGE NEOPRENE (OR                             | 36"         | 1                             |        | 7  |
| 3K.                                       |                         |         | EQUAL)  |             |                               |        | <i>)</i>                                       |
| SAE                                       |                         |         |   |             | <                             |        |  |
|   |                         |         |   |             |                               |        |  |

NOTF:

|                        |        | SHOP DRAWINGS (ELECTRICAL)                             |        | SHOP DRAWINGS (MECHANICAL)                            |
|------------------------|--------|--|--------|---|
|                        | DWG #  | DESCRIPTION  | DWG #  | DESCRIPTION   |
|                        | 30-002 | BOX TO BOX PENETRATION DETAIL                          | 50-001 | GROUND BAR MOUNTING INSTALLATION                      |
| $\overline{\varsigma}$ | 30-004 | BOX TO GFCI PENETRATION DETAIL                         | 50-006 | CABLE LADDER GROUNDING DETAILS (T-JUNCTION TWO SIDES) |
| $\dashv$               | 30-007 | THRU WALL PENETRATION RIGID NIPPLE DETAIL              | 50-008 | CABLE LADDER SPLICE JUNCTION GROUNDING DETAILS        |
|                        | 30-009 | CONDUIT TO WIREWAY CONNECTION                          | 50-013 | GROUND TO DOOR FRAME                                  |
|                        | 30-011 | PLASTIC CAP INSTALLATION DETAIL                        | 50-020 | GROUND TO PERPENDICULAR CONDUIT                       |
|                        | 30-012 | RIGID, CLOSE & CHASE NIPPLE APPLICATION                | 50-026 | Y DROP INSTALLATION - #6 WIRE                         |
| 4                      | 30-015 | ONE LAYER UNISTRUT INSTALLATION                        | 50-030 | #2 HALO TO #2 SOLID Y DROP                            |
|                        | 30-016 | WIREWAY MOUNTING INSTALLATION DETAIL                   | 50-034 | GROUND TO HVAC GRILLE                                 |
|                        | 30-017 | CONDUIT STRAP-BACK INSTALLATION DETAIL                 | 50-035 | THRU WALL PENETRATION PVC PIPE @ 45°                  |
|                        | 30-019 | CONDUIT STANDARD INTERIOR LIGHT FIXTURE DETAIL         | 50-038 | GROUND TO WIREWAY                                     |
|                        | 30-020 | JUNCTION BOX MOUNTING DETAIL                           | 50-042 | WIRE STANDOFF INSTALLATION                            |
|                        | 30-022 | HVAC THRU WALL PENETRATION DETAIL                      | 50-070 | LUG CRIMPING DETAIL                                   |
|                        | 40-008 | ELECTRICAL GROUND BONDING DETAIL                       | 50-071 | GROUND BAR HAT BRACKET INSTALLATION                   |
| 7                      | 40-010 | TYPICAL WIRE SECURING AT LOADCENTER                    | 50-075 | MECHANICAL LUG TO STEEL CONNECTION - LOCKWASHER       |
|                        | 40-011 | HVAC THRU WALL CONDUIT PENETRATION                     | 50-083 | GROUND CLAMP USAGE DETAIL                             |
|                        | 40-012 | WARNING LABEL PLACEMENT DETAILS                        | 51-003 | 2 PIECE THRESHOLD INSTALLATION                        |
| _                      | 40-013 | FIRE PROTECTION CIRCUIT BREAKER INSTALLATION STANDARDS | 51-006 | DRIP CAP INSTALLATION                                 |
| - [                    |        |  | E1 007 | DOOD LOCKCHARD INCTALL ATTOM                          |

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC All DESIGN, LAYOUT AND FABRICATION DETAILS CONTAINED IN THIS DRAWING ARE CONSIDERED PROPRIETARY. ANY USE OF THESE DRAWINGS OF THE INFORMATION CONTAINED HEREIN FOR ANY EASON OTHER THAN AS EXPRESSLY AUTHORIZED BY SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED CONTRACTORS PERFORMING AUTHORIZED WORK WITHIN THE SHELTER ARE AUTHORIZED TO USE THE INFORMATION CONTAINED WITHIN THE DRAWING FOR EQUIPMENT INSTALLATION PURPOSES. THIS DRAWING HAS BEEN DISTRIBUTED WITH THE UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE



AT&T **MOBILITY** 

PROJECT: 08'-0" X 8'-0" CONCRETE SHELTER SHOP DRAWINGS & CUT LIST

| FILENAME:<br>SATN70 |            |
|---------------------|------------|
| SCALE:              | TOLERANCE: |
| N.T.S.              |            |
| DRWN. BY:           | DATE:      |
| G. BRINKMAN         | 01/04/18   |
| CHK, BY:            | DATE:      |
| C. MITCHEL          | 01/04/18   |
| APP. BY:            | DATE:      |
| D. BRANNEN          | 01/04/18   |
| SHEET NO.           |            |
|                     |            |

REV.: IR

DRAWING NO.: SATN70

51-007 DOOR LOCKGUARD INSTALLATION 51-008 DOOR PULL HANDLE INSTALLATION DOOR HOLD OPEN INSTALLATION 51-010 DOOR CLOSER INSTALLATION 51-012 DOOR CANOPY INSTALLATION 51-013 ID SIGN LOCATION DOOR HARDWARE INSTALLATION 51-014 51-017 GROUND STRAP TO DOOR FRAME 51-029 MAGNETIC DOOR CONTACT INSTALLATION 51-034 DOOR WEATHER STRIP INSTALLATION 51-040 DOOR FRAME IDENTIFICATION MATRIX 52-003 STRAIGHT CLAMP INSTALLATION 52-004 CORNER CLAMP INSTALLATION 52-016 CABLE LADDER WALL BRACKET INSTALLATION 52-017 CABLE LADDER DOG LEG INSTALLATION 52-018 CABLE LADDER TO HANGER BRACKET INSTALLATION DETAIL CABLE LADDER INSTALLATION DETAIL (HANGER BRACKET) 52-021 CABLE LADDER HANGER BRACKET ONE LAYER INSTALLATION 55-001 HVAC BLOCKOUT SLEEVE INSTALLATION 55-002 HVAC FINISH SLEEVE INSTALLATION 55-003 HVAC MOUNTING ANGLE INSTALLATION DETAIL 55-004 HVAC INSTALLATION DETAIL 55-006 HVAC INSTALLATION AND CONNECTIONS 55-010 HVAC DRIP CAP INSTALLATION TILE INSTALLATION DETAIL BASE MOLD INSTALLATION DETAIL VINYL TILE INSTALLATION PROCEDURE GENERATOR CONNECTION DRAWING LEGEND GENERATOR ANCHOR INSTALLATION 80-001 1/2" PVC PIPE STANDOFF

# OPTIONAL COMPONENTS

| OPT.     | OPT. # | TAG # | QTY   | U/M | PART #  | DEPT | DESCRIPTION                          | MFG     | MFG PART #     | CUT      | PCS  |
|----------|--------|-------|-------|-----|---------|------|--------------------------------------|---------|----------------|----------|--|
|          |        | 1     | 1.00  | EA  | 440193  | 30   | SURGE ARRESTOR,RAY,NEMA 4            | RAYCAP  | DC12-48-60-25E |          |  |
|          |        | 2     | 2.00  | EA. | 410292  | 30   | CONNECTOR,LFMC,2",90°                |         |                |          |  |
|          |        | 3     | 2.00  | EA. | 410141  | 30   | COUPLING,RIGID,2"                    |         |                |          |  |
|          | A1     | 4     | 2.00  | EA. | 410258  | 30   | CONNECTOR,LFMC,2",STRAIGHT,ST        |         |                |          |  |
|          |        | 5     | 1.00  | FT. | 410232  | 30   | CONDUIT,LFMC,2",SEALTITE             |         |                | 12"      | 1  |
|          |        | 6     | 7.67  | FT. | 510126  | 30   | UNISTRUT,1 5/8" CHANNEL,P1000 GALV   |         |                | 46"      | 2  |
|          | \ \A1  | 7     | 1.00  | EA. | 410443  | 30   | CONNECTOR,LFNC,1/2",STRAIGHT,ST      |         |                |          |  |
|          |        | 8     | 5.5   | FT. | 400030  | 50   | WIRE,#6 THHN,STRAND,GRN              |         |                | 66"      | 1  |
|          |        | 9     | 5.5   | FT. | 410441  | 50   | CONDUIT,LFNC,1/2",SEALTITE           |         |                | 66"      | 1  |
|          |        | 10    | 1.00  | EA. | 400307  | 50   | LUG,2H,#4,GRY,3/8" BOLT,1" C/C       | PANDUIT | LCCXF4-38D-L   |          |  |
|          |        | 11    | 30.00 | FT. | 401381  | 150  | WIRE,#6,TELCOFLEX,GRAY,NO CLOTH      |         | S/W #57158301  | 180"     | 2  |
|          |        | 12    | 48.00 | EA. | 401380  | 150  | LUG,2H,#6,BLU,#10STUD,5/8"C/C,WINDO  | PANDUIT | LCDX6-10A-L    |          |  |
|          | A2     | 1     | 2.00  | EA. | 170128  | 30   | PIPE,GALV,2",CAP                     |         |                |          |  |
|          |        | 1     | 1.00  | EA. | 440193  | 30   | SURGE ARRESTOR,RAY,NEMA 4            | RAYCAP  | DC12-48-60-25E |          |  |
|          |        | 2     | 2.00  | EA. | 410292  | 30   | CONNECTOR,LFMC,2",90°                |         |                |          |  |
| .        |        | 3     | 2.00  | EA. | 410141  | 30   | COUPLING,RIGID,2"                    |         |                |          |  |
| i        | А3     | 4     | 2.00  | EA. | 410258  | 30   | CONNECTOR,LFMC,2",STRAIGHT,ST        |         |                |          | <del>                                     </del> |
| ;        |        | 5     | 1.00  | FT. | 410232  | 30   | CONDUIT,LFMC,2",SEALTITE             |         |                | 12"      | 1  |
| A A      |        | 6     | 7.67  | FT. | 510126  | 30   | UNISTRUT,1 5/8" CHANNEL,P1000 GALV   |         |                | 46"      | 2  |
|          |        | 7     | 1.00  | EA. | 410443  | 30   | CONNECTOR,LFNC,1/2" STRAIGHT,ST      |         |                |          |  |
|          |        | 8     | 6.00  | FT. | 400030  | 50   | WIRE,#6 THHN,STRAND,GRN              |         |                | 72"      | 1  |
| <u> </u> |        | 9     | 6.00  | FT. | 410441  | 50   | CONDUIT,LFNC,1/2" SEALTITE           |         |                | 72"      | 1  |
| 5        |        | 10    | 1.00  | EA. | 400307  | 50   | LUG,2H,#4,GRY,3/8" BOLT,1" C/C       |         |                |          |  |
| :        |        | 11    | 37.00 | FT. | 401381  | 150  | WIRE,#6,TELCOFLEX,GRAY,NO CLOTH      |         | S/W #57158301  | 222"     | 2  |
| :        |        | 12    | 48.00 | EA. | 401380  | 150  | LUG,2H,#6,BLU,#10STUD,5/8" C/C,WINDO | PANDUIT | LCDX6-10A-L    |          |  |
| ;        | A4     | 1     | 2.00  | EA. | 170128  | 30   | PIPE,GALV,2",CAP                     |         |                |          |  |
| į  <br>; |        | 1     | 1.00  | EA. | 440193  | 30   | SURGE ARRESTOR,RAY,NEMA 4            | RAYCAP  | DC12-48-60-25E |          |  |
|          |        | 2     | 2.00  | EA. | 410292  | 30   | CONNECTOR,LFMC,2",90°                |         |                |          |  |
|          |        | 3     | 2.00  | EA. | 410141  | 30   | COUPLING,RIGID,2"                    |         |                |          |  |
|          |        | 4     | 2.00  | EA. | 410258  | 30   | CONNECTOR,LFMC,2",STRAIGHT,ST        |         |                |          |  |
| !        |        | 5     | 1.00  | FT. | 410232  | 30   | CONDUIT,LFMC,2",SEALTITE             |         |                | 12"      | 1  |
| [ ]      | A5     | 6     | 7.67  | FT. | 510126  | 30   | UNISTRUT,1 5/8" CHANNEL,P1000 GALV   |         |                | 46"      | 2  |
| )        |        | 7     | 1.00  | EA. | 410443  | 30   | CONNECTOR,LFNC,1/2" STRAIGHT,ST      |         |                | <u> </u> | <del></del>                                      |
|          |        | 8     | 2.00  | FT. | 400030  | 50   | WIRE,#6 THHN,STRAND,GRN              |         |                | 24"      | 1  |
|          |        | 9     | 2.00  | FT. | 410441  | 50   | CONDUIT,LFNC,1/2" SEALTITE           |         |                | 24"      | 1  |
|          |        | 10    | 1.00  | EA. | 400307  |      | LUG,2H,#4,GRY,3/8" BOLT,1" C/C       |         | C/N/ #57450204 | 1.50     |  |
|          |        | 11    | 25.00 | FT. | 401381  |      | WIRE,#6,TELCOFLEX,GRAY,NO CLOTH      | 20020   | S/W #57158301  | 150"     | 2  |
|          | A.5    | 12    | 48.00 | EA. | 401380  |      | LUG,2H,#6,BLU,#10STUD,5/8" C/C,WINDO | PANDUIT | LCDX6-10A-L    |          |  |
|          | A6     | 1     | 2.00  | EA. | 170128  |      |                                      |         |                |          |  |
| В        | B1     | 1     |       |     | 40064.4 |      | NOT REQUIRED                         |         |                |          |  |
|          | B2     | 1     | 1.00  | EA. | 480614  | 99   | STEP ASSEM,30"W,2 STEP,9.5 RISE      |         |                |          |  |
| l c      | C1     |       |       |     |         |      | NOT REQUIRED                         |         |                |          | <u> </u>   |
|          | C2     | 1     | 1.00  | EA. | TBD     | 95   | GPS ANTENNA MOUNT                    |         |                |          |  |

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. All DESIGN, LAYOUT AND FABRICATION DETAILS CONTAINED IN THIS DRAWING ARE CONSIDERED PROPRIETARY. ANY USE OF THESE DRAWINGS OR THE INFORMATION CONTAINED HEREIN FOR ANY REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED. CONTRACTORS PERFORMING AUTHORIZED WORK WITHIN THE SHELTER ARE AUTHORIZED TO USE THE INFORMATION CONTAINED WITHIN THE DRAWING FOR EQUIPMENT INSTALLATION PURPOSES. THIS DRAWING HAS BEEN DISTRIBUTED WITH THE UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE.



SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT

CUSTOMER:

AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
OPTIONAL COMPONENTS
LIST

| FILENAME:    |          |       |
|--------------|----------|-------|
| SATN70       |          |       |
| SCALE:       | TOLERANG | Œ:    |
| N.T.S.       |          |       |
| DRWN. BY:    | DATE:    |       |
| G. BRINKMAN  | 01/0     | 14/18 |
| CHK, BY:     | DATE:    |       |
| C. MITCHEL   | 01/0     | 4/18  |
| APP. BY:     | DATE:    |       |
| D. BRANNEN   | 01/0     | 4/18  |
| SHEET NO.    |          |       |
| 0-5          |          |       |
|              |          |       |
| DRAWING NO.: |          | REV.: |
| SATN70       |          | IR    |

SHELTER REQUIRES ONE OPTION NUMBER FROM EACH OPTION LISTED.


NOTE THAT SOME OPTION NUMBERS ARE A KIT W/ MULTIPLE PARTS.

OPTIONS ARE IDENTIFIED ON THE DRAWING BY THE OPTION LETTER  $\boxed{X}$ , BY OPTION NUMBER XX , OR BY THE OPTION TAG NUMBER XX-X

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT =

|      | SUB-PARTS LIST |                                    |     |      |        |                                     |     |
|------|----------------|------------------------------------|-----|------|--------|-------------------------------------|-----|
| ITEM | P/N            | DESCRIPTION                        | CUT | ITEM | P/N    | DESCRIPTION                         | CUT |
| 26   | 510126         | UNISTRUT,1 5/8" CHANNEL,P1000 GALV | 18" | 88   | 410441 | CONDUIT,LFNC,1/2",SEALTITE          | 14" |
| 73   | 400099         | WIRE,#2 SOLID COPPER,BARE,TINNED   | 14" | 118  | 504400 | DOOR,DRIP CAP,NGF16A-48" (OR EQUAL) | 40" |
| 86   | 410441         | CONDUIT,LFNC,1/2",SEALTITE         | 36" |      |        |                                     |     |

12"



**EXTERIOR ELEVATION "A"** 

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT =

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. AND CONTAINS TRADE SECRETS OF CELLXION, LLC.
All DESIGN, LAYOUT AND FABRICATION DETAILS
CONTAINED IN THIS DRAWING ARE CONSIDERED
PROPRIETARY, ANY USE OF THESE DRAWINGS OR
THE INFORMATION CONTAINED HEREIN FOR ANY
REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY
SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED.
CONTRACTORS PERFORMING AUTHORIZED WORK
WITHIN THE SHELTER ARE AUTHORIZED TO USE THE
INFORMATION CONTAINED WITHIN THE DRAWING
FOR EQUIPMENT INSTALLATION PURPOSES. THIS
DRAWING HAS BEEN DISTRIBUTED WITH THE
LINDIESTANDING THAT ANYONE RECEIVING OR SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE.



AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
EXTERIOR ELEVATION
WALL "A"

| FILENAME:<br>SATN70    |            |
|------------------------|------------|
| SCALE:<br>1/2" = 1'-0" | TOLERANCE: |
| DRWN. BY:              | DATE:      |
| G. BRINKMAN            | 01/04/18   |
| CHK, BY:               | DATE:      |
| C. MITCHEL             | 01/04/18   |
| APP. BY:               | DATE:      |
| D. BRANNEN             | 01/04/18   |
| SHEET NO.              |            |
| 1-0                    |            |

DRAWING NO.: SATN70

IR

REV.:


87

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT

410441

CONDUIT,LFNC,1/2",SEALTITE

|      | SUB-PARTS LIST |                                  |     |      |        |                            |     |
|------|----------------|----------------------------------|-----|------|--------|----------------------------|-----|
| ITEM | P/N            | DESCRIPTION                      | CUT | ITEM | P/N    | DESCRIPTION                | CUT |
| 71   | 400099         | WIRE,#2 SOLID COPPER,BARE,TINNED | 54" | 90   | 410441 | CONDUIT,LFNC,1/2",SEALTITE | 24" |
| 72   | 400099         | WIRE,#2 SOLID COPPER,BARE,TINNED | 24" | 91   | 410441 | CONDUIT,LFNC,1/2",SEALTITE | 62" |
| 86   | 410441         | CONDUIT,LFNC,1/2",SEALTITE       | 36" | 92   | 410441 | CONDUIT,LFNC,1/2",SEALTITE | 69" |
| 89   | 410441         | CONDUIT,LFNC,1/2",SEALTITE       | 54" | 93   | 410441 | CONDUIT,LFNC,1/2",SEALTITE | 80" |



**EXTERIOR ELEVATION "C"** 

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. AND CONTAINS TRADE SECRETS OF CELLXION, LLC.
All DESIGN, LAYOUT AND FABRICATION DETAILS
CONTAINED IN THIS DRAWING ARE CONSIDERED
PROPRIETARY, ANY USE OF THESE DRAWINGS OR
THE INFORMATION CONTAINED HEREIN FOR ANY
REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY
SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED.
CONTRACTORS PERFORMING AUTHORIZED WORK
WITHIN THE SHELTER ARE AUTHORIZED TO USE THE
INFORMATION CONTAINED WITHIN THE DRAWING
FOR EQUIPMENT INSTALLATION PURPOSES. THIS
DRAWING HAS BEEN DISTRIBUTED WITH THE
LINDIESTANDING THAT ANYONE RECEIVING OR SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE.




CUSTOMER:


AT&T MOBILITY


PROJECT: 08'-0" X 8'-0" CONCRETE SHELTER EXTERIOR ELEVATION WALL "C"

| FILENAME:    |            |
|--------------|------------|
| SATN70       |            |
| SCALE:       | TOLERANCE: |
| 1/2" = 1'-0" |            |
| DRWN. BY:    | DATE:      |
| G. BRINKMAN  | 01/04/18   |
| CHK, BY:     | DATE:      |
| C. MITCHEL   | 01/04/18   |
| APP. BY:     | DATE:      |
| D. BRANNEN   | 01/04/18   |
| SHEET NO.    |            |
| 1-1          |            |
|              |            |
| DRAWING NO.: | REV.:      |
| SATNZO       | I IR       |

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT =







## FLOOR PLAN

64.00 SQ. FT. EXTERIOR BUILDING AREA 48.42 SQ. FT. INTERIOR BUILDING AREA

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT =

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. All DESIGN, LAYOUT AND FABRICATION DETAILS CONTAINED IN THIS DRAWING ARE CONSIDERED PROPRIETARY. ANY USE OF THESE DRAWINGS OR THE INFORMATION CONTAINED HEREIN FOR ANY REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED. CONTRACTORS PERFORMING AUTHORIZED WORK WITHIN THE SHELTER ARE AUTHORIZED TO USE THE INFORMATION CONTAINED WITHIN THE DRAWING FOR EQUIPMENT INSTALLATION PURPOSES. THIS DRAWING HAS BEEN DISTRIBUTED WITH THE UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE.



CUSTOMER:

AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
FLOOR PLAN

| FILENAME:    |         |       |
|--------------|---------|-------|
| SATN70       |         |       |
| SCALE:       | TOLERAN | CE:   |
| 1/2" = 1'-0" |         |       |
| DRWN. BY:    | DATE:   |       |
| G. BRINKMAN  | 01/0    | 14/18 |
| CHK, BY:     | DATE:   |       |
| C. MITCHEL   | 01/0    | 14/18 |
| APP. BY:     | DATE:   |       |
| D. BRANNEN   | 01/0    | 14/18 |
| SHEET NO.    | -       |       |
| 2-0          |         |       |
|              |         |       |
| DRAWING NO.: |         | REV.: |
| SATN70       |         | ΙR    |

EQUIPMENT LAYOUT PLAN

36"

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. All DESIGN, LAYOUT AND FABRICATION DETAILS CONTAINED IN THIS DRAWING ARE CONSIDERED PROPRIETARY. ANY USE OF THESE DRAWINGS OR THE INFORMATION CONTAINED HEREIN FOR ANY REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED. CONTRACTORS PERFORMING AUTHORIZED WORK WITHIN THE SHELTER ARE AUTHORIZED TO USE THE INFORMATION CONTAINED WITHIN THE DRAWING FOR EQUIPMENT INSTALLATION PURPOSES. THIS DRAWING HAS BEEN DISTRIBUTED WITH THE UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL ANTURE.

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT



CUSTOMER:


AT&T MOBILITY

PROJECT: 08'-0" X 8'-0" CONCRETE SHELTER EQUIPMENT LAYOUT PLAN

| FILENAME:    |          |       |
|--------------|----------|-------|
| SATN70       |          |       |
| SCALE:       | TOLERANG | CE:   |
| 1/2" = 1'-0" |          |       |
| DRWN. BY:    | DATE:    |       |
| G. BRINKMAN  | 01/0     | 04/18 |
| CHK, BY:     | DATE:    |       |
| C. MITCHEL   | 01/0     | 04/18 |
| APP. BY:     | DATE:    |       |
| D. BRANNEN   | 01/0     | 04/18 |
| SHEET NO.    |          |       |
| 2-1          |          |       |
|              |          |       |
| DRAWING NO.: |          | REV.: |

IR

SATN70



ROOM OVERLAY PLAN

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT =

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. All DESIGN, LAYOUT AND FABRICATION DETAILS CONTAINED IN THIS DRAWING ARE CONSIDERED PROPRIETARY. ANY USE OF THESE DRAWINGS OR THE INFORMATION CONTAINED HEREIN FOR ANY REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED. CONTRACTORS PERFORNING AUTHORIZED WORK WITHIN THE SHELTER ARE AUTHORIZED TO USE THE INFORMATION CONTAINED WITHIN THE DRAWING FOR EQUIPMENT INSTALLATION PURPOSES. THIS DRAWING HAS BEEN DISTRIBUTED WITH THE UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE. SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT



AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
ROOM OVERLAY PLAN

| FILENAME:    |          |       |
|--------------|----------|-------|
| SATN70       |          |       |
| SCALE:       | TOLERANG | CE:   |
| 1/2" = 1'-0" |          |       |
| DRWN. BY:    | DATE:    |       |
| G. BRINKMAN  | 01/0     | 14/18 |
| CHK, BY:     | DATE:    |       |
| C. MITCHEL   | 01/0     | 14/18 |
| APP. BY:     | DATE:    |       |
| D. BRANNEN   | 01/0     | 14/18 |
| SHEET NO.    |          |       |
| 2-2          |          |       |
|              |          |       |
| DRAWING NO.: |          | REV : |
| SATN70       |          | ĪR    |

|      | SUB-PARTS LIST |  |      |  |
|------|----------------|--|------|--|
| ITEM | P/N            | DESCRIPTION                                | CUT  |  |
| 19   | 430267         | WIREWAY,GALV,4"X4"X24",W/O KO'S (OR EQUAL) | 24"  |  |
| 32   | 410111         | CONDUIT,LFMC,3/4",SEALTITE (OR EQUAL)      | 60"  |  |
| 34   | 410111         | CONDUIT,LFMC,3/4",SEALTITE (OR EQUAL)      | 120" |  |
| 35   | 410112         | CONDUIT,LFMC,1/2",SEALTITE (OR EQUAL)      | 60"  |  |

LEGEND:

IF = INTERIOR FINISH STARTING PANEL


THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. AND CONTAINS TRADE SECRETS OF CELLXION, LLC.
All DESIGN, LAYOUT AND FABRICATION DETAILS
CONTAINED IN THIS DRAWING ARE CONSIDERED
PROPRIETARY, ANY USE OF THESE DRAWINGS OR
THE INFORMATION CONTAINED HEREIN FOR ANY
REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY
SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED.
CONTRACTORS PERFORMING AUTHORIZED WORK
WITHIN THE SHELTER ARE AUTHORIZED TO USE THE
INFORMATION CONTAINED WITHIN THE DRAWING
FOR EQUIPMENT INSTALLATION PURPOSES. THIS
DRAWING HAS BEEN DISTRIBUTED WITH THE
LINDERSTANDING THAT ANYONE RECEIVING OR SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE.



AT&T MOBILITY

PROJECT: 08'-0" X 8'-0" CONCRETE SHELTER REFLECTED CEILING PLAN (ELECTRICAL)

| FILENAME:    |          |       |
|--------------|----------|-------|
| SATN70       |          |       |
| SCALE:       | TOLERANG | Œ:    |
| 1/2" = 1'-0" |          |       |
| DRWN. BY:    | DATE:    |       |
| G. BRINKMAN  | 01/0     | 14/18 |
| CHK, BY:     | DATE:    |       |
| C. MITCHEL   | 01/0     | 4/18  |
| APP. BY:     | DATE:    |       |
| D. BRANNEN   | 01/0     | 4/18  |
| SHEET NO.    |          |       |
| 3-0          |          |       |
|              |          |       |
| DRAWING NO.: |          | REV.: |
| SATN70       |          | IR    |



REFLECTED CEILING PLAN

(ELECTRICAL)

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT

1. SEE REF DWG 108-015 FOR ELECTRICAL LEGENDS & STANDARD NOTES

TÈLCOFLEX)

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT =

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. AND CONTAINS TRADE SECRETS OF CELLXION, LLC.
All DESIGN, LAYOUT AND FABRICATION DETAILS
CONTAINED IN THIS DRAWING ARE CONSIDERED
PROPRIETARY. ANY USE OF THESE DRAWINGS OR
THE INFORMATION CONTAINED HEREIN FOR ANY
REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY
SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED.
CONTRACTORS PERFORNING AUTHORIZED WORK
WITHIN THE SHELTER ARE AUTHORIZED TO USE THE
INFORMATION CONTAINED WITHIN THE DRAWING
FOR EQUIPMENT INSTALLATION PURPOSES. THIS
DRAWING HAS BEEN DISTRIBUTED WITH THE
UNDERSTANDING THAT ANYONE RECEIVING OR
OTHERWISE OBTAINING POSSESSION OF IT WILL BE
EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE. SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT



AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
REFLECTED CEILING
PLAN (RAYCAP TELCOFLEX)

| П | FILENAME:    |         |       |
|---|--------------|---------|-------|
| П | SATN70       |         |       |
| П | SCALE:       | TOLERAN | CE:   |
| Ш | 1/2" = 1'-0" |         |       |
| П | DRWN. BY:    | DATE:   |       |
| П | G. BRINKMAN  | 01/0    | 04/18 |
| П | CHK, BY:     | DATE:   |       |
| П | C. MITCHEL   | 01/0    | 14/18 |
| П | APP. BY:     | DATE:   |       |
| П | D. BRANNEN   | 01/0    | 14/18 |
| П | SHEET NO.    |         |       |
| П | 3-1          |         |       |
| П | 3 1          |         |       |
| I | DRAWING NO.: |         | REV.: |

ΙR

SATN70

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. AND CONTAINS TRADE SECRETS OF CELLXION, LLC.
All DESIGN, LAYOUT AND FABRICATION DETAILS
CONTAINED IN THIS DRAWING ARE CONSIDERED
PROPRIETARY. ANY USE OF THESE DRAWINGS OR
THE INFORMATION CONTAINED HEREIN FOR ANY
REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY
SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED.
CONTRACTORS PERFORMING AUTHORIZED WORK
WITHIN THE SHELTER ARE AUTHORIZED TO USE THE
INFORMATION CONTAINED WITHIN THE DRAWING
FOR EQUIPMENT INSTALLATION PURPOSES. THIS
DRAWING HAS BEEN DISTRIBUTED WITH THE
LINDERSTANDING THAT ANYONE RECFLYING OR SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE.



AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
REFLECTED CEILING PLAN
(ELECTRICAL) DETAILS

| FILENAME:<br>SATN70 |            |
|---------------------|------------|
| SCALE:<br>N.T.S.    | TOLERANCE: |
| DRWN. BY:           | DATE:      |
| G. BRINKMAN         | 01/04/18   |
| CHK BY:             | DATE:      |
| C. MITCHEL          | 01/04/18   |
| APP. BY:            | DATE:      |
| D. BRANNEN          | 01/04/18   |
| SHEET NO.           |            |
| <i>3=2</i>          |            |
| DRAWING NO.:        | REV.:      |

IR

SATN70


|      |        | SUB-PARTS LIST                                 |         |
|------|--------|--|---------|
| ITEM | P/N    | DESCRIPTION                                    | CUT     |
| 66   | 400050 | WIRE,#2 THHN,STRAND,GRN                        | 24"     |
| 97   | 510000 | CABLE LADDER,12"X9'8 1/2",YELLOW ZI (OR EQUAL) | 74 1/2" |
| 98   | 510000 | CABLE LADDER,12"X9'8 1/2",YELLOW ZI (OR EQUAL) | 73 7/8" |
| 100  | 510000 | CABLE LADDER,12"X9'8 1/2",YELLOW ZI (OR EQUAL) | 62 1/2" |

## LEGEND:

= CABLE LADDER SPLICE LOCATION

F = CABLE LADDER FACTORY CUT END

IF = INTERIOR FINISH STARTING PANEL



SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT

1. CABLE TRAY TO BE MOUNTED 7'-2 1/2" (85 1/2") A. F. F.

REFLECTED CEILING PLAN (MECHANICAL)

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT =

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. AND CONTAINS TRADE SECRETS OF CELLXION, LLC.
All DESIGN, LAYOUT AND FABRICATION DETAILS
CONTAINED IN THIS DRAWING ARE CONSIDERED
PROPRIETARY, ANY USE OF THESE DRAWINGS OR
THE INFORMATION CONTAINED HEREIN FOR ANY
REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY
SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED.
CONTRACTORS PERFORMING AUTHORIZED WORK
WITHIN THE SHELTER ARE AUTHORIZED TO USE THE
INFORMATION CONTAINED WITHIN THE DRAWING
FOR EQUIPMENT INSTALLATION PURPOSES. THIS
DRAWING HAS BEEN DISTRIBUTED WITH THE
LINDERSTANDING THAT ANYONE RECEIVING OR UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE.




AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
REFLECTED CEILING
PLAN (MECHANICAL)

| FILENAME:<br>SATN70    |          |       |
|------------------------|----------|-------|
| SCALE:<br>1/2" = 1'-0" | TOLERANG | Œ:    |
| DRWN. BY:              | DATE:    |       |
| G. BRINKMAN            | 01/0     | 14/18 |
| CHK, BY:               | DATE:    |       |
| C. MITCHEL             | 01/0     | 14/18 |
| APP. BY:               | DATE:    |       |
| D. BRANNEN             | 01/0     | 14/18 |
| SHEET NO.              |          |       |
| 3-3                    |          |       |
| DRAWING NO.:           |          | REV.: |
| SATN70 IR              |          | IR    |
|                        |          |       |

|      |        | SUB-PARTS LIST          | 31.21.2 21.2 33 |
|------|--------|-------------------------|-----------------|
| ITEM | P/N    | DESCRIPTION             | CUT             |
| 67   | 400050 | WIRE,#2 THHN,STRAND,GRN | 384"            |



## NOTE:

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT

- 1. HALO ATTACHED TO CEILING WITH WIRE STANDOFFS.
- 2. ALL GROUND DROPS AND EQUIPMENT GROUNDING ATTACH TO HALO EXCEPT AS NOTED ON DRAWING.

REFLECTED CEILING PLAN

(HALO AND GENERATOR GROUNDING)

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT —

THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. All DESIGN, LAYOUT AND FABRICATION DETAILS CONTAINED IN THIS DRAWING ARE CONSIDERED PROPRIETARY. ANY USE OF THESE DRAWINGS OR THE INFORMATION CONTAINED HEREIN FOR ANY REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED. CONTRACTORS PERFORMING AUTHORIZED WORK WITHIN THE SHELTER ARE AUTHORIZED TO USE THE INFORMATION CONTAINED WITHIN THE DRAWING FOR EQUIPMENT INSTALLATION PURPOSES. THIS DRAWING HAS BEEN DISTRIBUTED WITH THE UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE.





CUSTOMER

AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
REFLECTED CEILING
PLAN (HALO & GEN GND)

| FILENAME:<br>SATN70 |                          |  |
|---------------------|--------------------------|--|
| 1'-0"               | TOLERANO                 | Œ:   |
| 1 0                 | DATE:                    |  |
| KMAN                | 01/0                     | 4/18   |
|                     | DATE:                    |  |
| CHEL                | 01/0                     | 4/18   |
|                     | DATE:                    |  |
| VNEN                | 01/0                     | 4/18   |
|                     |                          |  |
|                     |                          |  |
| IO.:                |                          | REV.:  |
| )                   |                          | IR   |
|                     | 1'-0"  KMAN  CHEL  VINEN | 1'-0"  DATE: 01/0  DATE: 01/0  CHEL 01/0  DATE: 01/0  OATE: 01/0 |





THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. AND CONTAINS TRADE SECRETS OF CELLXION, LLC.
All DESIGN, LAYOUT AND FABRICATION DETAILS
CONTAINED IN THIS DRAWING ARE CONSIDERED
PROPRIETARY, ANY USE OF THESE DRAWINGS OR
THE INFORMATION CONTAINED HEREIN FOR ANY
REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY
SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED.
CONTRACTORS PERFORMING AUTHORIZED WORK
WITHIN THE SHELTER ARE AUTHORIZED TO USE THE
INFORMATION CONTAINED WITHIN THE DRAWING
FOR EQUIPMENT INSTALLATION PURPOSES. THIS
DRAWING HAS BEEN DISTRIBUTED WITH THE
LINDIESTANDING THAT ANYONE RECEIVING OR UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE.



SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT


AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
INTERIOR ELEVATION WALLS
"B" & "D" (ELECTRICAL)

| FILENAME:    |            |
|--------------|------------|
| SATN70       |            |
| SCALE:       | TOLERANCE: |
| 1/2" = 1'-0" |            |
| DRWN. BY:    | DATE:      |
| G. BRINKMAN  | 01/04/18   |
| CHK BY:      | DATE:      |
| C. MITCHEL   | 01/04/18   |
| APP. BY:     | DATE:      |
| D. BRANNEN   | 01/04/18   |
| SHEET NO.    |            |
| 4-1          |            |

DRAWING NO.: REV.: SATN70 ΙR

|      | SUB-PARTS LIST |                                  |      |  |  |
|------|----------------|----------------------------------|------|--|--|
| ITEM | P/N            | DESCRIPTION                      | CUT  |  |  |
| 29   | 400050         | WIRE,#2 THHN,STRAND,GRN          | 48"  |  |  |
| 64   | 400030         | WIRE, #6 THHN, STRAND, GRN       | 420" |  |  |
| 68   | 400050         | WIRE,#2 THHN,STRAND,GRN          | 12"  |  |  |
| 70   | 400099         | WIRE,#2 SOLID COPPER,BARE,TINNED | 216" |  |  |



THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. All DESIGN, LAYOUT AND FABRICATION DETAILS CONTAINED IN THIS DRAWING ARE CONSIDERED PROPRIETARY. ANY USE OF THESE DRAWINGS OR THE INFORMATION CONTAINED HEREIN FOR ANY REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED. CONTRACTORS PERFORMING AUTHORIZED WORK WITHIN THE SHELTER ARE AUTHORIZED TO USE THE INFORMATION CONTAINED WITHIN THE DRAWING FOR EQUIPMENT INSTALLATION PURPOSES. THIS DRAWING HAS BEEN DISTRIBUTED WITH THE UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL MATURE.



SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT

CUSTOMER:

AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
INTERIOR ELEVATION
WALL "A" & "C" (MECHANICAL)

| FILENAME:    |            |  |  |
|--------------|------------|--|--|
| SATN70       |            |  |  |
| SCALE:       | TOLERANCE: |  |  |
| 1/2" = 1'-0" |            |  |  |
| DRWN. BY:    | DATE:      |  |  |
| G. BRINKMAN  | 01/04/18   |  |  |
| CHK, BY:     | DATE:      |  |  |
| C. MITCHEL   | 01/04/18   |  |  |
| APP. BY:     | DATE:      |  |  |
| D. BRANNEN   | 01/04/18   |  |  |
| SHEET NO.    | · ·        |  |  |
| 5-0          |            |  |  |
| 50           |            |  |  |
| DRAWING NO:  | pev.       |  |  |

ΙR

SATN70

NOTE:


SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT

1. ALL GROUND DROPS AND EQUIPMENT GROUNDING ATTACH TO CEILING MOUNTED HALO EXCEPT WHERE NOTED.

|      | SUB-PARTS LIST |  |      |  |
|------|----------------|--|------|--|
| ITEM | P/N            | DESCRIPTION                                    | CUT  |  |
| 99   | 510000         | CABLE LADDER,12"X9'8 1/2",YELLOW ZI (OR EQUAL) | 82"  |  |
| 64   | 400030         | WIRE, #6 THHN, STRAND, GRN                     | 420" |  |

INTERIOR ELEVATION "B"

(MECHANICAL)



THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC.

AT&T MOBILITY

PROJECT:
08'-0" X 8'-0"
CONCRETE SHELTER
INTERIOR ELEVATION WALLS
"B" & "D" (MECHANICAL)

| ı | FILENAME:    |            |
|---|--------------|------------|
| ı | SATN70       |            |
| ı | SCALE:       | TOLERANCE: |
|   | 1/2" = 1'-0" |            |
|   | DRWN. BY:    | DATE:      |
| ı | G. BRINKMAN  | 01/04/18   |
|   | CHK, BY:     | DATE:      |
|   | C. MITCHEL   | 01/04/18   |
|   | APP. BY:     | DATE:      |
|   | D. BRANNEN   | 01/04/18   |
|   | SHEET NO.    |            |
|   | 5-1          |            |
|   | = =          |            |

NOTE:

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT

1. ALL GROUND DROPS AND EQUIPMENT GROUNDING ATTACH TO CEILING MOUNTED HALO EXCEPT WHERE NOTED.

SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT =

INTERIOR ELEVATION "D"


(MECHANICAL)

AND CONTAINS TRADE SECRETS OF CELLXION, LLC.
All DESIGN, LAYOUT AND FABRICATION DETAILS
CONTAINED IN THIS DRAWING ARE CONSIDERED
PROPRIETARY. ANY USE OF THESE DRAWINGS OR
THE INFORMATION CONTAINED HEREIN FOR ANY
REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY
SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED.
CONTRACTORS PERFORMING AUTHORIZED WORK
WITHIN THE SHELTER ARE AUTHORIZED TO USE THE
INFORMATION CONTAINED WITHIN THE PRAYING SABRE INDUSTRIES(TM) PROPRIETARY DOCUMENT INFORMATION CONTAINED WITHIN THE DRAWING FOR EQUIPMENT INSTALLATION PURPOSES. THIS DRAWING HAS BEEN DISTRIBUTED WITH THE UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE.

DRAWING NO.:

REV.: SATN70

ΙR



THIS DRAWING IS THE CONFIDENTIAL PROPERTY AND CONTAINS TRADE SECRETS OF CELLXION, LLC. AND CONTAINS TRADE SECRETS OF CELLXION, LLC.
All DESIGN, LAYOUT AND FABRICATION DETAILS
CONTAINED IN THIS DRAWING ARE CONSIDERED
PROPRIETARY. ANY USE OF THESE DRAWINGS OR
THE INFORMATION CONTAINED HEREIN FOR ANY
REASON OTHER THAN AS EXPRESSLY AUTHORIZED BY
SABRE INDUSTRIES, INC. IS STRICTLY PROHIBITED.
CONTRACTORS PERFORMING AUTHORIZED WORK
WITHIN THE SHELTER ARE AUTHORIZED TO USE THE
INFORMATION CONTAINED WITHIN THE DRAWING
FOR EQUIPMENT INSTALLATION PURPOSES. THIS
DRAWING HAS BEEN DISTRIBUTED WITH THE
LINDERSTANDING THAT ANYONE RECFEVING OR UNDERSTANDING THAT ANYONE RECEIVING OR OTHERWISE OBTAINING POSSESSION OF IT WILL BE EXPRESSLY NOTIFIED OF ITS CONFIDENTIAL NATURE

PROJECT: 08'-0" X 8'-0" CONCRETE SHELTER MECHANICAL GROUND BAR GROUNDING DETAILS

| ETI ENIANE   |            |  |  |
|--------------|------------|--|--|
| FILENAME:    |            |  |  |
| SATN70       |            |  |  |
| SCALE:       | TOLERANCE: |  |  |
| AS NOTED     |            |  |  |
| DRWN. BY:    | DATE:      |  |  |
| G. BRINKMAN  | 01/04/18   |  |  |
| CHK, BY:     | DATE:      |  |  |
| C. MITCHEL   | 01/04/18   |  |  |
| APP. BY:     | DATE:      |  |  |
| D. BRANNEN   | 01/04/18   |  |  |
| SHEET NO.    |            |  |  |
| <i>5-2</i>   |            |  |  |
| 32           |            |  |  |
| DRAWING NO.: | REV.:      |  |  |