

Historic Architectural Review Commission Staff Report for Item 3

To: Chairman Bryan Green and Historic Architectural Review

Commission Members

From: Enid Torregrosa, MSHP

Historic Preservation Planner

Meeting Date: July 24, 2019

Applicant: Richard Dorsal, Owner

Application Number: H2019-0023

Address: #208 Truman Avenue

Description of Work

Demolition of dilapidated rear addition. Second Reading

Site Facts

The main structure in the site is a contributing resource to the historic district. Built circa 1923, the historic one-story frame vernacular house is showing signs of deterioration due to poor maintenance. The house is a shotgun structure with one sawtooth on its rear. A circa 1965 photograph depicts a rear shed addition. Currently the rear shed addition and a non-historic addition are in disrepair.

In June 19, 2019 the Commission approved submitted plans for the building and the first reading for demolition of the dilapidated rear additions.

Ordinances Cited on Review:

- Section 102-217 (2), demolition for non-contributing or non-historic structures of the Land Development Regulations for demolition of rear addition
- Section 102-217 (3), demolition for contributing and historic structures of the Land Development Regulations for the demolition of the rear shed addition next to the sawtooth.

Staff Analysis

The Certificate of Appropriateness proposes the demolition of the existing historic rear attached shed structure. This report is for the second reading for demolition. The applicant has submitted drawings for new proposed replacements.

It is staff's opinion that the request for the demolition of historic portions of the building shall be based on the demolition criteria of Chapter 102 Section 218 of the LDR's. The criteria state the following;

- (a) The historic architectural review commission shall issue a certificate of appropriateness for an application for demolition:
 - (1) If the subject of the application is a contributing or historic building or structure, then it should not be demolished unless its condition is irrevocably compromised by extreme deterioration or it does not meet any of the criteria of section 102-125(1) through (9).

It is staff's opinion that the existing portions of historic shed portion of the house may qualify as irreparable compromised by extreme deterioration. Moreover, the interior height is less than the minimum required height by FBC.

The following is the criteria of section 102-125:

- 1 Embodies no distinctive characteristics of a type, period, or method of construction of aesthetic or historic significance in the city and is not a significant and distinguishable building entity whose components may lack individual distinction:
 - Staff opines that the historic portion of the house in question does not exemplifies any significant architectural or any specific method of construction.
- 2 Is not specifically associated with events that have made a significant contribution to local, state, or national history;
 - Staff has not found any significant events that had happened in the site that has contributed to local, state, or national history.
- 3 Has no significant character, interest, or value as part of the development, heritage, or cultural characteristics of the city, state or nation, and is not associated with the life of a person significant in the past;
 - The portions of the house in question do not have significant value as part of a development, heritage, or cultural record of the city.
- 4 Is not the site of a historic event with a significant effect upon society;

Staff was not able to find the house been associated to any significant event.

5 Does not exemplify the cultural, political, economic, social, or historic heritage of the city;

The portions of the house in question are not an example of social, cultural, and historic heritage of the city.

6 Does not portray the environment in an era of history characterized by a distinctive architectural style;

The portions of the house in question are not unique examples of distinctive architectural style.

7 If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif;

The house in question is not part of a park or square.

8 Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhood; and

The structure does not have a unique location or visual feature characteristics.

9 Has not yielded, and is not likely to yield, information important in history.

The structure in question will not yield important information in history.

It is staff's opinion that the Commission can review the request for demolition. If approved this will be the last reading for demolition of the shed portion of the house.

APPLICATION

HARC MAJOR PROJECTS CERTIFICATE OF APPROPRIATENESS

\$400 NON-REFUNDABLE BASE APPLICATION FEE - OTHER FEES MAY BE APPLICABLE



City of Key West

1300 WHITE STREET KEY WEST, FLORIDA 33040

HARC COA # # 2019-2023	REVISION #	INITIAL & DATE	
FLOOD ZONE	ZONING DISTRICT	BLDG PERMIT #	

A PRE-APPLICATION MEETING WITH HARC STAFF IS REQUIRED PRIOR TO SUBMITTAL

ADDRESS OF PROPOSED PROJECT:	208 TRUMAN	A110
NAME ON DEED:	RICK DOSTA	PHONE NUMBER
OWNER'S MAILING ADDRESS:	208 Numan Ave	EMAIL (230 G MAIL COR
APPLICANT NAME:		PHONE NUMBER
APPLICANT'S ADDRESS:		EMAIL
APPLICANT'S SIGNATURE:		DATE 5/28/15
ANY PERSON THAT MAKES CHANGES	TO AN APPROVED CERTIFICATE OF	FAPPROPRIATENESS MUST SUBMIT A NEW APPLICATION.
PROJECT INCLUDES: REPLACEMENT OF PROJECT INVOLVES A CONTRIBUTING STR	WINDOWS RELOCATION OF SUCTURE: YES NO IS INDIVIDUALLY LISTED ON THE NAT	A STRUCTURE ELEVATION OF A STRUCTURE INVOLVES A HISTORIC STRUCTURE: YES NO
DETAILED PROJECT DESCRIPTIO	N INCLUDING MATERIALS, HEIGHT,	DIMENSIONS, SQUARE FOOTAGE, LOCATION, ETC.
GENERAL: REPAIR REGIOR RAISE BUILDIN	Le CUTTRUE Mouse	- PROW ROOP TO PIERS
11-CRIMI PODE	STICCOED DIERS BY	THE RESIDENCE TO LA
SIANG IN WOOD.	Jacon Condours pood	ARD AND BATTEN AND CLAPBOARD
MAIN BUILDING:	- 6000E	N SIEV 11 ELS
DEMOLITION (PLEASE FILL OUT AND ATTACH	H DEMOLITION APPENDIX):	
Demo	Rest Porect	

APPLICATIONS MUST BE SUBMITTED IN PERSON WITH HARD COPIES BY 3PM ON THE SCHEDULED DEADLINE PLEASE SEND AN ELECTRONIC COPY OF ALL DOCUMENTS TO HARC@CITYOFKEYWEST-FL.GOV

ACCESSORY STRUCTURE(S)		A 21	
	U.		
		FENCES:	
PAVERS:		FENCES.	
DECKS:		PAINTING:	
SITE (INCLUDING GRADING,	FILL, TREES, ETC):	POOLS (INCLUDING EQUIPMENT):	
	10 10 VENTO ==0	OTUED.	
ACCESSORY EQUIPMENT (G	AS, A/C, VENTS, ETC.):	OTHER:	
			10.772.71
OFFICIAL USE ONLY:	HARC C	OMMISSION REVIEW E	XPIRES ON:
MEETING DATE:	APPROVED NOT APPR	OVED DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
MEETING DATE:	APPROVED NOT APPR		INITIAL:
MEETING DATE:	APPROVED NOT APPR	A	INITIAL:
	AFFROVEDNOTATIO		

THIS APPLICATION MAY BE REVIEWED BY PLANNING DEPARTMENT STAFF.

CITY OF KEY WEST CERTIFICATE OF APPROPRIATENESS APENDIX FOR DEMOLITIONS



APPLICATION NUMBER H-__-_

This document applies only to those properties located within the City of Key West Historic Zoning Districts, properties outside the historic zoning districts which are listed as contributing in the Historic Architectural Survey and or properties listed in the National Register of Historic Places.

Applications must meet or exceed the requirements outlined by the Secretary of the Interior's Standards for Rehabilitation and Guidelines for Rehabilitation and the Key West's Historic Architectural Guidelines. Once submitted, the application shall be reviewed by staff for completeness and scheduled for presentation to the Historic Architectural Review Commission for the next available meeting, unless the demolition request is for a bona fide Code Compliance case, in which case staff may review and approve the demolition request. The applicant must be present at this meeting. Any person that makes changes to an approved Certificate of Appropriateness must submit a new application with such modifications.

The filing of this application does not ensure approval as submitted. Applications that do not possess the required submittals or documentation will be considered incomplete and will not be reviewed for approval.

CRITERIA FOR DEMOLITIONS

Before any Certificate of Appropriateness may be issued for a demolition request, the Historic Architectural Review Commission must find that the following requirements are met (please review and comment on each criterion that applies);

demol	subject of the application is a contributing or historic building or structure, then it should not be ished unless its condition is irrevocably compromised by extreme deterioration or it does not meet the following criteria:
(a)	The existing condition of the building or structure is irrevocably compromised by extreme deterioration. THE REAR PORCH MEETS THIS DEFINITION CRITERIA.
	Embodies no distinctive characteristics of a type, period, or method of construction of aesthetic or historic significance in the city and is not a significant and distinguishable building entity whose components may lack individual distinction. MOBERN YOU HISTORIC ROAR PORCH ADDITION
(b)	Is not specifically associated with events that have made a significant contribution to local, state, or national history. NOT ASSOCIATES WITH SICIL EVENTS

	THE ABOVE 1> TRUE
)	Is not the site of a historic event with a significant effect upon society.
	THE ABOVE IS TRUE
	Does not exemplify the cultural, political, economic, social, or historic heritage of the city. THE ABOVE IS TRUE
1	Does not portray the environment in an era of history characterized by a distinctive architectur style.
	THE ABOVE IS TRUE
,	If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, carchitectural motif.
١	developed of preserved according to a plan based on the area's historic cultural natural
,	
,	Does not have a unique location or singular physical characteristic which represents are established and familiar visual feature of its neighborhood or of the city and does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city and does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city and does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city and does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city and does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city and does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city and does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city and does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city and does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city and does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city and does not have a unique location or singular physical characteristic which is not the city and the city a
	Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does no exemplify the best remaining architectural type in a neighborhood.


CITY OF KEY WEST CERTIFICATE OF APPROPRIATENESS APENDIX FOR DEMOLITIONS APPLICATION NUMBER H-__-_-




(2) For a contributing historic or noncontributing building or structure, a complete construction plan for the site is approved by the Historic Architectural Review Commission. (a) A complete construction plan for the site is included in this application Yes Number of pages and date on plans _____No Reason_____ The following criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The Commission shall not issue a Certificate of Appropriateness that would result in the following conditions (please review \ and comment on each criterion that applies); (1) Removing buildings or structures that are important in defining the overall historic character of a district or neighborhood so that the character is diminished. REMOVER WILL NOT SIMINISH NEIBERHOW (2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space; and Remare whe NOT DESTROY Any Hispalic AND (3) Removing an historic building or structure in a complex; or removing a building facade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood. DEFINING HOTORIC CHARACTER (4) Removing buildings or structures that would otherwise qualify as contributing. CATER ADDITION NOT CONRIBUTING

Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.


	ss, I realize that this project will require a Building Permit, approval PRIOR to and that there will be a final inspection required under this application. I also oved Certificate of Appropriateness must be submitted for review. Cal Dosman 5/28/19 Date and print name:
	OFFICE USE ONLY
Contributing Year builtNot listed Year built	BUILDING DESCRIPTION: Style Listed in the NRHP Year Comments
Reviewed by Staff on Notice of hearing posted First reading meeting date Second Reading meeting date TWO YEAR EXPIRATION DATE	Staff Comments



1926 Sanborn Map



1948 Sanborn Map



1962 Sanborn Map

PROJECT PHOTOS



208 Truman Avenue circa 1965. Monroe County Library













Demo EAST







MAP OF BOUNDARY SURVEY

Lots 3 and 4 in Square 7 of Tract 10 according to E.C. Howe's Map ON THE ISLAND OF KEY WEST, MONROE COUNTY, FLORIDA

LOCATION MAP - NTS

LEGAL DESCRIPTIONS:

OFFICIAL RECORDS BOOK 2681, PAGE 1682 On the Island of Key West, known on Wm. A. Whitehead's map, dedicated February, A.D., 1829, as part of Tract Number Ten (10) but better known and described as Lot Number Three (3) in Square Seven (7) according to a subdivision made of Tract Ten (10) by Edward C. Howe, and is bounded as

Commencing at a point in said Square Seven (7) on Division street, one hundred (100) feet from the corner of Howe Street, and running thence in a Southwesterly direction along said Division Street fifty (50) feet; thence at right angles in a Southeasterly direction and parallel with Howe and Emma Streets in ninety-four (94) feet seven (7) inches; thence at right angles in a Northeasterly direction and parallel with Division and Julia Streets fifty (50) feet; thence at right angles in a Northwesterly direction ninety-four (94) feet seven (7) inches back to Division Street at the place of beginning.

AND

OFFICIAL RECORDS BOOK 1266, PAGE 2000 On the Island of Key West, and is part of Tract Ten (10), according to William A. Whitehead's Map of the Island of Key West, delineated in February A.D. 1829, but now better known as Lot Four (4) in Square Seven (7) of said Tract Ten (10) according to E.C. Howe's Map or Plan of said Tract Ten (10). Said lot having a frontage of fifty (50) feet on Division Street and extending back at right angles on both lines thereto Ninety Four (94) feet and Seven (7) inches.

NOTE: PROPERTIES SURVEYED AS ONE SITE PER THE CLIENTS REQUEST

BENCHMARK USED: PID AA0018 STAMPING: U26-7, 1966 ELEV.: 11.63', NGVD29

SURVEYORS NOTES:

ELEVATIONS SHOWN AS X.XX REFER TO NGVD29 VERTICAL DATUM

> COMMUNITY NO.: 120168 MAP NO.: 12087C-1516K MAP DATE: 02-18-05 FLOOD ZONE: AE BASE ELEVATION: 6' & 7'

This parcel crosses more than one National Flood Insurance Program Flood Zone line(s), the approximate location of which are shown hereon. These lines are approximate in their location, as scaled from F.E.M.A. Flood Insurance Rate Map 12087C, Panel No. 1516K, last revised on 02/18/05. The flood map is at a scale of 1" - 500' \pm . At this scale the line itself is 10'± in width. In addition to the small scale the map is extremely vague, making precise location of the subject parcel impossible. These lines are shown hereon for informational purposes only, and should not be used as the sole criteria for determining construction limits. The location of these lines should be verified by the appropriate authorities prior to construction.

BENCHMARK: NORTH RIM SANITARY MANHOLE EL. = 5.02', NGVD29

NORTH ASSUMED FROM PLAT OR LEGAL DESCRIPTION

SCALE: 1'' = 20'

ALL ANGLES DEPICTED ARE 90 DEGREES UNLESS OTHERWISE INDICATED

BEARING BASE:

90° LOTS

ADDRESS: 208-210 TRUMAN STREET KEY WEST, FLORIDA

LEGAL DESCRIPTION -

SEE ABOVE

FIELD WORK 03-26-15

INVOICE #: 15032302

SCALE:

REVISION

1"=20'

CERTIFIED TO -RICHARD DOSTAL

I HEREBY CERTIFY THAT THIS SURVEY WAS MADE UNDER MY RESPONSIBLE CHARGE AND IFETS THE STANDARDS OF PRACTICE AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 5J-17, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES. THIS SURVEY, WHEN SCHEDULE B HAS BEEN PROVIDED MEETS THE PROVISIONS OF FLORIDA ENDORSEMENT FORM 9,

OF 1 SCHEDULE "B" HAS NOT BEEN PROVIDED SHEET DRAWN BY: RER CHECKED BY:

SUBPARAGRAPH 1(B) 1(SETBACKS), 1(B)3(ENCROACHMENTS), & 1(B)4(EASEMENTS),

ROBERT E, REECE, PSM 5632, PROFESSIONAL SURVEYOR AND MAPPER

NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA SURVEYOR AND MAPPER



THIS SURVEY WAS PERFORMED FOR THE SOLE AND EXCLUSIVE BENEFIT OF THE PARTIES LISTED HEREIN AND SHALL NOT BE RELIED UPON BY ANY OTHER ENTITY OR INDIVIDUAL WHOMSOEVER, LIKEWISE, ANY REUSE OF THIS SURVEY FOR ANY PURPOSE OTHER THAN WHICH WAS ORIGINALLY INTENDED, WITHOUT THE WRITTEN PERMISSION OF THE UNDERSIGNED SURVEYOR & MAPPER, WILL BE DONE SO AT THE RISK OF THE REUSING PARTY AND WITHOUT ANY LIABILITY TO THE UNDERSIGNED SURVEYOR & MAPPER.

LEGAL DESCRIPTIONS HAVE BEEN FURNISHED BY THE CLIENT OR HIS/HER REPRESENTATIVE. PUBLIC RECORDS HAVE NOT BEEN RESEARCHED BY THE SURVEYOR TO DETERMINE THE ACCURACY OF THESE DESCRIPTIONS NOR HAVE ADJOINING PROPERTIES BEEN RESEARCHED TO DETERMINE OVERLAPS OR HIATUS.

THIS SURVEY DOES NOT PURPORT TO SHOW OWNERSHIP OF WALLS OR FENCES ALONG PROPERTY LINES.

ADDITIONS OR DELETIONS TO THIS SURVEY MAP BY OTHER THAN THE SIGNING PARTY OR

NOTE: MEASURED DIMENSIONS EQUAL PLATTED OR DESCRIBED DIMENSIONS UNLESS INDICATED OTHERWISE. THE FOLLOWING IS A LIST OF ABBREVIATIONS THAT MAY BE FOUND ON THIS SHEET

BFP = BACK-FLOW PREVENTER BO = BLOW OUT C = CALCULATED

C&G = 2' CONCRETE CURB & GUTTER CB = CONCRETE BLOCK CBW = CONCRETE BLOCK WALL
CBRW = CONCRETE BLOCK RETAINING WALL
CI = CURB INLET

CL = CENTERLINE CLF = CHAINLINK FENCE CM = CONCRETE MONUMENT
CONC = CONCRETE
C/S = CONCRETE SLAB

CVRD = COVERED

D = DEED

DEASE = DRAINAGE EASEMENT

DELTA = DELTA ANGLE

DMH = DRAINAGE MANHOLE EB = ELECTRIC BOX EM = ELECTRIC METER ENCL = ENCLOSURE

FFE = FINISHED FLOOR ELEVATION
FH = FIRE HYDRANT VERTICAL DATUM (1929)
NTS = NOT TO SCALE
OHW = OVERHEAD WIRES

FI = FENCE INSIDE FO = FENCE OUTSIDE FOL = FENCE ON LINE GB = GRADE BREAK
GI = GRATE INLET
GL = GROUND LEVEL GW = GUY WIRE HB = HOSE BIB IP = IRON PIPE
IR = IRON ROD L = ARC LENGTH

LE = LOWER ENCLOSURE LS = LANDSCAPING M = MEASURED MB = MAILBOX MHWL = MEAN HIGH WATER LINE MTLF = METAL FENCE
NAVD = NORTH AMERICAN
VERTICAL DATUM (1988)
NGVD = NATIONAL GEODETIC

P = PLAT PC = POINT OF CURVE PCC = POINT OF COMPOUND CURVE PCP = PERMANENT CONTROL POINT PI = POINT OF INTERSECTION
PK = PARKER KALON NAIL
PM = PARKING METER POB = POINT OF BEGINNING POC = POINT OF COMMENCEMENT PRC = POINT OF REVERSE CURVE PRM = PERMANENT REFERENCE MONUMENT PT = POINT OF TANGENT R = RADIUS ROL = ROOF OVERHANG LINE ROWL = RIGHT OF WAY LINE R/W = RIGHT OF WAY SCO = SANITARY CLEAN-OUT SN&D = SET NAIL & DISK LB 7846

SIR = SET IRON ROD ½" LB 7846 SMH = SANITARY MANHOLE SPV = SPRINKLER CONTROL VALVE SV = SEWER VALVE TB = TELEPHONE BOX TBM = TIDAL BENCHMARK TMH = TELEPHONE MANHOLE

TOB = TOP OF BANK
TOS = TOE OF SLOPE
TS = TRAFFIC SIGN
TYP = TYPICAL
UEASE = UTILITY EASEMENT
UPC = CONCRETE UTILITY POLE
UPM = METAL UTILITY POLE
UPW = WOOD UTILITY POLE
VB = VIDEO BOX
WD = WOOD DECK
WDF = WOOD FENCE
WL = WOOD LANDING
WM = WATER METER
WRACK LINE = LINE OF DEBRIS
ON SHORE ON SHORE WV = WATER VALVE T = TREE TBW = BUTTONWOOD TGL = GUMBO LIMBO TMA = MAHOGANY TO = OAKTPA = PALM YPAC = COCONUT PALM
TPOIN = ROYAL POINCIANA
TSCH = SCHEFFLERA TSG = SEAGRAPE TUNK = UNKNOWN

PROPOSED DESIGN

LEGAL DESCRIPTION

FINITELL RESCORDS BOOK SIZE PAINE INST.

OF THE BLAD OF DETERMEN FOR OFF A SHITT-BACK TAP PEDICATED

FEBRUARY, AD, IBM, AR PAIR OF TRACT SHITTER TIN ISI BUT RETITER ROOM

AND DESCRIBED AS LOT SHITTER THERE IS IN SQUARE SEPENT IT ACCORDING

TO A SEDIVISION HADE OF TRACT TEN (IV) BY EDUARD C. HOME AND IS

DONOCH AR FOLLOMS.

NOTE PROPERTIES SURVEYED AS ONE SITE PER THE CLIDN'S REGLEST



CL. TRUMAN AVENUE

NUMBER: 05-24-19

EXISTING SITE PLAN

DRAWNBY: EGW CHECKED BY: WV APPROVED BY: WV PROJECTNO. 1402

706 Catherine St. Key West, FL. 33040 T: (305)296-4435



PROPOSED WEST ELEVATION

1/4" = 1'-0"

(210 TRUMAN AVE.) (208 TRUMAN AVE.) PROPOSED NORTH ELEVATION

DRAWNBY: EGW

WILLIAM VOGAN

associates ARCHITECTS · PLANNERS

706 Catherine St. Key West, FL. 33040

T: (3 0 5) 2 9 6 - 4 4 3 5

ARCHITECTURAL SEAL:

210 TRUMAN AVE.

RENOVATIONS

210 TRUMAN AVE. KEY WEST, FL. 33040

PROJECT:

ISSUE:


CHECKED BY: WV APPROVED BY: WV PROJECT NO. 1402

TITLE:


PROPOSED AND EXISTING EXTERIOR ELEVATIONS


NUMBER:


05-24-19 g




1<u>6T</u> FL. (210 TRUMAN AVE.) (2008 TRUMAN AVE.) EXISTING NORTH ELEVATION
1/4" = 1'-0"









2<u>ND</u> FL.

WILLIAM VOGAN associates architects. Planners

706 Catherine St. Key West, FL. 33040

T: (3 0 5) 2 9 6 - 4 4 3 5

ARCHITECTURAL SEAL:

PROJECT:

210 TRUMAN AVE. RENOVATIONS

210 TRUMAN AVE. KEY WEST, FL. 33040

DRAWNBY: EGW

CHECKED BY: WV APPROVED BY: WV PROJECT NO. 1402

TITLE:

PROPOSED AND EXISTING EXTERIOR ELEVATIONS

NUMBER:

05-24-19 g

MAP OF BOUNDARY SURVEY

Lots 3 and 4 in Square 7 of Tract 10 according to E.C. howe's Map IN THE IS., NO OF KEY WEST, MONROE COUNTY, FLORIDA



LOCATION MAP - NTS

Commencing at a 1 as said Square Sk 1) on Division at 1 be hundred (100) feet from this ciril of Howe Scree 5 cuthwester's free file 1 long said Division 1 be fifthy (50) feet 5 car at figure angles in a Southes still direction and pill a still theore and 5 street in interfer four (94) feet 5 cm so (7) inches 5 cm s 1 st diple angles 1 theestern and paral st 10 bhistion and pill a still be seen fifthy (50) feet 5 cm so (10 cm so (1 ut Ten (10)

Demo

SURVEYORS NOTES:

ELEVATIONS SHOWN AS X.XX REFER-TO NGVD29 VERTICAL DATUM

BENCHMARK USED: PID AADD18 STAMPING: U26-7, 1966 ELEV .: 11.63' , NGVD29

COMMUNITY NO.: 120168 MAP NO.: 12087C-1516K MAP DATE: 02-18-05 FLOOD ZONE: AE BASE ELEVATION: 6' & 7

This percel crosses more than one National Flood Insurance Program Flood Zone line(s), the approximate location of which are shown hereon. These lines are approximate in their location, as scaled from hereon. Insee lines are approximate in their mustion, as scaled than F.E.M.A. Food Insurance Rate Map 12087C, Panel No. 1516K, last revised on 92/18/05. The food map is at a scale of 1" - 500" ±. At this scale the line itself is 10"± in width. In addition to the small scale the map is extremely vague, making precise location of the subject parcel impossible. These lines are shown hereon for informational purposes only, and should not be used as the sole criteria for determining construction limits. The location of these lines should be verified by the appropriate authorities prior to construction.

LEGAL DESCRIPTION -

SEE ABOVE

iroice 4: 15032302

BENCHMARK NORTH RIM SANITARY MANHOLE

£L = 5,02', NG\ D29

03-25-15 3 OF 1 GF CHECKED BY RER

LEGAL DESCRIPTING

OFFICIAL RECORD # 4 2681, PAGE 1 1

OFFICIAL RECORD / BIN K 1266, PAGE 2 4

On the Island of Xey Ne t, and is part of 1 of fee (10), accord whitehead's Map of the lidand of Key We I is neated in February but now better tox an a Lot Four (4) in v s Seven (7) of a scoording to E.C. Franc's Map or Plan of v f sct Ten (10). E frontage of fifty (5)) es on Division Str. | extending bac

on both lines then to N ety Four (94) fig. 1. Seven (7) inch NOTE: PROPERTIE: 5.8 EYED AS ONE! | R THE CLIENTS

CERTIFIED C -RICHARD C. TIL

DR LI . I SCRIPTION

SC 1" = 20

REECE & ASSOCIATIES E STOWAL SURVEYO ! AND MARPER, LS 7845 A JUSTRIAL ROAD, ING PINE KEY, PL 33043

(. A RING BASE: ATO LOTS A L ANGLES DEPLOTED

LIE 90 DEGREES INLESS

HERWISE INDIVATED

3 210 TRUMAN STREET A Y WEST, FLORIDA

ADDITIONS OR DELETIONS TO THIS SURVEY HAP BY DITHER THAN THE STONING PARTY OR FARTLES IS PROPHETED WITHOUT WRITTEN CONSENT OF THE STONING MARY OR PARTIES OFFICE |30 | 872 - 1348 FAX (305) 872 - 5622

THIS SLIPPLY WAS PREVIOUNDED FOR THE SOLE AND EXCLUSIVE REPORT OF THE PARTIES LUSTED RESERVE AND SHALL FOR SE RELIED UPON AT AN OTHER SHITTY OR INCOMPONENT WAS PROPERTIES. AN EXCLUSIVE OF THIS SAWREY OR AN A PARPORT CHEST THAN WHICH AND ORIGINALLY INTEROOP, WITHOUT THE WAITTER PROVISION OF THE WASCESTOR OR THE WASCESTOR OR WITHOUT ANY LUMBULTY TO THE UNDESSIGNED SURVEYOR & MARRIE.

LEGAL DESCRIPTIONS HAVE BEEN FUNNISHED BY THE CLIENT OR HIS/HER REPRESENTATIVE. PUBLIC ACCRESS HAVE BUT MED RESENACING BY THE SUNVEYOR TO DETERMINE THE ACCURACY OF THESE DESCRIPTIONS NOR HAVE ADMINING PROPRETES SEEN RESEARCHED TO DETERMINE EXPERIANS OR HINDS.

THIS SURVEY CORS NOT PURPORT TO SHOW DRINERSHIP OF WALLS OR PENCES ALONG PROPERTY LINES.



The Historic Architectural Review Commission will hold a public meeting at <u>5:30 p.m.</u>, <u>June 19, 2019 at City</u> <u>Hall. 1300 White Street</u>, Key West, Florida. The purpose of the hearing will be to consider a request for:

REPAIRS TO MAIN HOUSE. RAISE HOUSE 10" AND NEW REPLACEMENT OF REAR ADDITION. DEMOLITION OF DILAPIDATED REAR ADDITION.

#208 TRUMAN AVENUE

Applicant – Richard Dorsal Application #H2019-0023

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3973 or visit our website at www.citvofkevwest-fl.gov.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

PROPERTY APPRAISER INFORMATION



Disclaimer

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the data is intended for ad valorem tax purposes only and should not be relied on for any other purpose.

By continuing into this site you assert that you have read and agree to the above statement.

Summary

Parcel ID 00026800-000000
Account# 1027596
Property ID 1027596
Millage Group 11KW

Location 210 TRUMAN Ave, KEY WEST

Address

Legal I Description

LTS 3 AND 4 SQR 7 TR 10 KW PB1-25-40 G37-477/78 OR876-302/04 OR876-305D/C OR876-306/08 PROBATE #83-86-CP-10 OR876-309/310D/C OR876-336D/C OR877-92/95 OR880-1004 PROB 88-54-CP-15 OR1042-1920ORD OR1042-1947/48PET PROBATE #83-87-CP-23 OR1138-452D/C OR1147-1112Q/C OR1147-1113 OR1346-5474EF OR2546-1204I ET/ADM OR2674-328//99ORD OR2674-2005/06 OR2675-1536

547AFF OR2546-1204LET/ADM OR2674-328/29ORD OR2674-2005/06 OR2675-1536 OR2679-1910/11C OR2679-1912/13 OR2681-1682/83 OR2777-915/16 H1-164 G24-253

OR1266-2000/01C/T OR1476-990/991(NOTICE)

(Note: Not to be used on legal documents.)

Neighborhood 6021

Property Class MULTI FAMILY LESS THAN 10 UNITS (0800)

Subdivision Tracts 10 and 15 Sec/Twp/Rng 06/68/25 Affordable No

Housing



Owner

DOSTAL RICHARD A 210 Truman Ave Key West FL 33040

Valuation

	2018	2017	2016	2015
+ Market Improvement Value	\$100,101	\$89,937	\$77,340	\$80,154
+ Market Misc Value	\$530	\$530	\$530	\$462
+ Market Land Value	\$829,996	\$414,998	\$329,575	\$259,663
= Just Market Value	\$930,627	\$505,465	\$407,445	\$340,279
= Total Assessed Value	\$686,181	\$182,320	\$178,571	\$177,330
- School Exempt Value	(\$25,000)	(\$25,000)	(\$25,000)	(\$25,000)
= School Taxable Value	\$661,181	\$157,320	\$153,571	\$152,330

Land

Land Use	Number of Units	Unit Type	Frontage	Depth
RESIDENTIAL DRY (010D)	9.458.00	Square Foot	100	94.58

Buildings

Building ID 2088

Style 1 STORY ELEV FOUNDATION Building Type S.F.R. - R1/R1

| Gross Sq Ft | 873 | Finished Sq Ft | 789 | Stories | 1 Floor | Condition | GOOD | Perimeter | 157 | Functional Obs | 0 | Economic Obs | 0 |

Depreciation % 32 Interior Walls WALL BD/WD WAL
 Exterior Walls
 B & B

 Year Built
 1923

 EffectiveYearBuilt
 1993

 Foundation
 WD CONC PADS

Roof Type GABLE/HIP
Roof Coverage METAL
Flooring Type CONC S/B GRND
Heating Type NONE with 0% NONE

Bedrooms 2 Full Bathrooms 2 Half Bathrooms 0 Grade 450

				Italiib
Code	Description	Sketch Area	Finished Area	Perimeter
FLC	2 SIDED SECT	60	60	34
FLD	3 SIDED SECT	75	75	40
FLA	FLOOR LIV AREA	654	654	126
OPF	OP PRCH FIN LL	84	0	54
TOTAL		873	789	254

Building ID 6264

Style 2 STORY ELEV FOUNDATION

Building Type S.F.R. - R1 / R1 Gross Sq Ft 1640 Finished Sq Ft 1000
 Exterior Walls
 WD FRAME

 Year Built
 1923

 EffectiveYearBuilt
 1923

 Foundation
 WD CONC PADS

 Roof Type
 GABLE/HIP

Stories Condition Perimeter AVERAGE 126 Functional Obs 0 **Economic Obs** 0 Depreciation % Interior Walls 87 WALL BD/WD WAL

Roof Coverage Flooring Type Heating Type Bedrooms

METAL CONC S/B GRND NONE with 0% NONE

Full Bathrooms 0 350 Half Bathrooms Grade Number of Fire PI 0

Code	Description	Sketch Area	Finished Area	Perimeter
FHS	FINISH HALF ST	540	0	94
FLA	FLOOR LIV AREA	1,000	1,000	140
OPF	OP PRCH FIN LL	100	0	50
TOTAL		1.640	1.000	284

Yard Items

Description	Year Built	Roll Year	Quantity	Units	Grade	
FENCES	1996	1997	1	300 SF	2	
FIN DET UTILIT	2018	2019	1	144	2	

Sales

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page	Sale Qualification	Vacant or Improved
7/1/1993	\$40,100	Certificate of Title		1266	2000	T - Unqualified	Improved


Permits


Number ♦	Date Issued ♦	Date Completed ♦	Amount ♦	Permit Type ◆	Notes ♦
18-3140	8/20/2018		\$2,000	Residential	6'H PICKET ON REAR 50' PROPERTY LINE
07-2641	6/1/2007	8/3/2007	\$3,000	Residential	EXTEND ORIGINAL PERMIT ENCLOSE FOR A BATHROOM
07-2643	6/1/2007	8/3/2007	\$1,000	Residential	RENEW EXISTING PERMIT #05-2033 INSTALL BATHROOM FIXTURES
07-2644	6/1/2007	8/3/2007	\$500	Residential	RENEW EXISTING PERMIT # 05-1975 INSTALL LIGHTS, SWITCHES & OUTLETS
05-2033	5/29/2005	12/14/2005	\$1,000	Residential	PLUMBING
05-1429	5/20/2005	12/14/2005	\$1,000	Residential	ENCLOSE PORCH FOR A BATHROOM.
05-0348	2/14/2005	12/14/2005	\$350	Residential	change perimeter beam 2'x8'
03-2543	9/27/2002	10/8/2003	\$3,000	Residential	BEDROOM ADDITION
0103059	9/6/2001	10/7/2002	\$600	Residential	DECK AT REAR
0000919	4/24/2000	10/7/2002	\$3,000	Residential	KITCHEN CABINETS/BATH ETC
0001037	4/19/2000	10/7/2002	\$2,600	Residential	INSTALL CEIL FANS/LITES
0000543	3/30/2000	10/7/2002	\$500	Residential	REPLACE OLD FIXTURES
0000612	3/9/2000	10/7/2002	\$2,000	Residential	REWIRE ELECTRIC
9904060	12/16/1999	10/7/2002	\$1,000	Residential	V-CRIMP ROOF
9902372	9/13/1999	10/7/2002	\$3,209	Residential	RENOVATIONS
9701019	4/1/1997	12/1/1997	\$2,000	Residential	FENCE
9700037	1/1/1997	12/1/1997	\$1,500	Residential	FENCE
B952279	7/1/1995	12/1/1997	\$1,500	Residential	REPAIR PORCH

View Tax Info

View Taxes for this Parcel

Sketches (click to enlarge)





Photos



Мар



TRIM Notice

Trim Notice

2018 Notices Only

 $\textbf{No data available for the following modules:} \ Commercial \ Buildings, \ Mobile \ Home \ Buildings, \ Exemptions.$

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the



Last Data Upload: 6/14/2019 5:33:15 AM

Version 2.2.25