

Historic Architectural Review Commission Staff Report for Item 4

To: Chairman Bryan Green and Historic Architectural Review

Commission Members

From: Enid Torregrosa-Silva, MSHP

Historic Preservation Planner

Meeting Date: June 29, 2021

Applicant: Casebolt Construction

Application Number: H2021-0024

Address: 1118 Whitehead Street

Description of Work:

Demolition of non-historic front porch elements.

Site Facts:

The building under review is a frame vernacular house listed as a contributing resource to the historic district. The one-story house was built circa 1912. A rear addition with a roof deck and the front porch are the only alterations to the building form. From the circa 1965 there is evidence that original wooden posts and deck of the front porch were no longer in existence as well as the original windows and front door. Currently the house has T1-11 wood panels used as siding on both sides and rear elevations. Current windows are not historic, and fenestrations have been altered to accommodate transoms. The house has metal shingles on its main roof and metal v-crimp covers the front porch roof.

Ordinance Cited on Review:

• Section 102-217 (3), demolition for non-contributing or non-historic structures of the Land Development Regulations.

Staff Analysis:

The Certificate of Appropriateness under review proposes the demolition of the non-historic front porch elements. The application includes build back plans for a new front porch. It is staff's

opinion that the request for demolition should be reviewed based on the demolition criteria under Chapter 102 Section 218 of the LDR's. The criteria state the following:

- (a) The historic architectural review commission shall issue a certificate of appropriateness for an application for demolition:
 - (1) If the subject of the application is a contributing or historic building or structure, then it should not be demolished unless its condition is irrevocably compromised by extreme deterioration or it does not meet any of the criteria of section 102-125(1) through (9).
 - (2) For a contributing historic or noncontributing building or structure, a complete construction plan for the site is approved by the historic architectural review commission.

The elements under review to be demolished are non-historic and the applicant has submitted plans for their replacement and alteration. The existing non-historic front porch is structurally sound and is not compromised by extreme deterioration.

- (b) The historic architectural review commission shall not issue permits that would result in:
 - (1) Removing buildings or structures that are important in defining the overall historic character of a district or neighborhood so that the character is diminished;
 - Elements to be demolished are non-historic and they do not contribute to the historic quality of the house and surrounding urban context.
 - (2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space; Elements proposed to be removed are not historic.
 - (3) Removing an historic building or structure in a complex; or removing a building facade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood.
 - This will not be the case as the front porch is a latter addition that does not possess architectural qualities and forms that are traditional to this type of house found in the historic district.
 - (4) Removing buildings or structures that would otherwise qualify as contributing, as set forth in <u>section 102-62(3)</u>. It is staff's opinion that the existing one-story front porch will not qualify as a contributing element to the house or to the district.

In conclusion, staff recommends to the Commission the review of the requested demolition of the non-historic front porch as it is consistent with the criteria established in the LDR's. If approved this will be the first and only required reading.

APPLICATION

HARC MAJOR PROJECTS CERTIFICATE OF APPROPRIATENESS

\$420 NON-REFUNDABLE BASE APPLICATION FEE - OTHER FEES MAY BE APPLICABLE Rev 12/14/2020ET



City of Key West

1300 WHITE STREET KEY WEST, FLORIDA 33040

HARC COA #	REVISION #	INITIAL & DATE
2021-002	24	
FLOOD ZONE	ZONING DISTRICT	BLDG PERMIT #

A PRE-APPLICATION MEETING WITH HARC STAFF IS REQUIRED PRIOR TO SUBMITTAL

ADDRESS OF PROPOSED PROJECT:	1118 Whitehead	Street
NAME ON DEED:	Duglas Snyder	PHONE NUMBER 305.923.9397
OWNER'S MAILING ADDRESS:	1118 whitehead St.	dougsnyder 716 egmail, com
APPLICANT NAME: APPLICANT'S ADDRESS:	Casebolt Construction 1121 Whitehead St. Key West, FL 33040	PHONE NUMBER 586-484-2172 EMAIL casebol+construction K w & gmail con
APPLICANT'S SIGNATURE:		DATE 5/17/21
FLORIDA STATUTE 837.06; WHOEVER KNOWN PERFORMANCE OF HIS OR HER OFFICIAL DU' THE APPLICANT FURTHER HEREBY ACKNOWN CONTEMPLATED BY THE APPLICANT AND THE EXCEEDING THE SCOPE OF THE DESCRIPTIO WORK AND THE SUBMITTED PLANS, THE AFO PROJECT INCLUDES: REPLACEMENT PROJECT INVOLVES A CONTRIBUTING	GES TO AN APPROVED CERTIFICATE OFAPPROPRIA IGLY MAKES A FALSE STATEMENT IN WRITING AND WITH THE ITY SHALL BE GUILTY OF A MISDEMEANOR OF THE SECOND IT LEDGES THAT THE SCOPE OF WORK AS DESCRIBED IN THE ECITY, THE APPLICANT FURTHER STIPULATES THAT SHOUL N OF WORK, AS DESCRIBED HEREIN, AND IF THERE IS CONFIREMENTIONED DESCRIPTION OF WORK SHALL BE CONTROL OF WINDOWS RELOCATION OF A STRUCTU STRUCTURE: YES NO INVOLVES AND INVOLVES	DE INTENT TO MISLEAD A PUBLIC SERVANT IN THE DEGREE PUNISHABLE PER SECTION 775.082 OR 775.083. APPLICATION SHALL BE THE SCOPE OF WORK THAT IS DEFINED BY THE CITY FOR ELICTING INFORMATION BETWEEN THE DESCRIPTION OF LUNG. JRE ELEVATION OF A STRUCTURE A HISTORIC STRUCTURE: YES NO
	PTION INCLUDING MATERIALS, HEIGHT, DIMENSION	
Replace 2 front do	front porch. Remove. pors + I rear window. CK. Upper deck to with down spouts of	Replace side
DEMOLITION (PLEASE FILL OUT AND A	TTACH DEMOLITION APPENDIX):	NECEIVE
		MAY 1.7 2021

APPLICATIONS MUST BE SUBMITTED IN PERSON WITH HARD COPIES BY 3PM ON THE SCHEDULED DEADLINE PLEASE SEND AN ELECTRONIC COPY OF ALL DOCUMENTS TO HARC@CITYOFKEYWEST-FL.GOV

PAVERS:			FENCES:			
DECKS:			PAINTING:			
SITE (INCLUDING GRADING, FILL, TREES, ETC):			POOLS (INCLUDING EQUIPMENT):			
ACCESSORY EQUIPMENT (GAS, A/C, VENTS, ETC.):			OTHER:			
OFFICIAL USE ONLY:		HARC COM	MMISSION REVIEW E	EXPIRES ON:		
MEETING DATE:	G DATE:			INITIAL:		
MEETING DATE:	APPROVED _	NOT APPROV		INITIAL:		
MEETING DATE:	APPROVED _	NOT APPROV		INITIAL:		
STAFF REVIEW COMMENTS:	ounc is his	ted as a	contributing resource.			
FIRST READING FOR DEMO:			SECOND READING FOR DEMO:			

THIS APPLICATION MAY BE REVIEWED BY PLANNING DEPARTMENT STAFF.

HARC CERTIFICATE OF APPROPRIATENESS: DEMOLITION APPENDIX




INITIAL & DATE
BLDG PERMIT#

ADDRESS OF PROPOSED PROJECT:	A DECEMBER 1
PROPERTY OWNER'S NAME:	1118 whitehead
APPLICANT NAME:	Pouglas Snyder
ALTERANT NAME.	
Appropriateness, I realize that this project	and that the work shall conform to all applicable laws of this jurisdiction. By receiving a Certificate of will require a Building Permit approval PRIOR to proceeding with the work outlined above and that a cation. I also understand that any changes to an approved Certificate of Appropriateness must be
PROPERTY OWNER'S SIGNATURE	DOVERAS 5 SNYDER 5/17/21 DATE AND PRINT NAME
	DETAILED PROJECT DESCRIPTION OF DEMOLITION
Demolition of foo	at dean to accomantitle me.
treditions.	porch to accomant the new
/	
CRITERIA F	OR DEMOLITION OF CONTRIBUTING OR HISTORIC STRUCTURES:
Before any Certificate of Appropriated must find that the following requirement	ness may be issued for a demolition request, the Historic Architectural Review Commission ents are met (please review and comment on each criterion that applies):
(1) If the subject of the application is a co irrevocably compromised by extreme	ntributing or historic building or structure, then it should not be demolished unless its condition is deterioration or it does not meet any of the following criteria:
(a) The existing condition of the	e building or structure is irrevocably compromised by extreme deterioration.
(2) Or explain how the building or structur	e meets the criteria below:
(a) Embodies no distinctive cha city and is not a significant	aracteristics of a type, period, or method of construction of aesthetic or historic significance in the and distinguishable building entity whose components may lack individual distinction.


(0)	Is not specifically associated with events that have made a significant contribution to local, state, or national history.
(c)	Has no significant character, interest, or value as part of the development, heritage, or cultural characteristics of the castate or nation, and is not associated with the life of a person significant in the past.
(d)	Is not the site of a historic event with significant effect upon society.
(e)	Does not exemplify the cultural, political, economic, social, or historic heritage of the city.
(f)	Does not portray the environment in an era of history characterized by a distinctive architectural style.
(g)	If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif,
(h)	Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhoo

(i) has not yielded, and is not likely to yield, information important in history,
1-0d 0 - 1-110
not aplicable
CRITERIA FOR DEMOLITION OF NON-CONTRIBUTING OR NON-HISTORIC STRUCTURES:
The following criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The Commission shall not issue a Certificate of Appropriateness that would result in the following conditions (please review and comment on each criterion that applies):
(1) Removing buildings or structure that are important in defining the overall historic character of a district or neighborhood so that the character is diminished.
not aplicable
(2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space.
not aplicable
(3) Removing an historic building or structure in a complex; or removing a building façade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood.
Demolition of front porch to be replaced with more traditional porch
(4) Removing buildings or structures that would otherwise qualify as contributing.
not aplicable


Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.



1926 Sanborn Map



1948 Sanborn Map



1962 Sanborn Map

PROJECT PHOTOS

















WHITEHEAD STREET (50' R/W)





North arrow based on assumed median Bearing based on R/W Whitehead Street 3.4 denotes exisiting elevation Elevations based on N.G.V.D. 1929 Datum

Bench Mark No.: D-121 Elevation: 3.914' Title search has not been performed on

said or surrounding properties Field Work performed on: 4/30/15 MONUMENTATION:

o = Set 1/2" Iron Pipe, P.L.S. No. 2749 o = Found 1/2" Iron Pipe

A = Found P.K. Nail

 Δ = Set P.K. Nail, P.L.S. No. 2749

LEGAL DESCRIPTION:

On the Island of Key West and known on William A. Whitehead's map delineated in February, A.D. 1829 as part of Lot Seventeen (17), Square Two (2), Tract Ten (10) and described as follows: Beginning at a point on the Southwest side of Whitehead Street distance Fifty-two (52) feet and Six (6) inches Southeasterly from the corner of Amelia and Whitehead Streets and running thence in a Southeasterly direction Twenty-six (26) feet and Six (6) inches; thence at right angles in a Southwesterly direction Fifty (50) feet and Three (3) inches; thence at right angles in a Northwesterly direction Twenty-six (26) feet and Six (6) inches; thence at right angles in a Northeasterly direction Fifty (50) feet and Three (3) inches to the Point of Beginning.

A parcel of land on the Island of Key West and known on William A. Whitehead's map delineated in February, A.D. 1829 as part of Lot Seventeen (17), Square Two (2), Tract Ten (10) according to the Plat thereof, as recorded in Plat Book 1 at page 40 of the Public Records of Monroe County, Florida said parcel being more particularly described by metes and bounds as follows: Commence at the intersection of the Southeasterly Right—of—Way line Amelia Street with the Southwesterly Right-of-Way line of Whitehead Street and run thence Southeasterly along the Southwesterly Right-of-Way line of the said Whitehead Street for a distance of 79 feet to the Point of Beginning; thence run Southwesterly and at right angles for a distance of 50.25 feet; thence run Southeasterly and at right angles for a distance of 6.17 feet to the Northwesterly face of an existing concrete block wall; thence run Northeasterly with a deflection angle of 90°21'00" to the left and along said wall for a distance of 50.25 feet to the Southwesterly Right-of-Way line of the said Whitehead Street; thence Northwesterly and along the said Whitehead Street for a distance of 4.99 feet back to the Point of Beginning.

A parcel of land on the Island of Key West and known as part of Lot Seventeen (17), Square Two (2), Tract Ten (10) according to the Plat thereof, as recorded in Plat Book 1 at page 40 of the Public Records of Monroe County, Florida said parcel being more particularly described by metes and bounds as follows: Commence at the intersection of the Southeasterly Right-of-Way line Amelia Street with the Southwesterly Right-of-Way line of Whitehead Street and run thence Southeasterly along the Southwesterly Right-of-Way line of the said Whitehead Street for a distance of 52.5 feet to the Point of Beginning; thence run Southwesterly and at right angles for a distance of 50.25 feet; thence Southeasterly and at right angles for a distance of 4.8 feet to an existing meandering wire fence; thence Northeasterly with a deflection angle of 90°34′13" to the left and along the said wire fence for a distance of 50.25 feet to the Southwesterly Right-of-Way line of the said Whitehead Street; thence Northwesterly and along the said Whitehead Street for a distance of 4.3 feet back to the Point of Beginning.


CERTIFICATION: I HEREBY CERTIFY that the attached BOUNDARY SURVEY is true and correct to the best of my knowledge and belief; that it meets the minimum technical standards adopted by the Florida Board of Land Surveyors, Chapter 5J-17, Florida Statute Section 472.027, and the American Land Title Association, and that there are no visible encroachments unless shown hereon.

State of Florida Douglas Snyder and Brittany P. Snyder 1118 Whitehead Street, Key West, Florida 33042 Dwn No.: BOUNDARY SURVEY 15 - 224Flood panel No. 1516 K Ref. Scale: 1"=10' Dwn. By: F.H.H. 218-56 Flood Elev. Flood Zone: Date: 6/29/15

FREDERICK H. HILDEBRANDT Professional Land Surveyor & Mapper No. 2749

Professional Engineer No. 36810

REVISIONS AND/OR ADDITIONS fred/dwg/kw/block102/1118whitehead



LEGEND Air Conditioner Balcony Bench Mark CB Catch Basin CO Center Line Clean Out Concrete Concrete Block Stucco Concrete Utility Pole Covered DELEV Deed Elevation F.FL. Finished Floor Elevation Found Found Iron Bar Found Iron Pipe Invert IRR Irregular Licensed Business LB Number Measured N.T.S. O.R. Not To Scale Official Records OH Over Head Plat Plat Book Point Of Beginning Point Of Cornmence R SIB SIP K Right Of Way Set Iron Bar Set Iron Pipe Set Nail And Disc Story Utility Pole Water Meter Water Valve NOT VALID UNLESS EMBOSSED WITH RAISED SEAL & SIGNATURE



ISLAND SURVEYING INC.

PLANNERS

ENGINEERS

Key West, Fl. 33040

Suite 201

SURVEYORS 3152 Northside Drive (305) 293-0466

Fax. (305) 293-0237 fhildeb1@bellsouth.net L.B. No. 7700

PROPOSED DESIGN


SNYDER RESIDENCE INTERIOR / EXTERIOR RESIDENTIAL UPGRADES

1118 WHITEHEAD STREET KEY WEST, FLORIDA 33040



SITE LOCATION

AREA OF CONSTRUCTION





STREET VIEW (WHITEHEAD STREET)

Basic Building Structural Information

Floor and Roof Live Loads			
Attics:	20 psf w/ storage, 10 psf w/o storage		
Habitable Attics, Bedroom:	30 psf		
All Other Rooms:	40 psf		
Garage:	40 psf		
Roofs:	20 psf		

		Wind D	esign Data		
Ultimate Wind Speed: 1		180 mph	Nominal Wind	Speed:	139 mph
Risk Categ	gory:	II	Wind Exposure	:	C
Enclosure	Classification:	Enclosed	End Zone Widt	h:	4.00 ft.
Internal Pr	essure Coeffic	ent:	0.18 +/-		
	Roof Zone 1:		+38.6 psf max.,	-42.1 p	sf min.
77 6	Roof Zone 2:		+38.6 psf max.,	-49.2 p	sf min.
and sign	Roof Zone 3:		+38.6 psf max.,	-49.2 p	sf min.
De ure	Roof at Zone	2 Overhang	gs:	-71.4 p	sf min.
Components and Cladding Design Pressures	Roof at Zone	3 Overhang	gs:	-71.4 p	sf min.
	Wall Zone 4:		+42.1 psf max.,	-45.6 p	sf min.
00	Wall Zone 5:		+42.1 psf max.,	-56.3 p	sf min.

The Nominal Wind Speed was used to determine the above Component and Cladding Design Pressures.

All exterior glazed openings shall be protected from wind-borne debris as per Section 1609.1.2 of the code.

The site of this building is not subject to special topographic wind effects as per Section 1609.1.1.1 of the code.

GENERAL NOTES

All work shall comply with the 2017 6th edition Florida Building Code, latest edition, and all applicable laws, codes and ordinances of the city, county, and the state of Florida. In the city of Key West, applicable Codes forming the basis of this design and compliance requirements for the contractor include:

BUILDING: Florida Building Code, 2017

ELECTRICAL: National Electrical Code, 2017

PLUMBING: Florida Building Code (Plumbing), 2017 Florida Building Code (Mech.), 2017 MECHANICAL: LP Gas Code, 2017 edition (NFPA 58)

This project is designed in accordance with A.S.C.E. 7-16 to resist wind loads of 180 mph (gusts) (Exposure C)

This project is designed in accorance with A.S.C.E. 24-14 for flood resistant

Concrete: Building code requirements for concrete, American concrete institute, ACI 318-11.

TREE PROTECTION PLAN

All existing trees to remain UNO.

Provide 3' fenced border around native trees within the construction area. If landscape area is to be removed or tree is damaged, notify architect.

SITE DATA

	1118 WHITEH	EAD S	T. FL00	D: AE-	6 ZONE:	HMDR
	PROPOSED		EXISTING		ALLOWED	
RE NO.	00026180-0	00026180-000000				
SETBACKS:						
FRONT	0.5		0.5		10'	
SIDE	1.5		1.5'		5'	
SIDE	3.7		3.7		5	
REAR	0.5		0.5		15'	
LOT SIZE	1,381.5 S.F.		1,381.5 S.F.	V	4,000 S.F.	
BUILDING COVERAGE	952 S.F.	69%	952 S.F.	69%	690.75 S.F.	50%
BUILDING HEIGHT	18.3'		18.3		30'	
IMPERVIOUS AREA	1.028 S.F.	74%	1,028 S.F.	74%		60%
OPEN SPACE	369 S.F.	27%	184 S.F.	13%	483.5 S.F.	35%

SHEET INDEX

SHT	NO.	DESCRIPTION
C	1	COVER - LOCATION, SITE PLAN, SURVEY, GENERAL NOTES
A-1	2	EXISTING SITE PLAN / FLOOR PLAN / DEMO PLAN, NOTES
A-2	3	EXISTING NORTH & WEST ELEVATIONS / DEMO PLAN
A-3	4	EXISTING SOUTH & EAST ELEVATIONS / DEMO PLAN
A-4	5	PROPOSED SITE PLAN / FLOOR PLAN, NOTES
A-5	6	PROPOSED FLOOR PLAN, NOTES
A-6	7	PROPOSED LOFT PLAN, NOTES
A-7	8	PROPOSED NORTH & WEST ELEVATIONS
8-A	9	PROPOSED SOUTH & EAST ELEVATIONS
S-1	10	PROPOSED LOFT PLAN, NOTES ~
S-2	11	SECTION, DETAILS, NOTES
5-3	12	SECTION, DETAILS, NOTES
E-1	13	ELECTRICAL PLAN, LIFE SAFETY, NOTES, SCHEDULES
P-1	14	PLUMBING PLAN, HVAC PLAN, NOTES, SCHEDULES

IL

DATE 2-20-2020


COVER

CLIBNEY


RESIDENTIAL UPGRADES SNYDER RESIDENCE


LIAM ROWA ARCHITECTURE


PROJECT NO



14. Install temporary supports below rafters and cieling joists during demo and construction as needed.









WALL SCHEDULE

MK.	WALL TYPE / DETAILS	NOTES			
A	EXISTING HISTORIC ENVELOPE * INSTALL NEW 5/8" PT PLY, HOUSE WRAP, PT LAP SIDING W/ PT TRIM, PRIME & PAINT TYP. *	REPAIR AS NEEDED			
В	NEW 2X4 STUD WALL, 1/2" GYPSUM BOARD ONE SIDE, GREEN BOARD ON WET WALL	STUDS PLACED 16" O.C.			
C	NEW 2X6 WALL (VERIFY PLUMB, REQ.), NEW GREEN BOARD AT WET LOCATIONS	STUDS PLACED 16" O.C.			
D	NEW 2X4 STUD WALL, 1/2" GYPSUM BOARD EA. SIDE, FINISH TO MATCH EXISTING	STUDS PLACED 16" O.C.			
E	EXISTING EXTERIOR WALL, REPAIR AS NEEDED	STUDS PLACED 16" O.C.			



KEY WEST, FLORIDA 33040 RESIDENTIAL UPGRADES SNYDER RESIDENCE WHITEHEAD STREET ILLIAM ROWA IN ARCHITECTURE > 321 PEACON 305 296 3781 PROJECT NO DATE 2-20-2020 5 OF 14 SITE / FLOOR PLAN PROPOSED



LUMBER AND ITS FASTENINGS SHALL CONFORM TO THE NATIONAL DESIGN SPECIFICATIONS FOR WOOD CONSTRUCTION, LATEST EDITION, ALL WOOD FRAMING SIZES, FRAMING, FASTENING REQUIREMENTS, ANCHORAGES, FIRESTOPS, AND CONNECTORS NOT SHOWN ON THESE PLANS TO BE PER THE SPECIFIED BUILDING CODE.

ALL STRUCTURAL LUMBER TO BE STRUCTURAL GRADE NO. 2 SPRUCE-PINE-FIR WITH A MAXIMUM MOISTURE CONTENT OF 19% ALL LUMBER TO BE STAMPED WITH THE GRADE MARK OF AN APPROVED GRADING AGENCY.

ALL WOOD FRAMING EXPOSED TO WEATHER SHALL BE PRESSURE TREATED.

ALL FASTENERS IN CONTACT WITH PRESSURE-TREATED WOOD TO BE HOT DIP GALVANIZED PER THE MANUFACTURERS RECOMMENDATIONS AND THE APPLICABLE BUILDING CODE.

THE FRAMING LAYOUTS DEPICTED ON THE PLANS ARE TO ILLUSTRATE GENERAL FRAMING CONDITIONS BUT DO NOT NECESSARILY DEPICT THE CORRECT QUANTITIES OR CONNECTIONS REQUIRED.

FASTENING FOR ALL STRUCTURAL MEMBERS NOT SPECIFICALLY SHOWN IN THE PLANS TO BE PER THE FASTENING SCHEDULE OF THE APPLICABLE BUILDING CODE

BOLTS SHALL CONFORM TO ASTM 307, ANSI D18.2.1. SCREWS AND LAG SCREWS SHALL CONFORM TO ANSI B18.2.1, AND ANSI B18.6.1, RESPECTIVELY. BOLTS THROUGH WOOD SHALL BE FITTED WITH STANDARD WASHERS.

BOLT HOLES SHALL BE AT LEAST A MINIMUM DIAMETER OF 1/32" AND NO MORE THAN A MAXIMUM OF 1/16" LARGER THAN THE BOLT

BOLT NUTS SHALL BE FINGER-TIGHT PLUS 1/3 TO 1/2 TURN WITH A HAND WRENCH, WITH CONSIDERATION GIVEN TO POSSIBLE FUTURE WOOD SHRINKAGE. CARE SHOULD BE TAKEN NOT TO OVER-TORQUE THE NUT. IMPACT WRENCHES SHOULD NOT BE USE AS THEY MAY PRELOAD THE CONNECTORS, BOLT NUTS SHALL BE PERIODICALLY RETIGHTENED.

UNLESS OTHERWISE NOTED, CONNECTORS SHALL BE INSTALLED WITH THE MAXIMUM NUMBER AND SIZE OF FASTENERS AS REQUIRED IN THE MANUFACTURER'S INSTALLATION INSTRUCTIONS.

THE NUMBER AND SIZE OF NAILS USED TO CONNECT WOOD MEMBERS SHALL BE ACCORDING TO THE APPLICABLE BUILDING CODE. REFER TO MANUFACTURER FOR NAILING REQUIREMENTS (TO ATTAIN MAXIMUM TABLE VALUES) FOR ALL WOOD-TO-WOOD MECHANICAL FASTENERS. MULTIPLE STUDS SHALL BE GLUED AND NAILED TO 10d NAILS 24" O.C.

BRACING SHALL BE PROVIDED FOR ALL WALLS UNTIL SHEAR PANELS, FLOOR FRAMING, ROOF FRAMING, AND DECKING ARE INSTALLED. CUTTING AND NOTCHING OF ALL LOAD BEARING STUDS SHALL BE LIMITED TO 25% OF THE STUD DEPTH.

ALL LOAD BEARING WALLS SHALL CONSIST OF A SINGLE STUD SILL PLATE AT THE BOTTOM AND A DOUBLE STUD TOP PLATE AT THE TOP. STUDS USED IN PLATES SHALL MATCH THE DIMENSIONS USED FOR STUDS WITHIN THE WALLS, STUD WALLS SHALL END WITH DOUBLE STUDS ON

WALL OPENINGS LESS THAN AND INCLUDING 5'-O" WIDE ARE TO BE FRAMED WITH ONE KING STUD AND ONE JACK STUD ON EACH SIDE. WALL OPENINGS GREATER THAN 5'-O" WIDE SHALL BE FRAMED WITH ONE KING STUD AND TWO JACK STUDS ON EACH SIDE. ALL BEAMS AND JOISTS TO BE FRAMED FLUSH WITH SUPPORTING MEMBER TO BE SUPPORTED BY APPROVED HANGERS WITHIN ENCLOSED CONDITIONED SPACE.

DOUBLE JOISTS ARE TO BE PROVIDED BELOW PARTITION WALLS THAT RUN PARALLEL TO JOISTS AND SOLID BLOCKING THE DEPTH OF THE JOISTS SHALL BE PROVIDED BETWEEN JOISTS BELOW PARTITION WALLS THAT FRAME PERPENDICULAR TO JOISTS. WHERE HEADERS FRAME INTO STUDS, DOUBLE STUDS SHALL BE PROVIDED.


6 OF 14 FLOOR PLAN PROPOSED

SNYDER RESIDENCE

LIAM ROWA ARCHITECTURE

PROJECT NO


DATE 2-20-2020



CONSTRUCTION PLAN GENERAL NOTES

- 7. Notify architect or owner of any discrepancies of conflicts in the locations of the new construction.
- 8. All exposed gypsum board edges to have metal edge trim work or equivalent.
- 9. All work shall be directed and installed, plumb, level, square, and true and in proper alignment.
- 10. Refer to cover sheet for additional notes, legends, symbols, abbreviations, and schedules.
- 11. Refer to electrical power plans for locations of switched, outlets and the like.
- 12. Obtain approval from architect or owner, as applicable, prior to modifying building components, systems and Items not identified prior to adjusting any and all other field conditions required to fit plans.


 13. All existing and new floor penetrations for piping shall be fully blocked and sealed in accordance with the applicable building fire codes.
- 14. Trim the bottoms of the doors to clear the top of finished floor, as applicable, by ½" maximum, U.N.O., Verify slab conditions, trim each door to fit condition. Where radical variations in floor elevation exist, doors shall be ordered with bottom stile sized to accommodate these undercut conditions.
- 15. Dimensions locating doors are to the inside of edge of jamb U.N.O.
- 16. All "wet walls" to receive concrete board or green board.
- 17. Existing plumbing in kitchen to remain. Tie into existing plumbing at closest route and / or location.
- 18. New electrical to be verified in existing panel.
- 19. Verify existing floor framing and subfloor before new hardwood is installed.





KEY WEST, FLORIDA

SNYDER RESIDENCE









The Historic Architectural Review Commission will hold a public meeting at <u>5:00 p.m.</u>, <u>June 29, 2021 at City</u> <u>Hall. 1300 White Street</u>, Key West, Florida. In order to view the live feed of the meeting, you can tune in to Comcast channel 77, AT&T Uverse channel 99, or type this link into your browser:

http://keywestcity.granicus.com/MediaPlayer.php?publish_id=1&embed=1 If you wish to participate virtually, please contact HARC staff at 305-809-3975. The purpose of the hearing will be to consider a request for:

RECONSTRUCTION OF FRONT PORCH AND RENOVATIONS TO HOUSE.
REPLACE SIDE AND REAR LOWER DECKS. DEMOLITION OF NON-HISTORIC FRONT PORCH ELEMENTS.

#1118 WHITEHEAD STREET

Applicant – Casebolt Construction Application #H2021-0024

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3973 or visit our website at www.citvofkevwest-fl.gov.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

PROPERTY APPRAISER INFORMATION



Disclaimer

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the data is intended for ad valorem tax purposes only and should not be relied on for any other purpose.

By continuing into this site you assert that you have read and agree to the above statement.

00026180-000000 Parcel ID 1026956 Account# 1026956 Property ID Millage Group 11KW

Location 1118 WHITEHEAD St, KEY WEST

Address KW PB1-25-40 PT LOTS 17 & 32 SQR 2 TR 10 G35-359/60 OR898-2291 OR931-895 Legal OR931-896 OR931-902 OR940-1295/96 OR1216-1274/76 OR1315-435/36 OR1355-Description

386/88 OR1355-389/90 OR1863-463/64 (Note: Not to be used on legal documents.)

Neighborhood

SINGLE FAMILY RESID (0100) Property

Class

Subdivision Tracts 10 and 15 Sec/Twp/Rng 06/68/25 Affordable No

Housing



Owner

SNYDER DOUGLAS S SNYDER BRITTANY P 1118 Whitehead St 1118 Whitehead St Key West FL 33040 Key West FL 33040

Valuation

	2020	2019	2018	2017
+ Market Improvement Value	\$89,328	\$90,569	\$81,884	\$86,847
+ Market Misc Value	\$239	\$239	\$239	\$239
+ Market Land Value	\$205,526	\$218,991	\$218,991	\$218,991
= Just Market Value	\$295,093	\$309,799	\$301,114	\$306,077
= Total Assessed Value	\$182,878	\$178,767	\$175,434	\$171,826
- School Exempt Value	(\$25,000)	(\$25,000)	(\$25,000)	(\$25,000)
= School Taxable Value	\$157,878	\$153,767	\$150,434	\$146,826

Land

Land Use	Number of Units	Unit Type	Frontage	Depth
RESIDENTIAL DRY (010D)	1,381.50	Square Foot	27.8	50.3

Buildings

Exterior Walls **Building ID** 2044 ABOVE AVERAGE WOOD 1 STORY ELEV FOUNDATION Year Built 1928 Style **Building Type** S.F.R. - R1/R1 **EffectiveYearBuilt** 1999 Foundation **CONC BLOCK** Gross Sa Ft 1307 GABLE/HIP Finished Sa Ft 756 Roof Type Stories 1 Floor **Roof Coverage METAL** Condition GOOD Flooring Type CONC S/B GRND Perimeter **Heating Type** NONE with 0% NONE 114 **Functional Obs** Bedrooms Economic Obs **Full Bathrooms** 1 Depreciation % Half Bathrooms 0 30 Interior Walls WALL BD/WD WAL 450 Grade Number of Fire PI 0

Code	Description	Sketch Area	Finished Area	Perimeter
FLA	FLOOR LIV AREA	756	756	0
OPU	OP PR UNFIN LL	232	0	0
OUU	OP PR UNFIN UL	112	0	0
OPF	OP PRCH FIN LL	207	0	0
TOTAL		1 207	754	0

Yard Items

Description	Year Built	Roll Year	Quantity	Units	Grade
FENCES	1985	1986	1	135 SF	2

Sales

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page	Sale Qualification	Vacant or Improved
3/4/2003	\$325,000	Warranty Deed		1863	0463	Q - Qualified	Improved
5/1/1995	\$138,000	Warranty Deed		1355	0389	U - Unqualified	Improved
7/1/1994	\$110,000	Warranty Deed		1315	0435	U - Unqualified	Improved
5/1/1985	\$47,000	Warranty Deed		940	1295	Q - Qualified	Improved
12/1/1984	\$44,000	Warranty Deed		931	902	U - Unqualified	Improved


Permits

Notes ♦	Permit Type ◆	Amount ♦	Date Completed ♦	Date Issued ♦	Number ♦
INSTALL 1000SF METAL ROOFING		\$8,933	11/12/2008	10/13/2008	8-3779
SEWER LATERAL		\$1,200	11/23/2004	3/9/2004	04-0684
ROOFING		\$2,600	10/30/2003	4/4/2003	03-1210
DEMOLITION		\$600	12/1/1997	2/1/1997	9700326
RENOVATION		\$1,000	12/1/1997	9/1/1996	9603875

View Tax Info

View Taxes for this Parcel

Sketches (click to enlarge)



Photos





Map



TRIM Notice

2020 TRIM Notice (PDF)

2020 Notices Only

No data available for the following modules: Commercial Buildings, Mobile Home Buildings, Exemptions.

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its property of the purpose of the purposresponsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the **User Privacy Policy GDPR Privacy Notice**



Last Data Upload: 6/14/2021, 2:07:48 AM

Version 2.3.125