Karen DeMaria

From: Karen DeMaria

Sent: Tuesday, November 9, 2021 10:51 AM

To: Karen DeMaria

Subject: FW: Tree Commission and Key Cove deck/dock

From: Javier Garrido <javier@keywestvacationhomes.com>

Sent: Tuesday, November 9, 2021 10:36 AM

To: Karen DeMaria <kdemaria@cityofkeywest-fl.gov>

Cc: Debbie Batty <dbatty@historictours.com>; Ronald Ramsingh <rramsingh@cityofkeywest-fl.gov>; Rick Milelli

<rmilelli@meflkeys.com>

Subject: [EXTERNAL] RE: [EXTERNAL] RE: [EXTERNAL] RE: [EXTERNAL] RE: [EXTERNAL] RE: Tree Commission and Key Cove

deck/dock

Good morning. In preparation for tonight I took some recent photos of the area in question after our recent permitted trimming. It is now more apparent that the subject location does in dead have a natural recession. Keep in mind, this area, and I believe for this reason, was the area personally selected by the army corps. representative to have the smallest impact on the shoreline that coincides with-in the confines of 2861 Key Cove Dr. property lines.

I also included recent areal shots of the area which show our adjacent neighbor, Parrot Key, having a similar observation deck through the same shoreline we possess. Our observation deck would not be any different, except I believe ours might possibly be smaller in square footage.

I also included an arial screen shot of the adjacent property to Parrott Key which reflects at least 3 or 4 docks/observation decks through a similar, if not same, mangrove shoreline.

Please add these to the presentation tonight as I believe it will help alleviate any question with regards to "precedence" of granting us a permit as well as concerns with the density of the subject area.

Thanks in advance and see you tonight.

Sincerely,

Javier Garrido Key West Vacation Homes (305) 292-8905 Office

KeyWestVacationHomes.com



From: Karen DeMaria <kdemaria@cityofkeywest-fl.gov>

Sent: Friday, November 5, 2021 10:13 AM

To: Rick M <nseflkeys@gmail.com>; Javier Garrido <javier@keywestvacationhomes.com>

Cc: Debbie Batty <dbatty@historictours.com>; Ronald Ramsingh <rramsingh@cityofkeywest-fl.gov>; Rick Milelli

<rmilelli@meflkeys.com>

Subject: RE: [EXTERNAL] RE: [EXTERNAL] RE: [EXTERNAL] RE: [EXTERNAL] RE: Tree Commission and Key Cove deck/dock

Thank you for putting that all in writing. I appreciate the information so I can share it with the Tree Commissioners.

Sincerely,

Karen

From: nseflkeys@gmail.com <nseflkeys@gmail.com>

Sent: Friday, November 5, 2021 10:08 AM

To: Karen DeMaria < kdemaria@cityofkeywest-fl.gov>; 'Javier Garrido' < javier@keywestvacationhomes.com> Cc: 'Debbie Batty' < dbatty@historictours.com>; Ronald Ramsingh < rramsingh@cityofkeywest-fl.gov>; 'Rick Milelli' < rmilelli@meflkeys.com>

Subject: [EXTERNAL] RE: [EXTERNAL] RE: [EXTERNAL] Re: [EXTERNAL] RE: Tree Commission and Key Cove deck/dock

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi Karen,

We have all the state and federal permits that are required for this work. We didn't complete a benthic survey because no one in the agencies asked for it. This is not a dock but an observation platform that meets the ACOE construction guidelines. It's also an exempt dock per state permitting requirements. I believe you are correct, the bottom there is mucky detritus. It's similar to the Gulfview observation platforms.

Thanks, Rick

Rick Milelli Northstar Engineering LLC 201 Front Street, Suite 203 Key West, Florida Cell 305.481.0400

From: Karen DeMaria <kdemaria@cityofkeywest-fl.gov>

Sent: Friday, November 5, 2021 9:49 AM

To: nseflkeys@gmail.com; 'Javier Garrido' <javier@keywestvacationhomes.com>

Cc: 'Debbie Batty' < dbatty@historictours.com'>; Ronald Ramsingh < rramsingh@cityofkeywest-fl.gov'>; 'Rick Milelli'

<rmilelli@meflkeys.com>

Subject: RE: [EXTERNAL] RE: [EXTERNAL] Re: [EXTERNAL] RE: Tree Commission and Key Cove deck/dock

I asked because the ACOE permit does state that FKNMS consultation may be required. Was a benthic survey done for the area beyond the mangroves? I ask because if a benthic survey was done that did not show the presence of any corals then the FKNMS probably would not have made any additional comments. I am not sure what the benthic community is in that area-is it mucky detritus or algal hard bottom which are fairly common off of fringing mangrove communities. Besides moving the dock/deck, the other comments from the Tree Commissioners was making sure all the required State and Federal permitting reviews had been done so I just want to make sure we can answer them properly.

Thanks,

Karen

From: nseflkeys@gmail.com <nseflkeys@gmail.com>

Sent: Thursday, October 28, 2021 3:52 PM

To: 'Javier Garrido' < <u>javier@keywestvacationhomes.com</u>>; Karen DeMaria < <u>kdemaria@cityofkeywest-fl.gov</u>> **Cc:** 'Debbie Batty' < <u>dbatty@historictours.com</u>>; Ronald Ramsingh < <u>rramsingh@cityofkeywest-fl.gov</u>>; 'Rick Milelli'

<rmilelli@meflkeys.com>

Subject: [EXTERNAL] RE: [EXTERNAL] Re: [EXTERNAL] RE: Tree Commission and Key Cove deck/dock

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

No additional correspondence from FKNMS. I believe they review the permit application during the ACOE review process.

Thank you,

Rick

Rick Milelli Northstar Engineering LLC 201 Front Street, Suite 203 Key West, Florida Cell 305.481.0400











