

City of Key West, FL

City Hall 1300 White Street Key West FL 33040

Legislation Details (With Text)

File #: 16-9153 **Version**: 1 **Name**:

Type: Code Violations Status: Passed

File created: 3/2/2016 In control: Code Compliance Hearing

On agenda: 3/30/2016 Final action: 12/21/2016

Title: Case # 15-1192

Cary Robert Hanson - Property Owner

Asta Parking Inc.

Prakash R Patel, Registered Agent

515 Angela Street

Sec. 66-87 Business tax receipt required for all holding themselves out to be engaged in business

Sec. 14-40 Permits in historic districts

Sec. 14-37 Building permits; professional plans; display of permits; address; exceptions FBC Accessibility - 208.2 Minimum number of parking spaces at a ratio of one per twenty-five

Sec. 114-104 Restrictions on number of signs permitted

Officer Jorge Lopez

Certified Service: 2-16-2016 - Property Owner Certified Service: 2-8-2016 - Registered Agent

Initial Hearing: 3-30-2016

Request dismissal

Count 1: A business tax receipt is required for the public parking lot. Count 2: For failure to obtain a certificate of appropriateness for the 7 signs. Count 3: A Kiosk and 7 signs were installed without benefit of the required building/electrical permits and inspections. Count 4: The parking facility does not have the requisite amount of accessible parking spaces. Count 5: Restriction on number of signs permitted.

Sponsors:

Indexes:

Code sections:

Attachments:

Date	Ver.	Action By	Action	Result
12/21/2016	1	Code Compliance Hearing	Dismissed	
5/25/2016	1	Code Compliance Hearing	Continuance	
3/30/2016	1	Code Compliance Hearing	Continuance	

Case # 15-1192

Cary Robert Hanson - Property Owner

Asta Parking Inc.

Prakash R Patel, Registered Agent

515 Angela Street

Sec. 66-87 Business tax receipt required for all holding themselves out to be engaged in business

Sec. 14-40 Permits in historic districts

Sec. 14-37 Building permits; professional plans; display of permits; address; exceptions

FBC Accessibility - 208.2 Minimum number of parking spaces at a ratio of one per twenty-five

Sec. 114-104 Restrictions on number of signs permitted

File #: 16-9153, Version: 1

Officer Jorge Lopez

Certified Service: 2-16-2016 - Property Owner Certified Service: 2-8-2016 - Registered Agent

Initial Hearing: 3-30-2016

Request dismissal

Count 1: A business tax receipt is required for the public parking lot. **Count 2:** For failure to obtain a certificate of appropriateness for the 7 signs. **Count 3:** A Kiosk and 7 signs were installed without benefit of the required building/electrical permits and inspections. **Count 4:** The parking facility does not have the requisite amount of accessible parking spaces. **Count 5:** Restriction on number of signs permitted.